### Check Sheet

Pages 1 to 470 of this tariff are effective as of the date shown. The original and revised pages named below contain all changes from the original tariff that are in effect on the date shown.

	Number of		Number of		Number of
	Revision Except		Revision Except		Revision Except
<u>Page</u>	As Indicated ·	<u>Page</u>	<u>As Indicated</u>	<u>Page</u>	As Indicated ·
Title 1	1st Revised	33	Original	61	Original
1	16 <sup>th</sup> Revised*	34	1 <sup>st</sup> Řevised	62	Original
2 3	5 <sup>th</sup> Revised*	35	Original	63	1 <sup>st</sup> Revised
3	3 <sup>rd</sup> Revised	36	Original	64	1st Revised
4	3 <sup>rd</sup> Revised	37	Original	65	Original
5	5 <sup>th</sup> Revised	38	Original	66	Original
5 6 7	Original	39	Original	67	Original
	Original	40	1 <sup>st</sup> Revised	68	Original
8	1 <sup>st</sup> Revised	40.1	Original	69	Original
9	1 <sup>st</sup> Revised	40.2	Original	70	Original
10	2 <sup>nd</sup> Revised	40.3	Original	71	1 <sup>st</sup> Revised
11	Original	40.4	Original	72	1 <sup>st</sup> Revised
12	Original	40.5	Original	73	Original
13	1st Revised	41	Original	74	Original
14	Original	42	Original	75	Original
15	Original	43	Original	76	Original
16	2 <sup>nd</sup> Revised	44	Original	77	Original
17	Original	45	Original	78	Original
18	Original	46	Original	79	Original
19	Original	47	Original	80	Original
20	Original	48	Original	81	Original
21	Original	49	Original	82	Original
22	Original	50	Original	83	Original
23	Original Original	51 52	Original	84 95	Original
24 25	Original Original	52 53	Original Original	85 86	Original
26	Original Original	53 54	Original Original	87	Original
27	Original Original	5 <del>4</del> 55	Original Original	88	Original 1 <sup>st</sup> Revised
28	Original	56	Original	89	Original
29	Original	57	Original	90	Original
30	1 <sup>st</sup> Revised	58	Original	30	Original
31	Original	59	Original		
32	Original	60	Original		
<b></b>	g		- · · · · · · · · · · · · · · · · · · ·		

<sup>\*</sup>New or Revised

_	Number of Revision Except	_	Number of Revision Except	_	Number of Revision Except
Page	As Indicated	Page	As Indicated	Page	As Indicated
91	Original	124	Original	157	1 <sup>st</sup> Revised
92	1 <sup>st</sup> Revised	125	Original	158	1 <sup>st</sup> Revised
93	Original	126	Original	159	1st Revised
94	Original	127	Original	160	1 <sup>st</sup> Revised
95	Original	128	Original	161	1 <sup>st</sup> Revised
96	Original	129	Original	162	1 <sup>st</sup> Revised
97	Original	130	Original	163	1 <sup>st</sup> Revised
98	Original	131	Original	164	1 <sup>st</sup> Revised
99	Original	132	Original	165	1 <sup>st</sup> Revised
100	Original	133	1 <sup>st</sup> Revised	166	1 <sup>st</sup> Revised
101	1st Revised	134	4 <sup>th</sup> Revised*	167	1 <sup>st</sup> Revised
102	Original	135	1 <sup>st</sup> Revised	168	1 <sup>st</sup> Revised
103	Original	136	1 <sup>st</sup> Revised	169	1st Revised
104	Original	137	1 <sup>st</sup> Revised	170	1st Revised
105	Original	138	1 <sup>st</sup> Revised	171	1st Revised
106	1st Revised	139	1 <sup>st</sup> Revised	172	1st Revised
107	Original	140	1 <sup>st</sup> Revised	173	1 <sup>st</sup> Revised
108	1 <sup>st</sup> Revised	141	1 <sup>st</sup> Revised	174	1st Revised
109	Original	142	1 <sup>st</sup> Revised	175	1st Revised
110	3 <sup>rd</sup> Revised*	143	1 <sup>st</sup> Revised	176	1 <sup>st</sup> Revised
111	Original	144	1 <sup>st</sup> Revised	177	1 <sup>st</sup> Revised
112	Original	145	1 <sup>st</sup> Revised	178	1st Revised
113	Original	146	1 <sup>st</sup> Revised	179	1st Revised
114	Original	147	1 <sup>st</sup> Revised	180	1st Revised
115	1 <sup>st</sup> Revised	148	1 <sup>st</sup> Revised	181	1 <sup>st</sup> Revised
116	Original	149	1 <sup>st</sup> Revised	182	1 <sup>st</sup> Revised
117	Original	150	1 <sup>st</sup> Revised	183	1 <sup>st</sup> Revised
118	1 <sup>st</sup> Revised	151	1 <sup>st</sup> Revised	184	1 <sup>st</sup> Revised
119	1 <sup>st</sup> Revised	152	1 <sup>st</sup> Revised	185	1 <sup>st</sup> Revised
120	1 <sup>st</sup> Revised	153	1 <sup>st</sup> Revised	186	1 <sup>st</sup> Revised
121	Original	154	1 <sup>st</sup> Revised	187	1 <sup>st</sup> Revised
122	Original	155	1 <sup>st</sup> Revised	188	1 <sup>st</sup> Revised
123	Original	156	1 <sup>st</sup> Revised	189	1 <sup>st</sup> Revised
120	Original	100	1 1/6/1960	100	1 1/6/1960

<sup>\*</sup>New or Revised

Continued

Issued: May 11, 2021 Effective: July 1, 2021

# Check Sheet (Cont'd)

Revision Except		Number of		Number of		Number of
190         1st Revised         223         1st Revised         256         Original           191         1st Revised         224         1st Revised         257         Original           192         1st Revised         225         1st Revised         258         Original           193         1st Revised         226         1st Revised         259         Original           194         1st Revised         226         1st Revised         260         Original           194         1st Revised         228         1st Revised         260         Original           195         1st Revised         228         1st Revised         261         Original           196         1st Revised         229         1st Revised         262         Original           196         1st Revised         230         2nd Revised         263         Original           197         1st Revised         230         2nd Revised         263         Original           198         1st Revised         231         1st Revised         264         Original           200         1st Revised         233         1st Revised         266         Original           201         1st Revise	Page		Page		Page	
191         1st Revised         224         1st Revised         257         Original           192         1st Revised         225         1st Revised         258         Original           193         1st Revised         226         1st Revised         259         Original           194         1st Revised         227         1st Revised         260         Original           195         1st Revised         228         1st Revised         261         Original           195         1st Revised         229         1st Revised         261         Original           196         1st Revised         230         2nd Revised         262         Original           197         1st Revised         230         2nd Revised         263         Original           198         1st Revised         231         1st Revised         264         Original           199         1st Revised         232         1st Revised         265         Original           200         1st Revised         233         1st Revised         266         Original           201         1st Revised         235         1st Revised         267         Original           202         1st Revise	<u>1 490</u> 190		223		256	Original
192         1st Revised         225         1st Revised         259         Original           193         1st Revised         226         1st Revised         259         Original           194         1st Revised         227         1st Revised         260         Original           195         1st Revised         228         1st Revised         261         Original           195         1st Revised         229         1st Revised         262         Original           196         1st Revised         230         2nd Revised         262         Original           197         1st Revised         230         2nd Revised         263         Original           198         1st Revised         231         1st Revised         264         Original           198         1st Revised         231         1st Revised         265         Original           199         1st Revised         232         1st Revised         266         Original           200         1st Revised         233         1st Revised         266         Original           201         1st Revised         235         1st Revised         267         Original           202         1st Revise						
193         1st Revised         226         1st Revised         259         Original           194         1st Revised         227         1st Revised         260         Original           195         1st Revised         228         1st Revised         261         Original           196         1st Revised         229         1st Revised         262         Original           197         1st Revised         230         2nd Revised         263         Original           197         1st Revised         231         1st Revised         263         Original           198         1st Revised         231         1st Revised         264         Original           199         1st Revised         232         1st Revised         265         Original           200         1st Revised         233         1st Revised         266         Original           201         1st Revised         234         1st Revised         267         Original           202         1st Revised         235         1st Revised         267         Original           203         1st Revised         236         1st Revised         269         Original           204         1st Revise						
194         1st Revised         227         1st Revised         260         Original           195         1st Revised         228         1st Revised         261         Original           196         1st Revised         229         1st Revised         262         Original           197         1st Revised         230         2nd Revised         263         Original           197         1st Revised         230         2nd Revised         263         Original           198         1st Revised         231         1st Revised         264         Original           199         1st Revised         232         1st Revised         265         Original           200         1st Revised         233         1st Revised         266         Original           201         1st Revised         235         1st Revised         267         Original           202         1st Revised         235         1st Revised         269         Original           203         1st Revised         236         1st Revised         269         Original           204         1st Revised         237         1st Revised         269         Original           205         1st Revise						_
195         1st Revised         228         1st Revised         261         Original           196         1st Revised         229         1st Revised         262         Original           197         1st Revised         230         2nd Revised         263         Original           198         1st Revised         231         1st Revised         264         Original           199         1st Revised         232         1st Revised         265         Original           200         1st Revised         233         1st Revised         266         Original           201         1st Revised         234         1st Revised         266         Original           201         1st Revised         235         1st Revised         267         Original           202         1st Revised         236         1st Revised         268         Original           203         1st Revised         236         1st Revised         269         Original           204         1st Revised         237         1st Revised         269         Original           204         1st Revised         237         1st Revised         270         Original           205         1st Revise						
196         1st Revised         229         1st Revised         262         Original           197         1st Revised         230         2nd Revised         263         Original           198         1st Revised         231         1st Revised         264         Original           199         1st Revised         232         1st Revised         265         Original           200         1st Revised         233         1st Revised         266         Original           200         1st Revised         234         1st Revised         266         Original           201         1st Revised         234         1st Revised         267         Original           202         1st Revised         235         1st Revised         268         Original           203         1st Revised         236         1st Revised         269         Original           204         1st Revised         237         1st Revised         269         Original           204         1st Revised         237         1st Revised         270         Original           205         1st Revised         238         2nd Revised         271         Original           206         1st Revise						
197         1st Revised         230         2nd Revised         263         Original           198         1st Revised         231         1st Revised         264         Original           199         1st Revised         232         1st Revised         265         Original           200         1st Revised         233         1st Revised         266         Original           201         1st Revised         234         1st Revised         267         Original           201         1st Revised         235         1st Revised         268         Original           202         1st Revised         236         1st Revised         269         Original           203         1st Revised         236         1st Revised         269         Original           204         1st Revised         237         1st Revised         269         Original           204         1st Revised         237         1st Revised         269         Original           205         1st Revised         238         2nd Revised         270         Original           206         1st Revised         239         1st Revised         272         Original           207         1st Revise						_
198         1st Revised         231         1st Revised         264         Original           199         1st Revised         232         1st Revised         265         Original           200         1st Revised         233         1st Revised         266         Original           201         1st Revised         234         1st Revised         267         Original           201         1st Revised         235         1st Revised         268         Original           202         1st Revised         236         1st Revised         269         Original           203         1st Revised         236         1st Revised         269         Original           204         1st Revised         237         1st Revised         270         Original           205         1st Revised         238         2nd Revised         271         Original           206         1st Revised         239         1st Revised         272         Original           207         1st Revised         240         2nd Revised         272         Original           208         1st Revised         241         Original         274         Original           209         1st Revised </td <td></td> <td></td> <td></td> <td></td> <td></td> <td>•</td>						•
199         1st Revised         232         1st Revised         265         Original           200         1st Revised         233         1st Revised         266         Original           201         1st Revised         234         1st Revised         267         Original           202         1st Revised         235         1st Revised         268         Original           203         1st Revised         236         1st Revised         269         Original           204         1st Revised         237         1st Revised         270         Original           204         1st Revised         238         2nd Revised         270         Original           205         1st Revised         238         2nd Revised         271         Original           206         1st Revised         239         1st Revised         272         Original           207         1st Revised         240         2nd Revised         272         Original           208         1st Revised         241         Original         274         Original           209         1st Revised         242         Original         275         Original           210         1st Revised						_
200         1st Revised         233         1st Revised         266         Original           201         1st Revised         234         1st Revised         267         Original           202         1st Revised         235         1st Revised         268         Original           203         1st Revised         236         1st Revised         269         Original           204         1st Revised         237         1st Revised         270         Original           205         1st Revised         238         2nd Revised         271         Original           206         1st Revised         239         1st Revised         272         Original           207         1st Revised         240         2nd Revised         272         Original           207         1st Revised         240         2nd Revised         273         Original           208         1st Revised         241         Original         274         Original           209         1st Revised         242         Original         275         Original           210         1st Revised         243         Original         276         Original           211         1st Revised	199		232		265	
201         1st Revised         234         1st Revised         267         Original           202         1st Revised         235         1st Revised         268         Original           203         1st Revised         236         1st Revised         269         Original           204         1st Revised         237         1st Revised         270         Original           205         1st Revised         238         2nd Revised         271         Original           206         1st Revised         239         1st Revised         272         Original           207         1st Revised         240         2nd Revised         272         Original           207         1st Revised         240         2nd Revised         273         Original           208         1st Revised         241         Original         274         Original           208         1st Revised         241         Original         275         Original           209         1st Revised         242         Original         275         Original           210         1st Revised         243         Original         276         Original           211         1st Revised						
202         1st Revised         235         1st Revised         268         Original           203         1st Revised         236         1st Revised         269         Original           204         1st Revised         237         1st Revised         270         Original           205         1st Revised         238         2nd Revised         271         Original           206         1st Revised         239         1st Revised         272         Original           207         1st Revised         240         2nd Revised         272         Original           207         1st Revised         240         2nd Revised         272         Original           208         1st Revised         241         Original         274         Original           208         1st Revised         241         Original         275         Original           209         1st Revised         242         Original         275         Original           210         1st Revised         243         Original         276         Original           211         1st Revised         244         Original         277         Original           212         1st Revised	201		234		267	
203         1st Revised         236         1st Revised         269         Original           204         1st Revised         237         1st Revised         270         Original           205         1st Revised         238         2nd Revised         271         Original           206         1st Revised         239         1st Revised         272         Original           207         1st Revised         240         2nd Revised         273         Original           207         1st Revised         241         Original         274         Original           208         1st Revised         241         Original         274         Original           209         1st Revised         242         Original         275         Original           210         1st Revised         243         Original         276         Original           211         1st Revised         244         Original         277         Original           212         1st Revised         245         Original         278         Original           213         1st Revised         246         Original         280         Original           214         1st Revised         24	202		235		268	•
204         1st Revised         237         1st Revised         270         Original           205         1st Revised         238         2nd Revised         271         Original           206         1st Revised         239         1st Revised         272         Original           207         1st Revised         240         2nd Revised         272         Original           207         1st Revised         240         2nd Revised         273         Original           208         1st Revised         241         Original         274         Original           208         1st Revised         241         Original         275         Original           209         1st Revised         242         Original         275         Original           209         1st Revised         243         Original         275         Original           210         1st Revised         243         Original         276         Original           210         1st Revised         244         Original         277         Original           211         1st Revised         245         Original         278         Original           212         1st Revised         24	203		236		269	_
205         1st Revised         238         2nd Revised         271         Original           206         1st Revised         239         1st Revised         272         Original           207         1st Revised         240         2nd Revised         273         Original           208         1st Revised         241         Original         274         Original           209         1st Revised         242         Original         275         Original           209         1st Revised         242         Original         275         Original           209         1st Revised         243         Original         275         Original           210         1st Revised         243         Original         276         Original           210         1st Revised         244         Original         277         Original           211         1st Revised         245         Original         278         Original           212         1st Revised         245         Original         279         Original           213         1st Revised         246         Original         280         Original           214         1st Revised         248	204		237		270	_
206         1st Revised         239         1st Revised         272         Original           207         1st Revised         240         2nd Revised         273         Original           208         1st Revised         241         Original         274         Original           209         1st Revised         242         Original         275         Original           210         1st Revised         243         Original         276         Original           210         1st Revised         244         Original         276         Original           211         1st Revised         244         Original         277         Original           211         1st Revised         245         Original         278         Original           212         1st Revised         246         Original         279         Original           213         1st Revised         247         Original         280         Original           214         1st Revised         248         Original         281         Original           215         1st Revised         249         Original         281         Original           216         1st Revised         250	205		238		271	_
207         1st Revised         240         2nd Revised         273         Original           208         1st Revised         241         Original         274         Original           209         1st Revised         242         Original         275         Original           210         1st Revised         243         Original         276         Original           211         1st Revised         244         Original         277         Original           211         1st Revised         245         Original         278         Original           212         1st Revised         246         Original         279         Original           213         1st Revised         247         Original         280         Original           214         1st Revised         248         Original         280         Original           215         1st Revised         248         Original         281         Original           216         1st Revised         249         Original         282         Original           217         1st Revised         250         Original         283         Original           218         1st Revised         251	206		239	1 <sup>st</sup> Revised	272	Original
208       1st Revised       241       Original       274       Original         209       1st Revised       242       Original       275       Original         210       1st Revised       243       Original       276       Original         211       1st Revised       244       Original       277       Original         212       1st Revised       245       Original       278       Original         213       1st Revised       246       Original       279       Original         214       1st Revised       247       Original       280       Original         215       1st Revised       248       Original       281       Original         216       1st Revised       249       Original       282       Original         217       1st Revised       250       Original       283       Original         218       1st Revised       251       Original       284       Original         219       1st Revised       252       1st Revised*       285       Original         220       1st Revised       253       Original       287       Original         221       1st Revised       25	207		240	2 <sup>nd</sup> Revised	273	•
209       1st Revised       242       Original       275       Original         210       1st Revised       243       Original       276       Original         211       1st Revised       244       Original       277       Original         212       1st Revised       245       Original       278       Original         213       1st Revised       246       Original       279       Original         214       1st Revised       247       Original       280       Original         215       1st Revised       248       Original       281       Original         216       1st Revised       249       Original       282       Original         217       1st Revised       250       Original       283       Original         218       1st Revised       251       Original       284       Original         219       1st Revised       252       1st Revised*       285       Original         220       1st Revised       253       Original       286       Original         221       1st Revised       254       Original       287       Original	208		241	Original	274	Original
210       1st Revised       243       Original       276       Original         211       1st Revised       244       Original       277       Original         212       1st Revised       245       Original       278       Original         213       1st Revised       246       Original       279       Original         214       1st Revised       247       Original       280       Original         215       1st Revised       248       Original       281       Original         216       1st Revised       249       Original       282       Original         217       1st Revised       250       Original       283       Original         218       1st Revised       251       Original       284       Original         219       1st Revised       252       1st Revised*       285       Original         220       1st Revised       253       Original       286       Original         221       1st Revised       254       Original       287       Original	209		242		275	
211 1st Revised 244 Original 277 Original 212 1st Revised 245 Original 278 Original 213 1st Revised 246 Original 279 Original 214 1st Revised 247 Original 280 Original 215 1st Revised 248 Original 281 Original 216 1st Revised 249 Original 282 Original 217 1st Revised 250 Original 283 Original 218 1st Revised 251 Original 284 Original 219 1st Revised 252 1st Revised* 255 Original 220 1st Revised 253 Original 286 Original 221 1st Revised 254 Original 287 Original	210		243	_	276	
212       1st Revised       245       Original       278       Original         213       1st Revised       246       Original       279       Original         214       1st Revised       247       Original       280       Original         215       1st Revised       248       Original       281       Original         216       1st Revised       249       Original       282       Original         217       1st Revised       250       Original       283       Original         218       1st Revised       251       Original       284       Original         219       1st Revised       252       1st Revised*       285       Original         220       1st Revised       253       Original       286       Original         221       1st Revised       254       Original       287       Original	211		244	_	277	
213       1st Revised       246       Original       279       Original         214       1st Revised       247       Original       280       Original         215       1st Revised       248       Original       281       Original         216       1st Revised       249       Original       282       Original         217       1st Revised       250       Original       283       Original         218       1st Revised       251       Original       284       Original         219       1st Revised       252       1st Revised*       285       Original         220       1st Revised       253       Original       286       Original         221       1st Revised       254       Original       287       Original	212		245	_	278	
214       1st Revised       247       Original       280       Original         215       1st Revised       248       Original       281       Original         216       1st Revised       249       Original       282       Original         217       1st Revised       250       Original       283       Original         218       1st Revised       251       Original       284       Original         219       1st Revised       252       1st Revised*       285       Original         220       1st Revised       253       Original       286       Original         221       1st Revised       254       Original       287       Original	213		246	Original	279	Original
215       1st Revised       248       Original       281       Original         216       1st Revised       249       Original       282       Original         217       1st Revised       250       Original       283       Original         218       1st Revised       251       Original       284       Original         219       1st Revised       252       1st Revised*       285       Original         220       1st Revised       253       Original       286       Original         221       1st Revised       254       Original       287       Original	214		247	Original	280	Original
216       1st Revised       249       Original       282       Original         217       1st Revised       250       Original       283       Original         218       1st Revised       251       Original       284       Original         219       1st Revised       252       1st Revised*       285       Original         220       1st Revised       253       Original       286       Original         221       1st Revised       254       Original       287       Original	215		248	Original	281	Original
2171st Revised250Original283Original2181st Revised251Original284Original2191st Revised2521st Revised*285Original2201st Revised253Original286Original2211st Revised254Original287Original	216		249	Original	282	Original
2181st Revised251Original284Original2191st Revised2521st Revised*285Original2201st Revised253Original286Original2211st Revised254Original287Original	217		250	Original	283	Original
2191st Revised2521st Revised*285Original2201st Revised253Original286Original2211st Revised254Original287Original	218		251	Original	284	Original
221 1 <sup>st</sup> Revised 254 Original 287 Original	219		252	1st Revised*	285	Original
221 1 <sup>st</sup> Revised 254 Original 287 Original			253	Original		Original
				Original		Original
	222		255	Original	288	Original

<sup>\*</sup> New or Revised

Continued

Effective: February 16, 2015

Issued: January 15, 2015 Allison Ellis
Vice President, Regulatory Affairs
3 High Ridge Park
Stamford, CT 06905

Number of Revision Except	Original Original Original Original Original Original Original Original	Page 352 353 354 355 356 357 358 360 361 362 363 364 365 366 367 368 369 370 371 372 373 374 375 376 377 378 379 380 381 382 383 384 385 386 387	Number of Revision Except As Indicated Original
---------------------------	--	---	---

Issued: May 9, 2012 Kenneth Mason Effective: July 1, 2012

Vice President
Government & Regulatory Affairs
180 S. Clinton Ave.
Rochester, NY 14646

# Check Sheet (Cont'd)

ARIZONA ACCESS TARIFF NO. 1 1st Revised Title Page 1 Canceling Original Title Page 1

#### ACCESS SERVICE

Regulations, Rates and Charges applying to the provision of Access Services for connection to intrastate communications facilities for customers within the operating territories of

Citizens Telecommunications Company the White Mountains, Inc.

D/B/A (N)

Frontier Communications of the White Mountains (N)

Access Services are provided by means of wire, fiber optics, radio or any other suitable technology or a combination thereof.

DATE ISSUED: April 3, 2002 EFFECTIVE DATE: May 3, 2002

FILED BY: Aloa J. Stevens, Vice President - State Government Affairs

Citizens Communications Company

4 Triad Center, Suite 200 Salt Lake City, Utah 84180 SECTION BELOW RESERVED FOR ACC TARIFF APPROVAL APPROVED FOR FILING IN COMPLIANCE WITH DECISION #:

# TABLE OF CONTENTS

	PAGE NO.
CONCURRING CARRIERS	17
CONNECTING CARRIERS	17
OTHER PARTICIPATING CARRIERS	17
REGISTERED SERVICE MARKS	17
REGISTERED TRADEMARKS	17
EXPLANATION OF SYMBOLS	18
EXPLANATION OF ABBREVIATIONS	18
REFERENCE TO OTHER TARIFFS	21
REFERENCE TO TECHNICAL PUBLICATIONS	21

Continued

ARIZONA ACCESS TARIFF NO. 1 2<sup>nd</sup> Revised Page 3 Cancels 1<sup>st</sup> Revised Page 3

### **ACCESS SERVICE**

			TABLE OF CONTENTS (Cont'd)	PA	GE NO.	
1.	ΛDDI	ICATION	OF TARIFF	24	<del></del>	
١.	AFFL	ICATION !	<u>OI TAINIT</u>	24		
2.	<u>GENE</u>	ERAL REG	<u>SULATIONS</u>		25	
	2.1	2.1.1 2.1.2 2.1.3 2.1.4	ing of the Telephone Company Scope Limitations Liability Provision of Services	29	25 25 25 27	
		2.1.5 2.1.6 2.1.7 2.1.8 2.1.9 2.1.10	Installation and Termination of Services Maintenance of Services Changes, Substitutions, and Rearrangements Refusal and Discontinuance of Service Limitation of Use of Metallic Facilities Notification of Service-Affecting Activities		29 30 30 32 33 33	
		2.1.11	Coordination with Respect to Network Contingencies		34	
		<ul><li>2.1.12</li><li>2.1.13</li></ul>	Provision and Ownership of Telephone Numbers Special Fees, Taxes, Charges		34 34	
	2.2	<u>Use</u> 2.2.1 2.2.2	Interference or Impairment Unlawful Use		35 35 36	
	2.3	Obligation 2.3.1 2.3.2 2.3.3 2.3.4 2.3.5 2.3.6 2.3.7 2.3.8 2.3.9	Damages Ownership of Facilities and Theft Equipment Space and Power Availability for Testing Balance Design of Customer Services References to the Telephone Company Claims and Demands for Damages Coordination with Respect to Network Contingencies Sectionalization of Trouble Reporting		36 36 36 37 37 37 38 38 38 38 39	
		2.3.11	Identification and Rating of VolP-PSTN Traffic	4	10.1	(N)

Continued

Effective: July 30, 2012

Issued: December 13, 2011 Kenneth Mason
Vice President
Government & Regulatory Affairs
180 S. Clinton Ave.
Rochester, NY 14646

ARIZONA ACCESS TARIFF NO. 1 1<sup>st</sup> Revised Page 4 Cancels Original Page 4

### **ACCESS SERVICE**

# TABLE OF CONTENTS (Cont'd)

		PAGE NO.	
<u>GEN</u>	ERAL REGULATIONS (Cont'd)		
2.4	Payment Arrangements and Credit Allowances 2.4.1 Payment of Rates, Charges and Deposits 2.4.2 Minimum Periods	40.5 40.5 49	(T (T
	<ul> <li>2.4.3 Cancellation of an Order for Service</li> <li>2.4.4 Credit Allowance for Service Interruptions</li> <li>2.4.5 Re-establishment of Service Following</li> </ul>	49 50	
	Fire, Flood, or Other Occurrences 2.4.6 Title or Ownership Rights 2.4.7 Access Services Provided by More Than	57 57	
	One Telephone Company	58	
2.5	Connections	65	
2.6	<u>Definitions</u> Access Area	66 66	
	Access Code Access Minutes	66 66	
	Access Tandem Access Tandem Network	67 67	
	Answer/Disconnect Supervision Answer Message	67 67	
	Attenuation Distortion Balance (100 Type) Test Line Bit	67 67 68	
	Business Day Busy Hour Minutes of Capacity (BHMC)	68 68	
	Call Carrier or Common Carrier	68 69	
	CCS Central Office Central Office Prefix	69 69 69	
	Central Office Frenk Centralized Automatic Reporting on Trunks Testing Circuit(s)	69 69	
	Channel Service Unit	70	

Continued

Effective: July 30, 2012

Issued: December 13, 2011 Kenneth Mason Vice President Government & Regulatory Affairs

180 S. Clinton Ave. Rochester, NY 14646

# TABLE OF CONTENTS (Cont'd)

			PAGE NO
2.	<u>GEN</u>	ERAL REGULATIONS (Cont'd)	
	2.6	Definitions (Cont'd) Channelize C-Message Noise C-Notched Noise Coin Station Common Channel Signaling System 7 Network (CCS7) Common Line Communications System Customer(s) Data Transmission (107 Type) Test Line Decibel Decibel Reference Noise C-Message Weighting Decibel Reference Noise C-Message Referenced to 0 Dual Tone Multifrequency Address Signaling Echo Control Echo Path Loss Echo Return Loss Effective Two-Wire Effective Two-Wire End Office Switch End User Entry Switch Envelope Delay Distortion Equal Level Echo Path Loss Exchange Exit Message Expected Measured Loss Extended Area Service Field Identifier First Come - First Served First Point of Switching Frequency Shift Grandfathered Host Office Immediately Available Funds	70 70 70 71 71 71 71 71 72 72 72 72 72 73 73 73 73 74 74 74 74 74 75 75 75 75 76 76 76 76 77
		minio diatory / transport arrao	

Continued

Effective: December 1, 1994

Issued: December 1, 1994

Robert S. Crum

Vice President
Western Region Telephone Operations
8920 Emerald Park Drive
Elk Grove, CA 95624

# TABLE OF CONTENTS (Cont'd)

		<u>PAGE NO</u>
<u>GEN</u>	IERAL REGULATIONS (Cont'd)	
2.6	Definitions (Cont'd)	
	Impedance Balance	77
	Impulse Noise	77
	Individual Case Basis	77 78
	Initial Address Message (IAM) Inserted Connection Loss	78 78
	Interexchange Carrier (IC) or	76
	Interexchange Common Carrier	78
	Intermodulation Distortion	78
	Interstate Communications	78
	Intrastate Communications	79
	Line Side Connection	79
	Local Access and Transport Area	79
	Loop Around Test Line	79
	Loss Deviation	80
	Message	80
	Milliwatt (102 Type) Test Line	80 80
	Network Control Signaling	80 80
	Nonsynchronous Test Line North American Numbering Plan	81
	Off-hook	81
	On-hook	81
	Open Circuit Test Line	81
	Originating Direction	81
	Pay Telephone	81
	Phase Jitter	82
	Point of Termination	82
	Premise(s)	82
	Release Message	82
	Remote Switching Modules and/or	00
	Remote Switching Systems	82
	Return Loss	82

Continued

Effective: December 1, 1994

Issued: December 1, 1994

Robert S. Crum

Vice President
Western Region Telephone Operations
8920 Emerald Park Drive Elk Grove, CA 95624

# TABLE OF CONTENTS (Cont'd)

			<u>PAGE NO.</u>
2.	<u>GEN</u>	IERAL REGULATIONS (Cont'd)	
	2.6	Definitions (Cont'd) Registered Equipment Serving Wire Center Seven Digit Manual Test Line Shortage of Facilities or Equipment Short Circuit Test Line Signal-To-C-Notched Noise Ratio Signaling System 7 (SS7) Singing Return Loss Subtending End Office of an Access Tandem Synchronous Test Line Terminating Direction Transmission Measuring (105 Type) Test Line/Responder Transmission Path Trunk	83 83 83 83 84 84 84 84 84 85 85
		Trunk Group Trunk Side Connection Two-Wire to Four-Wire Conversion Uniform Service Order Code V&H Coordinates Method WATS Serving Office Wire Center	85 85 86 86 86 86
3.	CAR	RIER COMMON LINE ACCESS SERVICE	87
	3.1	General Description	87
	3.2	<u>Limitations</u>	87
	3.3	Undertaking of the Telephone Company	89
	3.4	Obligations of the Customer	91
	3.5	Payment Arrangements	94

Continued

Effective: December 1, 1994

Issued: December 1, 1994

Robert S. Crum

Vice President
Western Region Telephone Operations
8920 Emerald Park Drive Elk Grove, CA 95624

# TABLE OF CONTENTS (Cont'd)

			PAGE NO.	
3.	CAR	RIER COMMON LINE ACCESS SERVICE (Cont'd)		
	3.6	Payment of Coin Sent-Paid Monies	97	
	3.7	Rate Regulations	100	
	3.8	Rates and Charges	110	
4.	RES	ERVED FOR FUTURE USE	111	
5.	ORD	ERING SWITCHED AND SPECIAL ACCESS	112	
	5.1	Access Services Request Requirements  5.1.1 General  5.1.2 Switched Access Ordering Requirements  5.1.3 Special Access Services  5.1.4 Combined Access Service Arrangements  5.1.5 Equal Access Conversions  5.1.6 Provision of Other Services  5.1.7 Access Order Service Date Intervals  5.1.8 Selection of Facilities for Access Order  5.1.9 Shared Use Facilities	112 112 113 119 119 120 121 122 123 123	
	5.2	Access Services Provided by More Than One Telephone Company	124	
	5.3	Access Order Charges 5.3.1 Access Service Request Modifications 5.3.2 Cancellation of an Access Service Request 5.3.3 Minimum Period Charges	126 126 130 132	
6.	<u>SWI</u>	TCHED ACCESS SERVICE	134	
	6.1	<u>General</u>	134	(T)
	6.2	Language Exceptions	134	
				( <del>†</del> )

Continued

Effective: July 1, 2012

Kenneth Mason Issued: May 9, 2012 Vice President
Government & Regulatory Affairs
180 S. Clinton Ave.

Rochester, NY 14646

Frontier Communications of the White Mountains

ARIZONA ACCESS TARIFF NO. 1 1<sup>st</sup> Revised Page 8 Cancels Original Page 8

### **ACCESS SERVICE**

6.3 Rate Exceptions

134

Continued

Effective: July 1, 2012

ARIZONA ACCESS TARIFF NO. 1 1<sup>st</sup> Revised Page 9 Cancels Original Page 9

### **ACCESS SERVICE**

# TABLE OF CONTENTS (Cont'd)

## PAGE NO.

# 6. RESERVED FOR FUTURE USE

(T)

(D)

(Ď)

Continued

Effective: July 1, 2012

ARIZONA ACCESS TARIFF NO. 1 2<sup>nd</sup> Revised Page 10 Replaces 1st Revised Page 10

## **ACCESS SERVICE**

# TABLE OF CONTENTS (Cont'd)

# PAGE NO.

<ol><li>RESERVED FOR FUTURE US</li></ol>	6.	RESERVED	FOR FU	<b>JTURE</b>	USE
--	----	----------	--------	--------------	-----

(T)

(D)

(D)

7.	SPE	241		
	7.1	Provision 7.1.1 7.1.2 7.1.3 7.1.4 7.1.5 7.1.6 7.1.7 7.1.8	of Special Access Service Circuit Types Service Configurations Technical Specifications Packages Channel Interfaces Alternate Use Special Facilities Routing Design Layout Report Acceptance Testing	241 241 243 247 248 249 250 250

Continued Effective: July 1, 2012

Kenneth Mason Vice President Government & Regulatory Affairs 180 S. Clinton Ave. Rochester, NY 14646

# TABLE OF CONTENTS (Cont'd)

		PAGE NO
7. <u>SP</u>	ECIAL ACCESS SERVICE (Cont'd)	
7.2	Rate Categories, Applications and Regulations 7.2.1 Rate Categories 7.2.2 Minimum Periods 7.2.3 Application of Daily and Monthly Rat 7.2.4 Facility Hubs and Multiplexing 7.2.5 Shared Use Analog and Digital High Capacity Services	251 260
7.3	Metallic Service 7.3.1 Basic Circuit Description 7.3.2 Technical Specifications Packages 7.3.3 Channel Interfaces 7.3.4 Optional Features and Functions 7.3.5 Rates and Charges	264 264 265 265 265 266
7.4	Low Speed Data 7.4.1 Basic Service Description 7.4.2 Technical Specifications Packages 7.4.3 Channel Interfaces 7.4.4 Optional Features and Functions 7.4.5 Rates and Charges	267 267 267 267 267 268
7.5	Voice Grade Service 7.5.1 Basic Circuit Description 7.5.2 Technical Specifications Packages 7.5.3 Channel Interfaces 7.5.4 Optional Features and Functions 7.5.5 Rates and Charges	268 268 270 271 271 280
7.6	Program Audio Service 7.6.1 Basic Circuit Description 7.6.2 Technical Specifications Packages 7.6.3 Channel Interfaces 7.6.4 Optional Features and Functions 7.6.5 Rates and Charges	286 286 286 287 287 288

Continued

Issued: December 1, 1994 Robert S. Crum Effective: December 1, 1994

# TABLE OF CONTENTS (Cont'd)

			PAGE NO
7.	SPEC	CIAL ACCESS SERVICE (Cont'd)	
	7.7	Video Services 7.7.1 Basic Circuit Description 7.7.2 Technical Specifications Pack 7.7.3 Channel Interfaces 7.7.4 Rates and Charges	292 292 292 292 294 294
	7.8	Wideband Analog Services 7.8.1 Basic Circuit Description 7.8.2 Technical Specifications Pack 7.8.3 Channel Interfaces 7.8.4 Optional Features and Function 7.8.5 Rates and Charges	297
	7.9	Wideband Data Service 7.9.1 Basic Circuit Description 7.9.2 Technical Specifications Pack 7.9.3 Channel Interfaces 7.9.4 Optional Features and Function 7.9.5 Rates and Charges	301
	7.10	Digital Data Service 7.10.1 Basic Circuit Description 7.10.2 Technical Specifications Pack 7.10.3 Channel Interfaces 7.10.4 Optional Features and Function 7.10.5 Rates and Charges	307
	7.11	High Capacity Services 7.11.1 Basic Circuit Description 7.11.2 Technical Specifications Pack 7.11.3 Channel Interfaces 7.11.4 Optional Features and Function 7.11.5 Rates and Charges	312
	7.12	Individual Case Filing	320

Continued

Issued: December 1, 1994 F

Robert S. Crum

# TABLE OF CONTENTS (Cont'd)

			PAGE NO.
3.	MISC	ELLANEOUS SERVICES	321
	8.1	Additional Engineering 8.1.1 Charges for Additional Engineering	321 322
	8.2	Additional Labor 8.2.1 Overtime Installation 8.2.2 Overtime Repair 8.2.3 Stand By 8.2.4 Maintenance with Other Telephone Companies 8.2.5 Other Labor 8.2.6 Charges for Additional Labor	322 323 323 323 323 323 324
	8.3	Maintenance of Service	324
	8.4	Additional Testing	325
	8.5	<u>Presubscription</u>	328
	8.6	Protective Connecting Arrangements	334
	8.7	Miscellaneous Equipment	339
	8.8	Telecommunications Service Priority	339 (T)
	8.9	Standard Jacks - Registration Program	340
	8.10	Frame Relay Services	345.1

# TABLE OF CONTENTS (Cont'd)

				PAGE NO
9.	INTE	RFACE G	GROUPS, TRANSMISSION SPECIFICATIONS,	
	<u>AND</u>	CHANNE	L CODES	346
	9.1		ansport Interface Groups	346
		9.1.1	Interface Group 1 (USOC TPP1X)	347
		9.1.2 9.1.3	Interface Group 2 (USOC TPP2X)	347
		9.1.3	Interface Group 3 (USOC TPP3X)	348
		9.1.4 9.1.5	Interface Group 4 (USOC TPP4X) Interface Group 5 (USOC TPP5X)	348 349
		9.1.6		349
		9.1.7		350
		9.1.8		351
		9.1.9		351
		9.1.10	Interface Group 10 (USOC TPPAX)	352
		9.1.11	Available Premises Interface Codes	352
	9.2	Transmi	ssion Specifications for Switched	
		Access S	<u>Service</u>	356
		9.2.1		356
		9.2.2	Data Transmission Parameters	364
	9.3	Channel	Interface and Network Channel Codes	367
		9.3.1	Glossary of Channel Interface Codes	
			and Options	368
		9.3.2	Impedance	375
		9.3.3	Digital Hierarchy Channel	070
		0.0.4	Interface Codes (4DS)	376
		9.3.4	Service Designator/Network Channel Code Conversion Table	376
		9.3.5	Conversion rable Compatible Channel Interfaces	376 379
		9.0.0		313

# TABLE OF CONTENTS (Cont'd)

			PAGE NO.
10.	SPEC	CIAL FEDERAL GOVERNMENT ACCESS SERVICES	394
	10.1	<u>General</u>	394
	10.2	Emergency Conditions	394
	10.3	Intervals to Provide Service	395
	10.4	Safeguarding of Service 10.4.1 Facility Availability	395 395
	10.5	Federal Government Regulations	396
	10.6	Service Offerings to the Federal Government 10.6.1 Type and Description 10.6.2 Mileage Application 10.6.3 Rates and Charges	396 396 400 401
11.	SPEC	CIAL FACILITIES ROUTING OF ACCESS SERVICES	405
	11.1	Description of Special Facilities Routing of Access Services 11.1.1 Diversity 11.1.2 Avoidance 11.1.3 Cable-Only Facilities	405 405 405 405
	11.2	Rates and Charges for Special Facilities Routing of Access Services 11.2.1 Diversity 11.2.2 Avoidance 11.2.3 Diversity and Avoidance Combined 11.2.4 Cable-Only Facilities	406 406 407 407 407

## TABLE OF CONTENTS (Cont'd)

				PAGE NO.	
12.	SPEC	CIALIZED S	SERVICE OR ARRANGEMENTS	408	
	12.1	General		408	
	12.2	Rates an	d Charges	408	
	12.3	Smith Ba	gley dba Cellular One, ICB	408.1	
		12.2.1	Description	408.1	
		12.2.2	Termination Charges	408.1	
		12.2.3	Terms and Rates	408.2	
13.	EXCE	PTIONS T	O ACCESS SERVICE OFFERINGS	409	
14.	SPECIAL CONSTRUCTION			410	
	14.1	Application	on of Tariff	410	
	14.2	Regulation	on <u>s</u>	410	
		14.2.1	Filing of Charges	410	
		14.2.2	Ownership of Facilities	410	
		14.2.3	Interval to Provide Facilities	410	
		14.2.4	Special Construction Involving Both		
			Interstate and Intrastate Facilities	411	
		14.2.5	Payments for Special Construction	411	
		14.2.6	Liabilities and Charges for Special		
			Construction	412	
		14.2.7	Deferral of Start of Service	425	
		14.2.8	Definitions	426	
	14.3	14.3 <u>Charges to Provide Permanent Facilities</u>		429	
15.	WIRE CENTER AND INTERCONNECTION INFORMATION			430	
	15.1 Serving Wire Center V and H Coordinate Information -				
	15.1	Arizona	whe Center v and H Coordinate information -	430	
	15.2 Single State Interconnection Information - Arizona			461	
16.				470	(N)
10.	<u>/\I\I</u>	CIAL CIAIA	LIGHE GERVIOL I GIVD	710	(14)

DATE ISSUED: <u>January 10, 2003</u> EFFECTIVE DATE: <u>January 1, 2003</u>

FILED BY: Aloa J. Stevens

Director

SECTION BELOW RESERVED FOR ACC TARIFF APPROVAL APPROVED FOR FILING IN COMPLIANCE WITH DECISION NO. 65472

### **CONCURRING CARRIERS**

NO CONCURRING CARRIERS

**CONNECTING CARRIERS** 

NO CONNECTING CARRIERS

OTHER PARTICIPATING CARRIERS

NO OTHER PARTICIPATING CARRIERS

REGISTERED SERVICE MARKS REGISTERED TRADEMARKS

NONE NONE

#### **EXPLANATION OF SYMBOLS**

To signify changed regulation

ÌDί To signify discontinued rate or regulation

To signify increase

To signify matter relocated without change

To signify new rate or regulation

(R) (S) (T) To signify reduction

To signify reissued matter

To signify a change in text but no change in rate or regulation

To signify a correction

### **EXPLANATION OF ABBREVIATIONS**

alternating current a.c. **Actual Measured Loss** AML

ANI **Automatic Number Identification** 

AP Program Audio

ASR Access Service Request

American Telephone and Telegraph Company AT&T

**Business Day** BD

Busy Hour Minutes of Capacity BHMC

Centralized Automatic Reporting on Trunks CAROT CCS7 Common Channel Signaling System 7

CI Changes Interface Central Office CO

COCTX Central Office Centrex

Cont'd Continued

CPE **Customer Provided Equipment** 

Ctx Centrex decibel dB

dBrnC Decibel Reference Noise C-Message Weighting dBrnCO -Decibel Reference Noise C-Message Weighted O

dBv Decibel(s) Relative to 1 Volt (Reference) dBv1 Decibel(s) Relating to 1 Volt (Reference)

d.c. direct current

Continued

### EXPLANATION OF ABBREVIATIONS (Cont'd)

EDD **Envelope Delay Distortion** ELEPL Equal Level Echo Path Loss EML **Expected Measured Loss** 

EPL Echo Path Loss ERL Echo Return Loss

ESS Electric Switching System

ESSX Electric Switching System Exchange

f frequency FID Field Identifier

FCC Federal Communications Commission

FX Foreign Exchange HC High Capacity

Hz Hertz

IC Interexchange Carrier ICB Individual Case Basis ICL **Inserted Connection Loss** 

Kilobits per second KBPS

KHZ Kilohertz

LATA Local Access and Transport Area

Milliamperes Ma

Megabits per second Mbps

MF Multifrequency MHz Megahertz

MMUC Minimum Monthly Usage Charge MRC Monthly Recurring Charge

MT Metallic

MTS Message Telecommunications Service(s)

Numbering Plan Area NPA Nonrecurring Charge NRC Non-Traffic Sensitive NTS

Three-Digit Central Office Code NXX OTPL Zero Transmission Level Point PBX Private Branch Exchange PCM Pulse Code Modulation PLR Private Line Ringdown

Continued

### EXPLANATION OF ABBREVIATIONS (Cont'd)

POT Point of Termination rms root-mean-square

Remote Switching Modules RSM RSS Remote Switching Systems

SRL Singing Return Loss SS7

Signaling System 7 Switched Service Network SSN

**SWC** Serving Wire Center

Telephone Exchange Service(s) TES

Transmission Level Point TLP

**TSPS** Traffic Service Position System

TV Television

USOC Uniform Service Order Code

Voice Grade VG

V & H Vertical & Horizontal WA Wideband Analog

WATS Wide Area Telecommunications Service(s)

Wideband Data WD

## REFERENCE TO OTHER TARIFFS

Whenever reference is made in this tariff to other tariffs of the Telephone Company, the reference is to the tariffs in force as of the effective date of this tariff, and to amendments thereto and successive issues thereof.

#### REFERENCE TO TECHNICAL PUBLICATIONS

The following technical publications are referenced in this tariff and may be obtained from Bellcore, Customer Service, 60 New England Avenue, Room 18252, Piscataway, N.J. 08854-4196.

Compatibility Bulletin 106, Issue 2

Issued: December, 1981 Available: March 11, 1982

Technical Reference:

PUB 41451 High Capacity Terrestrial Digital Service

Issued: January, 1983 Available: May 17, 1983

PUB 60101

Issued: December, 1982 Available: January 17, 1983

PUB 41004 Data Communications Using Voiceband Private Line Channels Issued: October, 1973 Available: October, 1973

PUB 62310 Digital Data System Channel Interface Specification

Issued: September, 1983 Available: October, 1983

PUB 62411 High Capacity Digital Service Channel Interface Specifications Issued: September, 1983 Available: October, 1983

TR-NPL-000334 Voice Grade Switched Access Service

Issued: June, 1986 Available: July, 1986

TR-NPL-000335 Voice Grade Special Access Service

Issued: June, 1986 Available: July, 1986

TR-TSV-000905 Bellcore Technical Reference Publication Issue 1

Issued: August, 1989 Available: August, 1989

Continued

Elk Grove, CA 95624

# REFERENCE TO TECHNICAL PUBLICATIONS (Cont'd)

PUB 62501 Addendum Voice Grade Special Access Service

Issued: March, 1984 Available: April, 1984

PUB 62502 Narrowband Special Access Service

Issued: December, 1983 Available: January, 1984

PUB 62503 Program Audio Special Access Service

Issued: December, 1983 Available: March 15, 1984

PUB 62503 Addendum Program Audio Special Access Service

Issued: March, 1984 Available: April, 1984

PUB 62504 Television Special Access Service

Issued: December, 1983 Available: March 15, 1984

PUB 62504 Addendum Television Special Access Service

Issued March, 1984 Available: April, 1984

PUB 62505 Wideband Analog Special Access Service

Issued: December, 1983 Available: January, 1984

PUB 62505 Addendum Wideband Analog Special Access Service

Issued March, 1984 Available: April, 1984

PUB 62506 Wideband Digital Special Access Service

Issued: December, 1983 Available: January, 1984

PUB 62507 Digital Data Special Access Service

Issued: December, 1983 Available: March 15, 1984

PUB 62508 High Capacity Digital Special Access Service

Issued: December, 1983 Available: January, 1984

# REFERENCE TO TECHNICAL PUBLICATIONS (Cont'd)

The following technical publication is referenced in this tariff and may be obtained from the Bell Communications Technical Education Center, Room B02, 6200 Route 53, Lisle, IL 60532.

Telecommunications Transmission Engineering Volume 3 - Networks and Services (Chapter 6 and 7) Second Edition, 1980

Issued: June, 1980 Available: June, 1980

The following Technical Publication is referenced in this tariff and may be obtained from the National Exchange Carrier Association, Inc., Director - Tariff and Regulatory Matters, 100 So. Jefferson Road, Whippany, NJ 07981 and the Federal Communications Commission's commercial contractor.

PUB AS No. 1, Issue II

Issued: May, 1984 Available: May, 1984 Addendum: March, 1987 Available: March, 1987

The following tariff is referenced in this tariff and may be obtained from the Federal Communications Commission's commercial contractor.

National Exchange Carrier Association Tariff FCC No. 4

# 1. Application of Tariff

- 1.1 This tariff contains regulations, rates, and charges applicable to the provision of Carrier Common Line, Switched Access, and Special Access Services, and other miscellaneous services, hereinafter referred to collectively as service(s), provided by Citizens Telecommunications Company of Arizona, hereinafter referred to as the Telephone Company, to customers.
- 1.2 The provision of such services by the Telephone Company as set forth in this tariff does not constitute a joint undertaking with the customer for the furnishing of any service.

### 2. General Regulations

### 2.1 <u>Undertaking of the Telephone Company</u>

#### 2.1.1 Scope

- (A) The Telephone Company does not undertake to transmit messages under this tariff.
- (B) The Telephone Company shall be responsible only for the installation, operation, and maintenance of the services it provides.
- (C) The Telephone Company will, for maintenance purposes, test its services only to the extent necessary to detect and/or clear troubles.
- (D) Services are provided 24 hours daily, seven days per week, except as set forth in other applicable sections of this tariff.
- (E) The Telephone Company does not warrant that its facilities and services meet standards other than those set forth in this tariff.

### 2.1.2 Limitations

- (A) The customer may not assign or transfer the use of services provided under this tariff; however, where there is no interruption of use or relocation of the services, such assignment or transfer may be made to:
  - (1) Another customer, whether an individual, partnership, association, or corporation, provided the assignee or transferee assumes all outstanding indebtedness for such services, and the unexpired portion of the minimum period and the termination liability applicable to such services, if any; or

- 2. General Regulations (Cont'd)
  - 2.1 <u>Undertaking of the Telephone Company</u> (Cont'd)
    - 2.1.2 Limitations (Cont'd)
      - (A) (Cont'd)
        - (2) a court-appointed receiver, trustee, or other person acting pursuant to law in bankruptcy, receivership, reorganization, insolvency, liquidation, or other similar proceedings, provided the assignee or transferee assumes the unexpired portion of the minimum period and the termination liability applicable to such services, if any.

In all cases of assignment or transfer, the written acknowledgment of the Telephone Company is required prior to such assignment or transfer which acknowledgment shall be made within 15 days from the receipt of notification. All rates, regulations, and conditions contained in this tariff shall apply to such assignee or transferee.

The assignment or transfer of services does not relieve or discharge the assignor or transferor from remaining jointly or severally liable with the assignee or transferee for any obligation existing at the time of the assignment or transfer.

- (B) The use and restoration of services shall be in accordance with Part 64, Subpart D, Appendix A, of the Federal Communications Commission's Rules and Regulations, which specifies the priority system for such activities.
- (C) Subject to compliance with the rules mentioned in (B) preceding, the services offered herein will be provided to customers on a first-come, first-served basis, except as outlined in (D) following.

## 2. General Regulations (Cont'd)

### 2.1 Undertaking of the Telephone Company (Cont'd)

### 2.1.2 Limitations (Cont'd)

(D) When an end office is scheduled to be converted to an equal access end office, and a shortage of facilities exists, the Telephone Company will allocate available resources to participating ICs as set forth in Section 5.1.5(A) following.

#### 2.1.3 Liability

- (A) The Telephone Company's liability, if any, for its willful misconduct is not limited by this tariff. With respect to any other claim or suit, by a customer or by any others, for damages associated with the installation, provision, termination, maintenance, repair, or restoration, of service, and subject to the provisions of (B) through (H) following, the Telephone Company's liability if any, shall not exceed an amount equal to the proportionate charge for the service for the period during which the service was affected. This liability for damages shall be in addition to any amounts that may otherwise be due the customer under this tariff as a Credit Allowance for a Service Interruption.
- (B) The Telephone Company shall not be liable for any act or omission of any other carrier or customer providing a portion of a service, nor shall the Telephone Company for its own act or omission hold liable any other carrier or customer providing a portion of a service.
- (C) The Telephone Company is not liable for damages to the customer premises resulting from the furnishing of a service, including the installation and removal of equipment and associated wiring, unless the damage is caused by the Telephone Company's negligence.

- 2. General Regulations (Cont'd)
  - 2.1 <u>Undertaking of the Telephone Company</u> (Cont'd)
    - 2.1.3 Liability (Cont'd)
      - (D) The Telephone Company shall be indemnified, defended, and held harmless by the IC or end user against any claim, loss, or damage arising from the IC or end user's use of services offered under this tariff, involving:
        - (1) Claims for libel, slander, invasion of privacy, or infringement of copyright arising from the IC or end user's own communications.
        - (2) Claims for patent infringement arising from the customer's acts combining or using the service furnished by the Telephone Company in connection with facilities or equipment furnished by the IC or end user or;
        - (3) All other claims arising out of any act or omission of the IC or end user in the course of using services provided pursuant to this tariff.
      - (E) The Telephone Company does not guarantee or make any warranty with respect to its services when used in an explosive atmosphere. The Telephone Company shall be indemnified, defended, and held harmless by the customer from any and all claims by any person relating to such customer's use of services so provided.
      - (F) No license under patents (other than the limited license to use) is granted by the Telephone Company or shall be implied or arise by estoppel, with respect to any service offered under this tariff.

## 2. General Regulations (Cont'd)

### 2.1 Undertaking of the Telephone Company (Cont'd)

### 2.1.3 Liability (Cont'd)

- (G) The Telephone Company will defend the customer against claims of patent infringement arising solely from the use by the customer of services offered under this tariff and will indemnify such customer for any damages awarded based solely on such claims.
- (H) The Telephone Company's failure to provide or maintain services under this tariff shall be excused by labor difficulties, governmental orders, civil commotions, criminal actions taken against the Telephone Company, acts of God, and other circumstances beyond the Telephone Company's reasonable control, subject to the Credit Allowance for a Service Interruption as set forth in 2.4.4 following.

### 2.1.4 Provision of Services

The Telephone Company, to the extent that such services are or can be made available with reasonable effort, and after provision has been made for the Telephone Company's telephone exchange services, will provide to the customer upon reasonable notice services offered in other applicable sections of this tariff at rates and charges specified therein.

#### 2.1.5 Installation and Termination of Services

The services provided under this tariff (A) will include any entrance cable or drop wiring and wire or intrabuilding cable to that point where provision is made for termination of the Telephone Company's outside distribution network facilities at

## 2. General Regulations (Cont'd)

### 2.1 Undertaking of the Telephone Company (Cont'd)

## 2.1.5 Installation and Termination of Services (Cont'd)

a location at the customer designated premises and (B) will be installed by the Telephone Company to such Point of Termination. The Telephone Company will work cooperatively with the customer to determine the location of the Point of Termination in accordance with the Telephone Company's standard operating procedures.

Each Access Service has only one Point of Termination per customer premises. Any additional terminations beyond such Point of Termination are the sole responsibility of the customer. Moves of the Point of Termination are handled as set forth in Section 6.5.4(C) and Section 7.2.1(D)(3) following.

### 2.1.6 Maintenance of Services

The services provided under this tariff shall be maintained by the Telephone Company. The customer or others may not rearrange, move, disconnect, remove, or attempt to repair any facilities provided by the Telephone Company, other than by connection or disconnection to any interface means used, except with the written consent of the Telephone Company.

## 2.1.7 Changes, Substitutions and Rearrangements

Except as provided for equipment and systems subject to FCC Part 68 Regulations at 47 C.F.R Section 68.110(b), the Telephone Company may, where such action is reasonably required in the operation of its business;

- 2. General Regulations (Cont'd)
  - 2.1 <u>Undertaking of the Telephone Company</u> (Cont'd)
    - 2.1.7 Changes, Substitutions and Rearrangements (Cont'd)
      - (A) Substitute, change, or rearrange any facilities used in providing service under this tariff, including but not limited to;
        - (1) substitution of different metallic facilities,
        - (2) substitution of carrier or derived facilities for metallic facilities used to provide other than metallic facilities, and
        - (3) substitution of metallic facilities for carrier or derived facilities used to provide other than metallic facilities; and
        - (4) change in the routing of access service traffic.
      - (B) Change minimum protection criteria;
      - (C) Change operating or maintenance characteristics of facilities or,
      - (D) Change operations or procedures of the Telephone Company.

In case of any such substitution, change, or rearrangement, the transmission parameters will be within the range as set forth in Sections 6, 7 and 9 following. The Telephone Company shall not be responsible if any such substitution, change, or rearrangement renders any customer furnished services obsolete or requires modification or alteration thereof

# 2. General Regulations (Cont'd)

# 2.1 Undertaking of the Telephone Company (Cont'd)

# 2.1.7 Changes, Substitutions and Rearrangements (Cont'd)

or otherwise affects their use or performance. If such substitution, change, or rearrangement materially affects the operating characteristics of the facility, the Telephone Company will provide reasonable notification to the customer in writing. Reasonable time will be allowed for any redesign and implementation required by the change in operating characteristics. The Telephone Company will work cooperatively with the customer to determine reasonable notification procedures.

### 2.1.8 Refusal and Discontinuance of Service

Unless the provisions of 2.2.1(B) or 2.5 following apply, if a customer fails to comply with the regulations set forth in: 2.1.6, Maintenance of Services; 2.2.2, Unlawful Use; 2.3.1, Damages; 2.3.4, Availability for Testing; 2.3.5, Balance; and 2.4, Payment Arrangements and Credit Allowances; or fails to make any payment to be made by it on the dates and times herein specified, the Telephone Company may, on thirty (30) days written notice by Certified U.S. Mail to the person designated by that customer to receive such notices of noncompliance:

- (a) Refuse additional applications for service and/or refuse to complete any pending orders for service by the noncomplying customer; and/or
- (b) Discontinue the provision of the services to the noncomplying customer. In the case of such discontinuance, all applicable charges including termination charges shall become due.

# 2. General Regulations (Cont'd)

# 2.1 Undertaking of the Telephone Company (Cont'd)

# 2.1.8 Refusal and Discontinuance of Service (Cont'd)

If the Telephone Company does not refuse additional applications for service on the date specified in the thirty (30) days notice given pursuant to (a) above, or does not discontinue its provision of services involved on the date specified in the thirty (30) day notice given pursuant to (b) above and the customer's noncompliance continues, nothing contained herein shall preclude the Telephone Company's right to refuse additional applications for service to the noncomplying customer without further notice.

# 2.1.9 <u>Limitation of Use of Metallic Facilities</u>

Signals applied to a metallic facility shall conform to the limitations set forth in Technical Reference Publication AS No. 1. In the case of applications of d.c. telegraph signaling systems, the customer shall be responsible, at its expense, for the provision of current limiting devices to protect the Telephone Company facilities from excessive current due to abnormal conditions and for the provision of noise mitigation networks when required to reduce excessive noise.

### 2.1.10 Notification of Service-Affecting Activities

The Telephone Company will provide the customer reasonable notification of service-affecting activities that may occur in normal operation of its business. Such activities may include, but are not limited to, equipment or facilities additions, removals or rearrangements, routine preventative maintenance, and major switching machine change-out. Generally, such activities are not individual customer service specific; they

# 2. General Regulations (Cont'd)

# 2.1 <u>Undertaking of the Telephone Company</u> (Cont'd)

# 2.1.10 Notification of Service-Affecting Activities (Cont'd)

affect many customer services. No specific advance notification period is applicable to all service-affecting activities. The Telephone Company will work cooperatively with the customer to determine the notification requirements.

# 2.1.11 <u>Coordination with Respect to Network Contingencies</u>

The Telephone Company intends to work cooperatively with the customer to develop network contingency plans in order to maintain maximum network capability following natural or manmade disasters which affect telecommunications services.

# 2.1.12 Provision and Ownership of Telephone Numbers

The Telephone Company reserves the reasonable right to assign, designate, or change telephone numbers, any other call number designations associated with Access Services, or the Telephone Company serving central office prefixes associated with such numbers, when necessary in the conduct of its business. Should it become necessary to make a change in such number(s), the Telephone Company will furnish to the customer 6 months notice, by Certified U.S. Mail, of the effective date and an explanation of the reason(s) for such change(s).

# 2. General Regulations (Cont'd)

### 2.2 Use

# 2.2.1 Interference or Impairment

- (A) The characteristics and methods of operation of any circuits, facilities, or equipment provided by other than the Telephone Company and associated with the facilities utilized to provide services under this tariff shall not interfere with or impair service over any facilities of the Telephone Company, its affiliated companies, or its connecting and concurring carriers involved in its services, cause damage to their plant, impair the privacy of any communications carried over their facilities or create hazards to the employees of any of them or the public.
- Except as provided for equipment or systems subject to the FCC Part 68 Rules in 47 C.F.R Section 68.108, if such characteristics or methods of operation are not in accordance with (A) preceding, the Telephone Company will, where practicable, notify the customer that temporary discontinuance of the use of a service may be required; however, where prior notice is not practicable, nothing contained herein shall be deemed to preclude the Telephone Company's right to temporarily discontinue forthwith the use of a service if such action is reasonable under the circumstances. In case of such temporary discontinuance, the customer will be promptly notified and afforded the opportunity to correct the condition which gave rise to the temporary discontinuance. During such period of temporary discontinuance, credit allowance for service interruptions as set forth in 2.4.4 following is not applicable.

# 2. General Regulations (Cont'd)

# 2.2 Use (Cont'd)

# 2.2.2 Unlawful Use

The service provided under this tariff shall not be used for an unlawful purpose.

# 2.3 Obligations of the Customer

# 2.3.1 <u>Damages</u>

The customer shall reimburse the Telephone Company for damages to Telephone Company facilities utilized to provide services under this tariff caused by the negligence or willful act of the customer, or resulting from the customer's improper use of the Telephone Company facilities, or due to malfunction of any facilities or equipment provided by other than the Telephone Company. Nothing in the foregoing provision shall be interpreted to hold one customer liable for another customer's actions. The Telephone Company will, upon reimbursement for damages, cooperate with the customer in prosecuting a claim against the person causing such damage and the customer shall be subrogated to the right of recovery by the Telephone Company for the damages to the extent of such payment.

# 2.3.2 Ownership of Facilities and Theft

Facilities utilized by the Telephone Company to provide service under the provisions of this tariff shall remain the property of the Telephone Company. Such facilities shall be returned to the Telephone Company by the customer, whenever requested, within a reasonable period following the request in as good condition as reasonable wear will permit.

# 2. General Regulations (Cont'd)

# 2.3 Obligations of the Customer (Cont'd)

# 2.3.3 Equipment Space and Power

The customer shall furnish or arrange to have furnished to the Telephone Company, at no charge, equipment space and electrical power required by the Telephone Company to provide services under this tariff at the points of termination of such services. The selection of a.c. or d.c. power shall be mutually agreed to by the customer and the Telephone Company. The customer shall also make necessary arrangements in order that the Telephone Company will have access to such spaces at reasonable times for installing, testing, repairing, or removing Telephone Company services.

# 2.3.4 Availability for Testing

The services provided under this tariff shall be available to the Telephone Company at times mutually agreed upon in order to permit the Telephone Company to make tests and adjustments appropriate for maintaining the services in satisfactory operating condition. Such tests and adjustments shall be completed within a reasonable time. No credit will be allowed for any interruptions involved during such tests and adjustments.

### 2.3.5 Balance

All signals for transmission over the services provided under this tariff shall be delivered by the customer balanced to ground except for ground start, duplex (DX) and McCulloh-Loop (Alarm System) type signaling and d.c. telegraph transmission at speeds of 75 baud or less.

# 2. General Regulations (Cont'd)

# 2.3 Obligations of the Customer (Cont'd)

# 2.3.6 Design of Customer Services

Subject to the provisions of 2.1.7 preceding, the customer shall be solely responsible, at its own expense, for the overall design of its services and for any redesigning or rearrangement of its services which may be required because of changes in facilities, operations, or procedures of the Telephone Company, minimum protection criteria or operating or maintenance characteristics of the facilities.

# 2.3.7 <u>References to the Telephone Company</u>

The customer may advise end users that certain services are provided by the Telephone Company in connection with the service the customer furnishes to end users; however, the customer shall not represent that the Telephone Company jointly participates in the customer's services.

### 2.3.8 Claims and Demands for Damages

- (A) With respect to claims of patent infringement made by third persons, the customer shall defend, indemnify, protect, and save harmless the Telephone Company from and against all claims arising out of the combining with, or use in connection with, the services provided under this tariff, any circuit, apparatus, system, or method provided by the customer.
- (B) The customer shall defend, indemnify, and save harmless the Telephone Company from and against any suits, claims, losses, or damages, including punitive damages, attorney fees, and court costs by third persons arising out of the construction, installation, operation, maintenance, or removal of the customer's circuits, facilities, or

# 2. General Regulations (Cont'd)

# 2.3 Obligations of the Customer (Cont'd)

# 2.3.8 Claims and Demands for Damages (Cont'd)

# (B) (Cont'd)

equipment connected to the Telephone Company's services provided under this tariff, including, without limitation, Workmen's Compensation claims, actions for infringement of copyright, and/or unauthorized use of program material, libel, and slander actions based on the content of communications transmitted over the customer's circuits, facilities, or equipment, and proceedings to recover taxes, fines, or penalties for

failure of the customer to obtain or maintain in effect any necessary certificates, permits, licenses, or other authority to acquire or operate the services provided under this tariff; provided, however, the foregoing indemnification shall not apply to suits, claims, and demands to recover damages for damage to property, death, or personal injury unless such suits, claims, or demands are based on the tortuous conduct of the customer, its officers, agents, or employees.

(C) The customer shall defend, indemnify, and save harmless the Telephone Company from and against any suits, claims, losses, or damages, including punitive damages, attorney fees, and court costs by the customer or third parties arising out of any act or omission of the customer in the course of using services provided under this tariff.

# 2.3.9 Coordination with Respect to Network Contingencies

The customer shall, in cooperation with the Telephone Company, coordinate in planning the actions to be taken to maintain maximum network capability following natural or man-made disasters which affect telecommunications services.

# 2. General Regulations (Cont'd)

# 2.3 Obligations of the Customer (Cont'd)

# 2.3.10 Sectionalization of Trouble Reporting

The customer will be responsible for reporting troubles sectionalized to Telephone Company facilities and/or equipment. When trouble cannot be clearly sectionalized to the Telephone Company facilities and/or equipment, the Telephone Company will test cooperatively or independently to assist in trouble sectionalization.

# 2.4 Payment Arrangements and Credit Allowances

# 2.4.1 Payment of Rates, Charges and Deposits

# (A) Deposits

The Telephone Company will, in order to safeguard its interests, only require a customer which has a proven history of late payments to the Telephone Company or does not have established credit, to make a deposit prior to or at any time after the provision of a service to the customer to be held by the Telephone Company as a guarantee of the payment of rates and charges. No such deposit will be required of a customer which is a successor of a company which has established credit and has no history of late payments to the Telephone Company. Such deposit may not exceed the actual or estimated rates and charges for the service for a two month period. The fact that a deposit has been made in no way relieves the customer from complying with the Telephone Company's regulations as to the prompt payment of bills. At such time as the provision of the service to the customer is terminated, the amount of the deposit will be credited to the customer's account and any credit balance which may remain will be refunded.

# 2. General Regulations (Cont'd)

# 2.4 Payment Arrangements and Credit Allowances (Cont'd)

# 2.4.1 Payment of Rates, Charges and Deposits (Cont'd)

# (A) Deposits (Cont'd)

Such a deposit will be refunded or credited to the account when the customer has established credit or, in any event, after the customer has established a one-year prompt payment record at any time prior to the termination of the provision of the service to the customer. In case of a cash deposit, for the period the deposit is held by the Telephone Company, the customer will receive simple interest at a rate of 6%. Should a deposit be credited to the customer's account, as indicated above, no interest will accrue on the deposit from the date such deposit is credited to the customer's account.

# (B) Payment of Rates and Charges

The Telephone Company shall bill on a current basis all charges incurred by and credits due to the customer under this tariff attributable to services established or discontinued during the preceding billing period. In addition, the Telephone Company shall bill in advance charges for all services to be provided during the ensuing billing period except for charges associated with service usage and for the Federal Government which will be billed in arrears. The bill day (i.e., the billing date of a bill for a customer for Access Service under this tariff), the period of service each bill covers and the payment date will be as follows:

- 2. General Regulations (Cont'd)
  - 2.4 Payment Arrangements and Credit Allowances (Cont'd)
    - 2.4.1 Payment of Rates, Charges and Deposits (Cont'd)
      - (B) Payment of Rates and Charges (Cont'd)
        - (1) For Presubscription Service, the Telephone Company will establish a bill day each month for each end user account. Any applicable Presubscription Charges, any known unbilled charges for prior periods and any known unbilled adjustments for prior periods for Presubscription Service will be applied to this bill. Such bills are due when rendered.

For End User Switched Access Service, Special Access Service, and Miscellaneous Service charges, the Telephone Company will establish a bill day each month for each customer account. The bill will cover nonusage sensitive service charges for the ensuing billing period for which the bill is rendered, any known unbilled nonusage sensitive charges for prior periods and unbilled usage charges for the period after the last bill day through the current bill day. Any known unbilled usage charges for prior periods and known unbilled adjustments will be applied to this bill. Payment for such bills is due as set forth in (2) following. If payment is not received by the payment date, as set forth in (2) following in immediately available funds, a late payment penalty will apply as set forth in (C) following.

(2) All bills dated as set forth in (1) preceding for service, provided to the customer by the Telephone Company are due 31 days (payment date) after the bill date or by the next bill date (i.e., same date in the following month as the bill date), whichever is

#### 2. General Regulations (Cont'd)

#### 2.4 Payment Arrangements and Credit Allowances (Cont'd)

#### 2.4.1 Payment of Rates, Charges and Deposits (Cont'd)

# (B) Payment of Rates and Charges (Cont'd)

# (2) (Cont'd)

the shortest interval, except as provided herein, and are payable in immediately available funds. If such payment date would cause payment to be due on a Saturday, Sunday, or Holiday (i.e., New Year's Day, Independence Day, Labor Day, Thanksgiving Day, Christmas Day, the first Tuesday in November and the day when Washington's Birthday, Memorial Day or Columbus Day is legally observed), payment for such bills will be due from the customer as follows:

If such payment date falls on Sunday or on a Holiday which is observed on a Monday, the payment date shall be the first non-Holiday day following such Sunday or Holiday. If such payment date falls on a Saturday or on a Holiday which is observed on Tuesday, Wednesday, Thursday, or Friday, the payment date shall be the last non-Holiday day preceding such Saturday or Holiday.

### (C) Late Payment Penalty

If any portion of the payment is received by the Telephone Company after the payment date as set forth in (B)(2) preceding, or if any portion of the payment is received by the Telephone Company in funds which are not immediately available to the Telephone Company, then a late payment penalty shall be due to the

Telephone Company in addition to the outstanding amount. The late

- 2. General Regulations (Cont'd)
  - 2.4 Payment Arrangements and Credit Allowances (Cont'd)
    - 2.4.1 Payment of Rates, Charges and Deposits (Cont'd)
      - (C) Late Payment Penalty (Cont'd)

payment penalty shall be the portion of the payment not received by the payment date times a late factor. The late factor shall be the lessor of:

- (1) the highest interest rate (in decimal value) which may be levied by law for commercial transactions, compounded daily for the number of days from the payment date to and including the date that the customer actually makes the payment to the Telephone Company, or
- (2) 0.000590 per day, compounded daily for the number of days from the payment date to and including the date that the customer actually makes the payment to the Telephone Company.
- (D) Billing Disputes

In the event that a billing dispute occurs concerning any charges billed to the customer by the Telephone Company the following regulations will apply.

(1) The date of the dispute shall be the date on which the customer furnishes the Telephone Company sufficient documentation to investigate the claim. Documentation must include, at the minimum, the account number under which the bill has been rendered, the date of the bill, the specific items on

- 2. General Regulations (Cont'd)
  - 2.4 Payment Arrangements and Credit Allowances (Cont'd)
    - 2.4.1 Payment of Rates, Charges and Deposits (Cont'd)
      - (D) <u>Billing Disputes</u> (Cont'd)
        - (1) (Cont'd)
          - the bill being disputed, and, when possible, the applicable tariff section upon which the dispute is predicated.
        - (2) The date of resolution shall be the date on which the Telephone Company completes its investigation of the dispute, notifies the customer of the disposition and applies a credit for the amount of the dispute resolved in the customer's favor or late payment penalty as appropriate. The Telephone Company will work cooperatively with any customer to resolve billing disputes.
        - (3) If a billing dispute is resolved in favor of the Telephone Company, any payments withheld pending resolution of the dispute shall be subject to the late payment penalty as set forth in (C) preceding.
        - (4) If a billing dispute is resolved in favor of the customer and the customer pays the total billed amount on or before the payment date, the Telephone Company will refund any over-payment and will apply a credit for a disputed amount penalty as set forth in (a) and (b) following.

- 2. General Regulations (Cont'd)
  - 2.4 Payment Arrangements and Credit Allowances (Cont'd)
    - 2.4.1 Payment of Rates, Charges and Deposits (Cont'd)
      - (D) <u>Billing Disputes</u> (Cont'd)
        - (4) (Cont'd)
          - (a) If a customer disputes a bill within ninety (90) days of the bill date and pays the total billed amount on or before the payment date, and the billing dispute is resolved in favor of the customer, the customer will receive a credit for a disputed amount penalty from the Telephone Company for the period starting with the date of overpayment and ending on the date of resolution. The credit for a disputed amount penalty shall be an amount equal to the disputed amount resolved in the customer's favor times a penalty factor as set forth in (5) following.
          - (b) If a customer disputes a bill after ninety (90) days from the bill date and pays the total billed amount on or before the payment date and the billing dispute is resolved in favor of the customer, the customer will receive a credit for a disputed amount penalty from the Telephone Company for the period starting with the date of claim and ending on the date of resolution. The credit for a disputed amount penalty shall be an amount equal to the disputed amount resolved in the customer's favor times a penalty factor as set forth in (5) following.

- 2. General Regulations (Cont'd)
  - 2.4 Payment Arrangements and Credit Allowances (Cont'd)
    - 2.4.1 Payment of Rates, Charges and Deposits (Cont'd)
      - (D) <u>Billing Disputes</u> (Cont'd)
        - (5) The disputed amount penalty shall be an amount equal to the disputed amount resolved in the customer's favor times a penalty factor. The penalty factor shall be the lesser of:
          - (a) the highest interest rate (in decimal value) which may be levied by law for commercial transactions, compounded daily for the number of days from the first date to and including the last date of the period involved, or
          - (b) 0.000590 per day, compounded daily for the number of days from the first date to and including the last date of the period involved.
      - (E) Billing Adjustments and Rounding

Adjustments for the quantities of services established or discontinued in any billing period beyond the minimum period set forth for services in other sections of this tariff will be prorated to the number of days or major fraction of days based on a 30 day month. When a rate as set forth in this tariff is shown to more than two decimal places, the charges will be determined using the rate shown. The resulting amount will then be rounded to the nearest penny (i.e., rounded to two decimal places).

- 2. General Regulations (Cont'd)
  - 2.4 Payment Arrangements and Credit Allowances (Cont'd)
    - 2.4.1 Payment of Rates, Charges and Deposits (Cont'd)
      - (F) <u>Provision of Access Service Billing and Bill Verification</u>
        - (1) The Telephone Company will, upon reasonable request and if available, furnish such detailed information as may be required for verification of any bill.
        - (2) The customer will receive its monthly bills in a standard paper format, or, at the customer's option, on magnetic tape in standard industry format for those access services for which the Telephone Company is technically capable of providing magnetic tape billing. Additional copies of the customer's bill may be provided in standard paper format at the rates and charges set forth in (3) following. When the customer requests a paper copy of the customer's bill in addition to the customer bill provided on magnetic tape, the rate set forth in (3) following shall apply per page.
        - (3) Additional copies of the customer's monthly bill or service and features record in standard paper format, per page \$0.07

# 2. General Regulations (Cont'd)

# 2.4 Payment Arrangements and Credit Allowances (Cont'd)

# 2.4.2 Minimum Periods

The minimum period for which services are provided and for which rates and charges are applicable is one month except as otherwise specified.

The minimum period for which service is provided and for which rates and charges are applicable for a Specialized Service or Arrangement provided on an individual case basis as set forth in Section 12 following, is one month unless a different minimum period is established with the individual case filing.

When a service is discontinued prior to the expiration of the minimum period, charges are applicable, whether the service is used or not, as follows:

- (A) When a service with a one month minimum period is discontinued prior to the expiration of the minimum period, a one month charge will apply at the rate level in effect at the time service is discontinued.
- (B) When a service with a minimum period greater than one month is discontinued prior to the expiration of the minimum period, the applicable charge will be the lesser of (1) the Telephone Company's total nonrecoverable costs less the net salvage value for the discontinued service or (2) the total monthly charges, at the rate level in effect at the time service is discontinued, for the remainder of the minimum period.

### 2.4.3 Cancellation of an Order for Service

Provisions for the cancellation of an order for service are set forth in Section 5.3.2 following.

# 2. General Regulations (Cont'd)

# 2.4 Payment Arrangements and Credit Allowances (Cont'd)

### 2.4.4 Credit Allowance for Service Interruptions

# (A) General

A service is interrupted when it becomes unusable to the customer because of a failure of a facility component used to furnish service under this tariff or in the event that the protective controls applied by the Telephone Company result in the complete loss of service by the customer as set forth in Section 6.4(A) following. An interruption period starts when an inoperative service is reported to, or discovered by, the Telephone Company designated trouble reporting office and ends when the service is operative. The customer is responsible for sectionalizing trouble to the Telephone Company facilities and/or equipment as set forth in 2.3.10 preceding.

In case of an interruption to any service, allowance for the period of interruption, if not due to the negligence of the customer, shall be calculated as set forth in (B) and (C) following. Interruptions for which no credit allowance applies are set forth in (D) following.

The credit allowance(s) for an interruption or for a series of interruptions shall not exceed the monthly rate and minimum monthly usage charge for the service interrupted in any one monthly billing period.

For purposes of this section of the tariff, "major fraction" is defined as that time period representing one-half or more of the incremental time period used to apply the credit allowance for those specific services listed in (B) following.

- 2. General Regulations (Cont'd)
  - 2.4 Payment Arrangements and Credit Allowances (Cont'd)
    - 2.4.4 Credit Allowance for Service Interruptions (Cont'd)
      - (A) General (Cont'd)

Service interruptions for Specialized Service or Arrangements provided under the provisions of Section 12 following shall be administered in the same manner as those set forth in this section unless other regulations are specified with the individual case filing.

- (B) Special Access Services
  - For Special Access Services other than Program Audio (1) and Video Services, no credit shall be allowed for an interruption of less than 30 minutes. The customer shall be credited for an interruption of 30 minutes or more at the rate of 1/1440 of the monthly charges for the facility or service for each period of 30 minutes or major fraction thereof that the interruption continues.

The monthly charges used to determine the credit shall be as follows:

- For two point services, the monthly charge subject to credit shall be the total of all the monthly rate element charges associated with the service (i.e., two circuit terminations, circuit mileage and optional features and functions).
- (b) For multipoint services, the monthly charge subject to credit shall be only the total of all the monthly rate element charges associated with

- 2. General Regulations (Cont'd)
  - 2.4 Payment Arrangements and Credit Allowances (Cont'd)
    - 2.4.4 Credit Allowance for Service Interruptions (Cont'd)
      - (B) Special Access Services (Cont'd)
        - (1) (Cont'd)
          - (b) (Cont'd)
            - that portion of the service that is inoperative (i.e., a circuit termination per customer premises, circuit mileage and optional features and functions).
          - (c) For multiplexed services, the monthly charge subject to credit shall be the total of all the monthly rate element charges associated with that portion of the service that is inoperative. When the facility which is multiplexed or the multiplexer itself is inoperative, the monthly charge shall be the total of all the monthly rate element charges associated with the service (i.e., the circuit termination, circuit mileage and optional features and functions, including the multiplexer on the facility to the hub, and the circuit terminations, circuit mileages and optional features and functions on the individual services from the hub). When the service which rides a circuit of the multiplexed facility is inoperative, the monthly charge shall be the total of all the monthly rate element charges associated with that portion of the service from the Hub to a customer premises (i.e., circuit termination, circuit mileage and optional features and functions).

- 2. General Regulations (Cont'd)
  - 2.4 Payment Arrangements and Credit Allowances (Cont'd)
    - 2.4.4 Credit Allowance for Service Interruptions (Cont'd)
      - (B) Special Access Services (Cont'd)
        - (2) For Program Audio and Video Special Access Services, no credit shall be allowed for an interruption of less than 30 seconds. The customer shall be credited for an interruption of 30 seconds or more as follows:
          - (a) For two-point services, when monthly rates are applicable, the credit shall be at the rate of 1/8640 of the monthly charges for the service for each period of 5 minutes or major fraction thereof that the interruption continues.
          - (b) For two-point services, when daily rates are applicable, the credit shall be at the rate of 1/288 of the daily charges for the service for each period of 5 minutes or major fraction thereof that the interruption continues.
          - (c) For multipoint services, when monthly rates are applicable, the credit shall be at the rate of 1/8640 of the monthly charges for each circuit termination, circuit mileage and optional features and functions that is inoperative for each period of 5 minutes or major fraction thereof that the interruption continues.
          - (d) For multipoint services, when daily rates are applicable, the credit shall be at the daily rate of 1/288 of the daily charges for each circuit termination, circuit mileage and optional features and functions that is inoperative for each period of 5 minutes or major fraction thereof that the interruption continues.

- 2. General Regulations (Cont'd)
  - 2.4 Payment Arrangements and Credit Allowances (Cont'd)
    - 2.4.4 Credit Allowance for Service Interruptions (Cont'd)
      - (B) Special Access Services (Cont'd)
        - (2) (Cont'd)
          - (e) For multipoint services, the credit for the monthly or daily charges includes the charges for the distribution amplifier only when the distribution amplifier is inoperative.
          - (f) When two or more interruptions occur during a period of 5 consecutive minutes, such multiple interruptions shall be considered as one interruption.
        - (3) For certain Special Access services (Wideband Digital, WD1-3; Digital Data Access, DA1-4; and High Capacity, HC1), any period during which the error performance is below that specified for the service will be considered as an interruption.
      - (C) Switched Access Service

For Switched Access Service, no credit shall be allowed for an interruption of less than 24 hours. The customer shall be credited for an interruption of 24 hours or more at the rate of 1/30 of any applicable monthly rate, assumed usage, or minimum monthly usage charge for each period of 24 hours or major fraction thereof that the interruption continues.

- 2. General Regulations (Cont'd)
  - 2.4 Payment Arrangements and Credit Allowances (Cont'd)
    - 2.4.4 Credit Allowance for Service Interruptions (Cont'd)
      - (D) When a Credit Allowance Does Not Apply

No credit allowance will be made for:

- (1) Interruptions caused by the negligence of the customer.
- (2) Interruptions of a service due to the failure of equipment or systems provided by the customer or others.
- (3) Interruptions of service during any period in which the Telephone Company is not afforded access to the premises where the service is terminated.
- (4) Interruptions of service when the customer has released that service to the Telephone Company for maintenance purposes, to make rearrangements, or for the implementation of an order for a change in the service during the time that was negotiated with the customer prior to the release of that service. Thereafter, a credit allowance as set forth in (B) preceding applies.
- (5) Interruptions of a service which continue because of the failure of the customer to authorize replacement of any element of special construction, as set forth in Section 14. The period for which no credit allowance is made begins on the seventh day after the customer receives the Telephone Company's written notification of the need for such replacement and ends on the day after receipt by the Telephone Company of the customer's written authorization for such replacement.

- 2. General Regulations (Cont'd)
  - 2.4 Payment Arrangements and Credit Allowances (Cont'd)
    - 2.4.4 Credit Allowance for Service Interruptions (Cont'd)
      - (D) When a Credit Allowance Does Not Apply (Cont'd)
        - (6) Periods when the customer elects not to release the service of testing and/or repair and continues to use it on an impaired basis.
        - (7) An interruption or a group of interruptions, resulting from a common cause, for amounts less than one dollar.
      - (E) <u>Use of an Alternative Service Provided by the Telephone</u> <u>Company</u>

Should the customer elect to use an alternative service provided by the Telephone Company during the period that a service is interrupted, the customer must pay the tariffed rates and charges for the alternative service used.

(F) Temporary Surrender of a Service

In certain instances, the customer may be requested by the Telephone Company to surrender a service for purposes other than maintenance, testing, or activity relating to a service order. If the customer consents, a credit allowance will be granted. The credit allowance will be 1/1440 of the monthly rate for each period of 30 minutes or fraction thereof that the service is surrendered. In no case will the credit allowance exceed the monthly rate for the service surrendered in any one monthly billing period.

# 2. General Regulations (Cont'd)

# 2.4 Payment Arrangements and Credit Allowances (Cont'd)

# 2.4.5 Re-establishment of Service Following Fire, Flood or Other Occurrences

# (A) Nonrecurring Charges Do Not Apply

Charges do not apply for the re-establishment of service following a fire, flood, or other occurrence attributed to an Act of God provided that:

- (1) The service is of the same type as was provided prior to the fire, flood or other occurrence.
- (2) The service is for the same customer.
- (3) The service is at the same location on the same premises.
- (4) The re-establishment of service begins within 60 days after Telephone Company service is available. (The 60 day period may be extended a reasonable period if the renovation of the original location on the premises affected is not practical within the allotted time period).

# (B) Nonrecurring Charges Apply

Nonrecurring charges apply for establishing service at a different location on the same premises or at a different premises pending re-establishment of service at the original location.

# 2.4.6 Title or Ownership Rights

The payment of rates and charges by customers for the services offered under the provisions of this tariff does not assign, confer, or transfer title or ownership rights to proposals or facilities developed or utilized, respectively, by the Telephone Company in the provision of such services.

# 2. General Regulations (Cont'd)

# 2.4 Payment Arrangements and Credit Allowances (Cont'd)

# 2.4.7 <u>Access Services Provided by More Than One Telephone Company</u>

The Telephone Company will perform the rating and billing of Access Services under this tariff where more than one Telephone Company is involved in the provision of Access Service as set forth in (A), (B), or (C) following. The Single Company Billing arrangement as set forth in (A) following will be used for FGA and FGB Switched Access Services except where interconnection arrangements between the telephone companies involved permit the use of the Multiple Company Billing arrangement as set forth in (B) following. The Telephone Company will notify the customer of the billing arrangement when the customer orders FGA or FGB service. The Multiple Company Billing arrangements, as set forth in (B) following, will be used for all FGC, FGD, and 800 Access, Switched Access Services and Special Access Services.

# (A) Single Company Billing

The Telephone Company receiving the order from the customer as specified in Section 5.2(A) following will arrange to provide the service, determine the applicable charges, and bill the customer for the entire service in accordance with its Access Services tariff.

### (B) Multiple Company Billing

(1) For access services subject to Multiple Company Billing, the customer will be billed according to one of the following methods:

- 2. General Regulations (Cont'd)
  - 2.4 Payment Arrangements and Credit Allowances (Cont'd)
    - 2.4.7 <u>Access Services Provided by More Than One Telephone</u> <u>Company</u> (Cont'd)
      - (B) Multiple Company Billing (Cont'd)
        - (1) (Cont'd)

Single Bill -

The customer will receive a single bill for all access services provided by multiple Telephone Companies. The single bill will include all rate elements applicable to the access service(s) provided under one billing account.

Multiple Bill -

The customer will receive a bill from each Telephone Company providing the access service(s). Multiple bills will include all charges applicable to the individual portion of the access service(s) provided by each Telephone Company.

The choice of billing method shall be determined by the Telephone Companies involved. The Telephone Company will notify the customer which method applies when the customer orders access service and will provide the customer thirty days' notice in the event that the billing method is changed.

- 2. General Regulations (Cont'd)
  - 2.4 Payment Arrangements and Credit Allowances (Cont'd)
    - 2.4.7 Access Services Provided by More Than One Telephone Company (Cont'd)
      - Multiple Company Billing (Cont'd)
        - For Switched Access Services, the Telephone Company will determine the applicable charges as follows:
          - (a) Determine the distance in airline miles using the V&H information set forth in Section 15 of this tariff between the Telephone Company's end office switch and the customer's serving wire center.
          - The airline distance in miles developed in (a) preceding will be multiplied by the Local Transport Mileage rate times the number of access minutes of use times the billing percentage to determine the appropriate Local Transport Mileage charges. The billing percentage is that portion of local transport to be billed by each company and is mutually agreed upon by the Telephone Companies involved in providing Access Services to the customer. Billing percentages are listed in Section 15 of this tariff.
          - The total Local Transport charge shall be the Local Transport Mileage charge as determined in (b) preceding plus the Local Transport Circuit Connection rate times the number of access minutes of use. The Circuit Connection rate applies only at the Telephone Company end office.

- 2. General Regulations (Cont'd)
  - 2.4 Payment Arrangements and Credit Allowances (Cont'd)
    - 2.4.7 <u>Access Services Provided by More Than One Telephone</u> <u>Company</u> (Cont'd)
      - (B) Multiple Company Billing (Cont'd)
        - (2) (Cont'd)
          - (d) All other appropriate recurring and nonrecurring charges in each Telephone Company's access tariff are applicable.
        - (3) For Special Access Services, the Telephone Company will determine the applicable charges as follows:
          - (a) Determine the distance in airline miles using the V&H information set forth in Section 15 of this tariff between the locations involved; i.e., the serving wire centers associated with two customer designated premises, a serving wire center associated with a customer designated premise and a Telephone Company hub, or two Telephone Company hubs.
          - (b) The airline distance in miles developed in (a) preceding will be multiplied by the Circuit Mileage Per Mile rate element times the billing percentage to determine the appropriate Circuit Mileage-Per Mile charges. The billing percentage is that portion of circuit mileage to be billed by each company and is mutually agreed upon by the Telephone Companies involved in providing Access Services to the customer. Billing percentages are listed in Section 15 of this tariff.

- 2. General Regulations (Cont'd)
  - 2.4 Payment Arrangements and Credit Allowances (Cont'd)
    - 2.4.7 <u>Access Services Provided by More Than One Telephone</u> <u>Company</u> (Cont'd)
      - (B) Multiple Company Billing (Cont'd)
        - (3) (Cont'd)
          - (c) The total Circuit Mileage charges shall be the Circuit Mileage Per-Mile charge determined in (b) preceding plus the Circuit Mileage-Fixed charge.
          - (d) All other appropriate recurring and nonrecurring charges in each Telephone Company's access tariff are applicable.
      - (C) EAS and Access Tandem Arrangements

Where a customer utilizes FGA and/or FGB Switched Access Services to originate or terminate calls within an Extended Area Service (EAS) calling area or access tandem network provided by more than one telephone company, the Telephone Company may apply additional Switched Access Service charges as set forth in (1) and (2) following, provided the following criteria are met:

- The telephone companies involved are not the same Telephone Company and do not provide service under the same Access Service tariff,
- The telephone companies do not have a revenue sharing arrangement where one telephone company bills the total cost of access which includes the other telephone company's cost of access,

- 2. General Regulations (Cont'd)
  - 2.4 Payment Arrangements and Credit Allowances (Cont'd)
    - 2.4.7 <u>Access Services Provided by More Than One Telephone</u> Company (Cont'd)
      - (C) EAS and Access Tandem Arrangements (Cont'd)
        - The telephone companies involved do not bill Switched Access charges in accordance with the Multiple Company Billing Arrangement for subtending end offices of an access tandem as set forth in (B) preceding.
        - For FGA usage which originates or terminates at a Telephone Company end office within an EAS calling area where the first point of switching (dial tone office) is provided by a different telephone company, the Telephone Company will apply Carrier Common Line rates as set forth in Section 3.8, Local Transport Mileage and Circuit Connection rates to originating access minutes, and End Office rates to originating and terminating access minutes as set forth in Section 6.6 following. The mileage used to determine the Local Transport Mileage charges will be based on the airline distance between the end office where the call originates and the dial tone office where the FGA service is provided. Such Switched Access charges will be in addition to those charges assessed by the telephone company in whose exchange the first point of switching (dial tone office) is located. Such usage will be determined as set forth in (3) following.
        - (2) For FGB usage which originates or terminates at a Telephone Company end office which subtends an access tandem provided a different telephone company where the FGB service is provided, the Telephone Company will apply Carrier Common Line rates as set forth in Section 3.8, End Office and

- 2. General Regulations (Cont'd)
  - 2.4 Payment Arrangements and Credit Allowances (Cont'd)
    - 2.4.7 Access Services Provided by More Than One Telephone Company (Cont'd)
      - (C) EAS and Access Tandem Arrangements (Cont'd)
        - (2) (Cont'd)

Local Transport Circuit Connection Rates as set forth in Section 6.6 following for all originating and terminating access minutes routed via the access tandem. Such usage will be determined as set forth in (3) following.

- FGA or FGB usage originating or terminating at Telephone Company end offices in EAS or access tandem arrangements shall be determined as follows:
  - Where end office specific usage data are (a) available, such data will be used to determine the charges.
  - Where end office specific usage data are not available, the total originating and/or terminating usage will be the measured usage or assumed usage at the first point of switching (i.e., dial tone office for FGA or access tandem for FGB). Originating and/or terminating usage will be determined based upon the ratios of the total number of subscriber lines in the Telephone Company exchange to the total number of subscriber lines in the EAS calling area or access tandem network. These ratios will be applied to the total number of originating

- 2. General Regulations (Cont'd)
  - 2.4 Payment Arrangements and Credit Allowances (Cont'd)
    - 2.4.7 <u>Access Services Provided by More Than One Telephone</u> Company (Cont'd)
      - (C) EAS and Access Tandem Arrangements (Cont'd)
        - (3) (Cont'd)
          - (b) (Cont'd)

and/or terminating access minutes to determine the access minutes for the Telephone Company exchange.

(4) The ratio used to calculate the access minutes as set forth in (3) preceding will be determined by the telephone company and provided to the customer upon request.

### 2.5 Connections

Equipment and Systems (i.e., terminal equipment, multiline terminating systems, and communications systems) may be connected with Switched and Special Access Service furnished by the Telephone Company where such connection is made in accordance with the provisions specified in Technical Reference Publication AS No. 1 and in 2.1 preceding.

# 2. General Regulations (Cont'd)

### 2.6 Definitions

Certain terms used herein are defined as follows:

### Access Area

The term "Access Area" denotes a specific calling area serviced by one or more central offices associated with the various Switched Access Services offered under this tariff. The size and configuration of the access area a customer obtains is dependent upon the Feature Group type and the specific characteristics of the Central Office or Access Tandem Network in which the connection is made.

### Access Code

The term "Access Code" denotes a uniform five or seven digit code assigned by the Telephone Company to an individual customer. The five digit code has the form 10XXX, and the seven digit code has the form 950-1/0XXX.

### Access Minutes

The term "Access Minutes" denotes that usage of exchange facilities in intrastate or foreign service for the purpose of calculating chargeable usage. On the originating end of an intrastate or foreign call, usage is measured from the time the originating end user's call is delivered by the Telephone Company to and acknowledged as received by the customer's facilities connected with the originating exchange. On the terminating end of an intrastate or foreign call, usage is measured from the time the call is received by the end user in the terminating exchange. Timing of usage at both originating and terminating ends of an intrastate or foreign call shall terminate when the calling or called party disconnects, whichever event is recognized first in the originating and terminating exchanges, as applicable.

# 2. General Regulations (Cont'd)

# 2.6 <u>Definitions</u> (Cont'd)

## Access Tandem

The term "Access Tandem" denotes a Telephone Company switching system that provides a concentration and distribution function for originating and/or terminating traffic between end offices and a customer's premises.

## Access Tandem Network

The term "Access Tandem Network" denotes the network of trunk groups that provide a concentration and distribution function for originating and/or terminating Switched Access traffic between a single access tandem and Telephone Company subtending end offices.

## Answer/Disconnect Supervision

The term "Answer/Disconnect Supervision" denotes the transmission of the switch trunk equipment supervisory signal (off-hook or on-hook) to the customer's point of termination as an indication that the called party has answered or disconnected.

## Answer Message

The term "Answer Message" denotes an SS7 message sent in the backward direction to indicate that the call has been answered.

#### Attenuation Distortion

The term "Attenuation Distortion" denotes the difference in loss at specified frequencies relative to the loss at 1004 Hz, unless otherwise specified.

# Balance (100 Type) Test Line

The term "Balance (100 Type) Test Line" denotes an arrangement in an end office which provides for balance and noise testing.

# 2. General Regulations (Cont'd)

# 2.6 <u>Definitions</u> (Cont'd)

Bit

The term "Bit" denotes the smallest unit of information in the binary system of notation.

# **Business Day**

The term "Business Day" denotes the times of day that a company is open for business. Generally, in the business community, these are 8:00 or 9:00 A.M. to 5:00 or 6:00 P.M., respectively, with an hour for lunch, Monday through Friday, resulting in a standard forty (40) hour work week. However, Business Day hours for the Telephone Company may vary based on company policy, union contract, and location. To determine such hours for an individual company, or company location, contact the issuing officer at the address shown on Title Page 1.

# Busy Hour Minutes of Capacity (BHMC)

The term "Busy Hour Minutes of Capacity (BHMC)" denotes the customer specified maximum amount of Switched Access Service access minutes the customer expects to be handled in an end office switch during any hour in an 8:00 A.M. to 11:00 P.M. period for the Switched Access Arrangement ordered. This customer furnished BHMC quantity is the input data the Telephone Company uses to determine the number of transmission paths or facility requirements for the Switched Access Arrangement ordered.

## Call

The term "Call" denotes a customer attempt for which the complete address code (e.g., 0-, 911, or 10 digits) is provided to the serving dial tone office.

# 2. General Regulations (Cont'd)

# 2.6 <u>Definitions</u> (Cont'd)

## Carrier or Common Carrier

See Interexchange Carrier.

## CCS

The term "CCS" denotes a hundred call seconds, which is a standard unit of traffic load that is equal to 100 seconds of usage or capacity of a group of servers (e.g., trunks).

## Central Office

The term "Central Office" denotes a local Telephone Company switch ing system where Telephone Exchange Service customer station loops are terminated for purposes of interconnection to each other and to trunks.

## Central Office Prefix

The term "Central Office Prefix" denotes the first three digits (NXX) of the seven digit telephone number assigned to a customer's Telephone Exchange Service when dialed on a local basis.

## Centralized Automatic Reporting on Trunks Testing

The term "Centralized Automatic Reporting on Trunks Testing" denotes a type of testing which includes the capacity for measuring operational and transmission parameters.

## Circuit(s)

The term "Circuit(s)" denotes an electrical or photonic, in the case of fiber optic-based transmission systems, communications path between two or more points of termination.

# 2. General Regulations (Cont'd)

# 2.6 <u>Definitions</u> (Cont'd)

## **Channel Service Unit**

The term "Channel Service Unit" denotes customer premises equipment which performs one or more of the following functions: termination of a digital facility, regeneration of digital signals, detection and/or correction of signal format error, and remote loop back.

#### Channelize

The term "Channelize" denotes the process of multiplexing-demultiplexing wider bandwidth or higher speed channels into narrow bandwidth or lower speed channels.

## C-Message Noise

The term "C-Message Noise" denotes the frequency weighted average noise within an idle voice channel. The frequency weighting, called C-message, is used to simulate the frequency characteristic of the 500-type telephone set and the hearing of the average subscriber.

#### C-Notched Noise

The term "C-Notched Noise" denotes the C-message frequency weighted noise on a voice channel with a holding tone, which is removed at the measuring end through a notch (very narrow band) filter.

## Coin Station

The term "Coin Station" denotes a location where Telephone Company equipment is provided in a public or semipublic place where Telephone Company customers can originate telephone communications and pay the applicable charges by inserting coins into the equipment.

# 2. General Regulations (Cont'd)

# 2.6 Definitions (Cont'd)

# Common Channel Signaling System 7 Network (CCS7)

The term "Common Channel Signaling System 7 Network (CCS7)" denotes a dedicated out-of-band signaling network which utilizes Signaling System 7 (SS7) protocol to provide call handling and data base access services.

## Common Line

The term "Common Line" denotes a line, trunk, pay telephone line, or other facility provided under the general and/or local exchange service tariffs of the Telephone Company, terminated on a central office switch. A common line-residence is a line or trunk provided under the residence regulations of the general and/or local exchange service tariffs. A common line-business is a line provided under the business regulations of the general and/or local exchange service tariffs.

## Communications System

The term "Communications System" denotes channels and other facilities, which are capable of communications between terminal equipment provided by other than the Telephone Company.

## Customer(s)

The term "Customer(s)" denotes any individual, partnership, association, joint-stock company, trust, corporation, or governmental entity or other entity which subscribes to the services offered under this tariff, including both Interexchange Carriers (ICs) and End Users.

#### Customer Designated Premises (CDP)

A CDP may be designated by the customer for Switched Access, Special Access, or both in combination. When a customer orders Special Access to connect to a Telephone Company Switch, that switch is a CDP where the Special Access Service Terminates. Customer transmission facilities and equipment terminated in Telephone Company central offices under EIS arrangements, as defined in Frontier Telephone Companies Tariff FCC No. 1, Section 16 are not considered a CDP. However, Telephone Company Special Access Services may be interconnected to such customer equipment using a Cross Connect arrangement.

(L) Material relocated to Page 72.

Continued

Issued: January 15, 2015 Allison Ellis Effective: February 16, 2015
Vice President, Regulatory Affairs
3 High Ridge Park
Stamford, CT 06905

(N)

(N)

# 2. General Regulations (Cont'd)

# 2.6 <u>Definitions</u> (Cont'd)

## Data Transmission (107 Type) Test Line

The term "Data Transmissions (107 Type) Test Line" denotes an arrangement, which provides for a connection to a signal source, which provides test signals for one-way testing of data and voice transmission parameters.

#### Decibel

The term "Decibel" denotes a unit used to express relative differences in power, usually between acoustic or electric signals, equal to ten (10) times the common logarithm of the ratio of two signal powers.

# Decibel Reference Noise C-Message Weighting

The term "Decibel Reference Noise C-Message Weighting" denotes noise power measurements with C-Message Weighting in decibels relative to a reference 1000 Hz tone of 90 dB below 1 milliwatt.

# Decibel Reference Noise C-Message Referenced to 0

The term "Decibel Reference Noise C-Message Referenced to 0" denotes noise power in "Decibel Reference Noise C-Message Weighting" referred to or measured at a zero transmission level point.

# **Dual Tone Multifrequency Address Signaling**

The term "Dual Tone Multifrequency Address Signaling" denotes a type of signaling that is an optional feature of Switched Access Feature group A. It may be utilized when Feature Group A is being used in the terminating direction (from the point of termination with the customer to the local exchange end office). An office arranged for Dual Tone Multifrequency Signaling would expect to receive address signals from the customer in the form of Dual Tone Multifrequency signals.

# Echo Control

The term "Echo Control" denotes the control of reflected signals in a telephone transmission path.

(L) Material relocated from Page 71.

(N)

(L)

(L)

# 2. General Regulations (Cont'd)

# 2.6 <u>Definitions</u> (Cont'd)

## Echo Path Loss

The term "Echo Path Loss" denotes the measure of reflected signal at a four-wire point of interface without regard to the send and receive Transmission Level Point.

#### Echo Return Loss

The term "Echo Return Loss" denotes a frequency weighted measure of return loss over the middle of the voiceband (approximately 500 to 2500 Hz), where talker echo is most annoying.

#### Effective Two-Wire

The term "Effective Two-Wire" denotes a condition which permits the simultaneous transmission in both directions over a channel, but it is not possible to insure independent information transmission in both directions. Effective two-wire channels may be terminated with two-wire or four-wire interfaces.

## Effective Four-Wire

The term "Effective Four-Wire" denotes a condition which permits the simultaneous independent transmission of information in both directions over a channel. The method of implementing effective four-wire transmission is at the discretion of the Telephone Company (physical, time domain, frequency-domain separation, or echo cancellation techniques). Effective four-wire channels may be terminated with a two-wire interface at the customer's premises. However, when terminated two-wire, simultaneous independent transmission cannot be supported because the two wire interface combines the transmission paths into a single path.

# 2. General Regulations (Cont'd)

# 2.6 <u>Definitions</u> (Cont'd)

## End Office Switch

The term "End Office Switch" denotes a local Telephone Company switching system where Telephone Exchange Service customer station loops are terminated for purposes of interconnection to each other and to trunks. Included may be Remote Switching Modules and Remote Switching Systems served by a host office in a different wire center.

#### End User

The term "End User" denotes any customer of intrastate or foreign telecommunications service that is not a carrier, except that a carrier shall be deemed to be an "end user" to the extent that such carrier uses a telecommunications service for administrative purposes, without making such service available to others, directly or indirectly.

# **Entry Switch**

See First Point of Switching.

## Envelope Delay Distortion

The term "Envelope Delay Distortion" denotes a measure of the linearity of the phase versus frequency of a channel.

#### Equal Level Echo Path Loss

The term "Equal Level Echo Path Loss" (ELEPL) denotes the measure of Echo Path Loss (EPL) at a four-wire interface which is corrected by the difference between the send and receive Transmission Level Point (TLP). [ELEPL = TLP (send) + TLP (receive)].

# 2. General Regulations (Cont'd)

# 2.6 <u>Definitions</u> (Cont'd)

# Exchange

The term "Exchange" denotes a unit generally smaller than a Local Access and Transport Area, established by the Telephone Company for the administration of communications service in a specified area which usually embraces a city, town or village and its environs. It consists of one or more central offices together with the associated facilities used in furnishing communications service within the area. One or more designated exchanges comprise a given Local Access and Transport Area.

# Exit Message

The term "Exit Message" denotes an SS7 message sent to an end office by the Telephone Company tandem switch to mark the Carrier Connect Time when the Telephone Company's tandem switch sends an Initial Address Message to an Interexchange Customer.

# Expected Measured Loss

The term "Expected Measured Loss" denotes a calculated loss which specifies the end-to-end 1004-Hz loss on a terminated test connection between two readily accessible manual or remote test points. It is the sum of the inserted connection loss and test access loss including any test pads.

## Extended Area Service

The term "Extended Area Service" denotes a telephone exchange service in which a customer in one exchange can call a local number in another exchange that is part of the extended area without paying a toll charge.

# 2. General Regulations (Cont'd)

# 2.6 <u>Definitions</u> (Cont'd)

## Field Identifier

The term "Field Identifier" denotes two to four characters that are used on service orders to convey specific instructions. Field Identifiers may or may not have associated data. Selected Field Identifiers are used in Telephone Company billing systems to generate nonrecurring charges.

## First Come - First Served

The term "First Come - First Served" denotes a procedure followed by the Telephone Company to process fully completed Access Orders according to the sequence in which they are received.

# First Point of Switching

The term "First Point of Switching" denotes the first Telephone Company location at which switching occurs on the terminating path of a call proceeding from the customer premises to the terminating end office and, at the same time, the last Telephone Company location at which switching occurs on the originating path of a call proceeding from the originating end office to the customer premises.

# Frequency Shift

The term "Frequency Shift" denotes the change in the frequency of a tone as it is transmitted over a channel.

#### Grandfathered

The term "Grandfathered" denotes Terminal Equipment, Multiline Terminating Systems and Protective Circuitry directly connected to the facilities utilized to provide services under the provisions of this tariff, and which are considered grandfathered under Part 68 of the F.C.C.'s Rules and Regulations.

# 2. General Regulations (Cont'd)

# 2.6 <u>Definitions</u> (Cont'd)

## Host Office

The term "Host Office" denotes an electronic switching system which provides call processing capabilities for one or more Remote Switching Modules or Remote Switching Systems.

## Immediately Available Funds

The term "Immediately Available Funds" denotes a corporate or personal check drawn on a bank account and funds which are available for use by the receiving party on the same day on which they are received and include U.S. Federal Reserve bank wire transfers, U.S. Federal Reserve notes (paper cash), U.S. coins, U.S. Postal Money Orders, and New York Certificates of Deposit.

# <u>Impedance Balance</u>

The term "Impedance Balance" denotes the method of expressing Echo Return Loss and Singing Return Loss at a four-wire interface whereby the gains and/or loss of the four-wire portion of the transmission path, including the hybrid, are not included in the specification.

# Impulse Noise

The term "Impulse Noise" denotes any momentary occurrence of the noise on a channel over a specified level threshold. It is evaluated by counting the number of occurrences which exceed the threshold.

## Individual Case Basis

The term "Individual Case Basis" denotes a condition in which the regulations, if applicable, rates and charges for an offering under the provisions of this tariff are developed based on the circumstances in each case.

# 2. General Regulations (Cont'd)

# 2.6 <u>Definitions</u> (Cont'd)

# Initial Address Message (IAM)

The term "Initial Address Message (IAM)" denotes an SS7 message sent in the forward direction to initiate trunk set up with the busying of an outgoing trunk which carries the information about that trunk along with other information relating to the routing and handling of the call to the next switch.

## **Inserted Connection Loss**

The term "Inserted Connection Loss" denotes the 1004 HZ power difference (in dB) between the maximum power available at the originating end and the actual power reaching the terminating end through the inserted connection.

# Interexchange Carrier (IC) or Interexchange Common Carrier

The terms "Interexchange Carrier" (IC) or Interexchange Common Carrier" denotes any individual, partnership, association, joint-stock company, trust, governmental entity, or corporation engaged for hire in intrastate, interstate, or foreign communications by wire or radio, between two or more exchanges.

## Intermodulation Distortion

The term "Intermodulation Distortion" denotes a measure of the nonlinearity of a channel. It is measured using four tones, and evaluating the ratios (in dB) of the transmitted composite four-tone signal power to the second-order products of the tones (R2), and the third-order products of the tones (R3).

## Interstate Communications

The term "Interstate Communications" denotes both interstate and foreign communications.

# 2. <u>General Regulations</u> (Cont'd)

# 2.6 <u>Definitions</u> (Cont'd)

## **Intrastate Communications**

The term "Intrastate Communications" denotes any communications within a state subject to oversight by a state regulatory commission as provided by the laws of the state involved.

## Line Side Connection

The term "Line Side Connection" denotes a connection of a transmission path to the line side of a local exchange switching system.

# Local Access and Transport Area

The term "Local Access and Transport Area" (LATA) denotes a geographic area established by the Telephone Company for the provision and administration of its communications service. It encompasses one or more Telephone Company designated exchanges which are configured in relative proximity to one another and may be reconfigured by the Telephone Company in the normal operation of its business. As used herein, the term LATA refers only to these Telephone Company designated exchanges and does not necessarily have

any predetermined association with the term LATA used by other exchange carriers.

## Loop Around Test Line

The term "Loop Around Test Line" denotes an arrangement utilizing a Telephone Company central office to provide a means to make certain two-way transmission tests on a manual basis. This arrangement has two central office terminations, each reached by means of separate telephone numbers and does not require any specific customer premises equipment. Equipment subject to this test arrangement is at the discretion of the customer.

# 2. General Regulations (Cont'd)

# 2.6 <u>Definitions</u> (Cont'd)

## **Loss Deviation**

The term "Loss Deviation" denotes the variation of the actual loss from the designed value.

## <u>Message</u>

The term "Message" denotes a "call" as defined preceding.

# Milliwatt (102 Type) Test Line

The term "Milliwatt (102 Type) Test Line" denotes an arrangement in an end office which provides a 1004 Hz tone at 0 dBm0 for one-way transmission measurements towards the customer's premises from the Telephone Company end office.

# **Network Control Signaling**

The term "Network Control Signaling" denotes the transmission of signals used in the telecommunications system which perform functions such as supervision (control, status, and charge signals), address signaling (e.g., dialing), calling and called number identifications, rate of flow, service selection error control and audible tone signals (call progress signals indicating re-order or busy conditions, alerting, coin denominations, coin collect, and coin return tones) to control the operation of the telecommunications system.

## Nonsynchronous Test Line

The term "Nonsynchronous Test Line" denotes an arrangement in step-bystep end offices which provides operational tests which are not as complete as those provided by the synchronous test lines, but can be made more rapidly.

# 2. <u>General Regulations</u> (Cont'd)

# 2.6 <u>Definitions</u> (Cont'd)

# North American Numbering Plan

The term "North American Numbering Plan" denotes a three digit area (Numbering Plan Area) code and a seven-digit telephone number made up of a three-digit Central office code plus a four-digit station number.

## Off-Hook

The term "Off-Hook" denotes the active condition of Switched Access or a Telephone Exchange Service Line.

## On-Hook

The term "On-Hook" denotes the idle condition of Switched Access or a Telephone Exchange Service line.

# Open Circuit Test Line

The term "Open Circuit Test Line" denotes an arrangement in an end office which provides an a.c. circuit termination of a trunk or line by means of an inductor of several Henries.

# Originating Direction

The term "Originating Direction" denotes the use of access service for the origination of calls from an End User Premises to an IC Premises.

## Pay Telephone

The term "Pay Telephone" denotes Telephone Company provided instruments and related facilities that are available to the general public for public convenience and necessity, including public and semipublic telephones, and coinless telephones.

# 2. <u>General Regulations</u> (Cont'd)

# 2.6 <u>Definitions</u> (Cont'd)

# Phase Jitter

The term "Phase Jitter" denotes the unwanted phase variations of a signal.

## Point of Termination

The term "Point of Termination" denotes the point of demarcation at a customer designated premise at which the Telephone Company's responsibility for the provision of Access Service ends.

## Premise(s)

The term "Premise(s)" denotes a building or buildings on continuous property (except Railroad Right-of-Way, etc.) not separated by a public highway.

# Release Message

The term "Release Message" denotes an SS7 Message sent in either direction to indicate that a specific circuit is being released.

## Remote Switching Modules and/or Remote Switching Systems

The term "Remote Switching Modules and/or Remote Switching Systems" denotes remotely controlled electronic end office switches which obtain their call processing capability from an ESS-type Host Office. The Remote Switching Modules and/or Remote Switching Systems cannot accommodate direct trunks to an IC.

## Return Loss

The term "Return Loss" denotes a measure of the similarity between the two impedances at the junction of two transmission paths. The higher the return loss, the higher the similarity.

# 2. <u>General Regulations</u> (Cont'd)

# 2.6 <u>Definitions</u> (Cont'd)

# Registered Equipment

The term "Registered Equipment" denotes the customer's premises equipment which complies with and has been approved within the Registration Provisions of Part 68 of the FCC's Rules and Regulations.

# Serving Wire Center

The term "Serving Wire Center" dentoes that Telephone Company designated wire center serving the customer designated premises and used for mileage measurement to determine local transport or circuit mileage charges for Access Service.

## Seven Digit Manual Test Line

The term "Seven Digit Manual Test Line" denotes an arrangement which allows the Customer to select balance, milliwatt and synchronous test lines by manually dialing a seven digit number over the associated access connection.

## Shortage of Facilities or Equipment

The term "Shortage of Facilities or Equipment" denotes a condition which occurs when the Telephone Company does not have appropriate cable, switching capacity, bridging or, multiplexing equipment, etc., necessary to provide the Access service requested by the customer.

## Short Circuit Test Line

The term "Short Circuit Test Line" denotes an arrangement in an end office which provides for an a.c. short circuit termination of a trunk or line by means of a capacitor of at least four microfarads.

# 2. General Regulations (Cont'd)

# 2.6 <u>Definitions</u> (Cont'd)

# Signal-to-C-Notched Noise Ratio

The Term "Signal-to-C-Notched Noise Ratio" denotes the ratio in dB of a test signal to the corresponding C-Notched Noise.

# Signaling System 7 (SS7)

The term "Signaling System 7 (SS7)" denotes the layered protocol used for standardized common channel signaling in the United States.

# Singing Return Loss

The term "Singing Return Loss" denotes the frequency weighted measure of return loss at the edges of the voiceband (200 to 500 Hz and 2500 to 3200 Hz), where singing (instability) problems are most likely to occur.

# Subtending End Office of an Access Tandem

The term "Subtending End Office of an Access Tandem" denotes an end office that has final trunk group routing through that tandem.

## Synchronous Test Line

The term "Synchronous Test Line" denotes an arrangement in an end office which performs marginal operational tests of supervisory and ring-tripping functions.

## **Terminating Direction**

The term "Terminating Direction" denotes the use of Access Service for the completion of calls from an IC premise to an End User Premise.

# 2. General Regulations (Cont'd)

# 2.6 <u>Definitions</u> (Cont'd)

# Transmission Measuring (105 Type) Test Line/Responder

The term "Transmission Measuring (105 Type) Test Line/Responder" denotes an arrangement in an end office which provides far-end access to a responder and permits two-way loss and noise measurements to be made on trunks from a near end office.

# **Transmission Path**

The term "Transmission Path" denotes an electrical path capable of transmitting signals within the range of the service offering, e.g., a voice grade transmission path is capable of transmitting voice frequencies within the approximate range of 300 to 3000 Hz. A transmission path is comprised of physical or derived facilities consisting of any form or configuration of plant typically used in the telecommunications industry.

## Trunk

The term "Trunk" denotes a communications path connecting two switching systems in a network, used in the establishment of an end-to-end connection.

# Trunk Group

The term "Trunk Group" denotes a set of trunks which are traffic engineered as a unit for the establishment of connections between switching systems in which all of the communications paths are interchangeable.

## Trunk Side Connection

The term "Trunk Side Connection" denotes the connection of a transmission path to the trunk side of a local exchange switching system.

# 2. General Regulations (Cont'd)

# 2.6 <u>Definitions</u> (Cont'd)

# Two-Wire to Four-Wire Conversion

The term "Two-Wire to Four-Wire Conversion" denotes an arrangement which converts a four-wire transmission path to a two-wire transmission path to allow a four-wire facility to terminate to a two-wire entity (e.g., a central office switch).

#### Uniform Service Order Code

The term "Uniform Service Order Code" denotes a three or five character alphabetic, numeric, or an alphanumeric code that identifies a specific item of service or equipment. Uniform Service Order Codes are used in the Telephone Company billing system to generate recurring rates and nonrecurring charges.

## **V&H Coordinates Method**

The term "V and H Coordinates Method" denotes a method of computing airline miles between two points by utilizing an established formula which is based on the vertical and horizonal coordinates of the two points.

# WATS Serving Office

The term "WATS Serving Office" denotes a Telephone Company switching office capable of performing the optional screening functions used in Combined Access Service Arrangements.

## Wire Center

The term "Wire Center" denotes a building in which one or more central offices, including end office switches, used for the provision of Telephone Exchange Services, are located.

# Frontier Communications of the White Mountains ARIZONA ACCESS TARIFF NO. 1 Original Page 87

#### **ACCESS SERVICE**

# 3. Carrier Common Line Access Service

The Telephone Company will provide Carrier Common Line Access Service (Carrier Common Line Access) to customers.

## 3.1 General Description

Carrier Common Line Access provides for the use of Telephone Company common lines by customers for access to end users to furnish Intrastate Communications.

Carrier Common Line Access is provided where the customer obtains Telephone Company Switched Access Service under this tariff.

Premium Access is (1) All Terminating Switched Access Service, and (2) Originating Switched Access Service provided to ICs under this tariff which furnish intrastate MTS/WATS, and (3) Originating Switched Access Service in an end office converted to equal access.

Nonpremium Access is originating Switched Access Service provided in an end office not yet converted to equal access to customers who do not furnish intrastate MTS/WATS.

## 3.2 Limitations

- (A) A telephone number is not provided with Carrier Common Line Access.
- (B) Detail billing is not provided for Carrier Common Line Access.
- (C) Directory listings are not included in the rates and charges for Carrier Common Line Access.

Continued

- 3. Carrier Common Line Access Service (Cont'd)
  - 3.2 <u>Limitations</u> (Cont'd)
    - (D) Intercept arrangements are not included in the rates and charges for Carrier Common Line Access.
    - (E) All line side connections provided in the same access group will be limited to the same features and operating characteristics.
    - (F) All trunk side connections provided in the same access group will be limited to the same features and operating characteristics.
    - (G) Where WATS is provided which terminates at a WATS Serving Office, minutes which are carried on that end of the service (i.e., originating minutes for outward WATS and WATS-type services and terminating minutes for inward WATS and WATS-type services) shall not be assessed Carrier Common Line Access per minute charges with the following exception:
      - (1) Carrier Common Line Access per minute charges shall apply when Feature Group A or Feature Group B switched access is ordered from a nonequal access telephone company office that does not have measurement capabilities and the assumed average access minutes, as set forth in Section 6 following, are used.

(T)

Continued

Effective: July 1, 2012

Kenneth Mason Vice President Government & Regulatory Affairs 180 S. Clinton Ave. Rochester, NY 14646

# 3. Carrier Common Line Access Service (Cont'd)

# 3.3 <u>Undertaking of the Telephone Company</u>

- (A) Where the customer is provided with Switched Access Service under other sections of this tariff, the Telephone Company will provide the use of Telephone Company common lines by a customer for access to end users at rates and charges as set forth in 3.8 following.
- (B) Where the customer is reselling MTS and/or MTS-type service(s) on which the Carrier Common Line and Switched Access charges have been assessed, the customer may, at the option of the customer, obtain Feature Group A, Feature Group B, or Feature Group D Switched Access Service under this tariff as set forth in Section 6 following for originating and/or terminating access in the local exchange. Such access group arrangements whether single lines or trunks or multiline hunt groups or trunk groups will have Carrier Common Line Access Charges applied as set forth in 3.8 following.

Resold intrastate inward MTS and MTS-type service(s) shall include collect calls, third number calls and credit card calls where the reseller pays the underlying carrier's service charges; and shall not include interstate minutes of use.

Resold intrastate outward MTS and MTS-type service(s) shall not include collect, third number, credit card, or interstate minutes of use.

- 3. Carrier Common Line Access Service (Cont'd)
  - 3.3 <u>Undertaking of the Telephone Company</u> (Cont'd)
    - (C) When access to the local exchange is required to provide a customer service (e.g., MTS/WATS-type, telex, Data, etc.) that uses a resold Private Line Service, Switched Access Service Rates and Regulations, as set forth in Section 6 following, will apply, except when such access to the local exchange is required for the provision of an enhanced service. Carrier Common Line Access rates and charges as set forth in 3.8 following in accordance with the regulations as set forth in 3.7(E) following.
    - (D) The Switched Access Service provided by the Telephone Company includes the Switched Access Service provided for both interstate and intrastate communications and the Carrier Common Line Access rates and charges as set forth in 3.8 following apply in accordance with the regulations as set forth in 3.7(E) following.
    - (E) When the IC is provided Operator Trunk-Coin or Combined Coin and Non-Coin or Operator Trunk-Full Feature Optional Features for sent-paid pay telephone access as set forth in Section 6 following, the Telephone Company will collect sent-paid monies from pay telephone stations and will remit monies to the IC as set forth in 3.6 following. The Telephone Company will provide message call detail format and bill periods used to determine the monies upon request from the IC.

# 3. Carrier Common Line Access Service (Cont'd)

# 3.4 Obligations of the Customer

- (A) The Switched Access Service associated with Carrier Common Line Access shall be ordered by the customer under other sections of this tariff.
- (B) The customer facilities at the premises of ordering customer shall provide the necessary on-hook and off-hook supervision.
- (C) Unless the customer reports (1) intrastate use as set forth in (D) following or (2) Feature Group A, B, or D Switched Access Service as set forth in (F) following, all Switched Access Service provided to the customer will be subject to Carrier Common Line Access charges.
- (D) When the customer reports interstate and intrastate use of Switched Access Service, the associated Carrier Common Line Access used by the customer for intrastate will be determined as set forth in 3.7(E) following.
- Where Feature Group C end office switching is provided without Telephone Company recording and the IC records minutes of use which will be used to determine Carrier Common Line Access charges (i.e., Feature Group C operator and TSPS calls such as pay telephone sent-paid, operator-DDD, operator-person, collect, credit-card, third number, and/or other like calls), the IC shall furnish such minutes of use detail to the Telephone Company in a timely manner. If the IC does not furnish the data to the Telephone Company, the IC

Continued

- 3. Carrier Common Line Access Service (Cont'd)
  - 3.4 Obligations of the Customer (Cont'd)
    - (E) (Cont'd)

shall identify all Switched Access Services which could carry such calls in order for the billing entity to accumulate the minutes of use through the use of special Telephone Company measuring and recording equipment.

(F) When the customer is reselling MTS and/or MTS-type service as set forth in 3.3(B) preceding, the customer will be charged the Carrier Common Line Access charges in accordance with the regulations as set forth in 3.7(D) following if the customer or the provider of the MTS service furnishes documentation of the MTS usage and/or the customer furnishes documentation of the MTS-type usage. Such documentation supplied by the customer shall be supplied each month and shall identify the involved resold MTS and/or MTS-type services. The monthly period used to determine the minutes of use for resold MTS and/or MTS-type service(s) shall be the most recent monthly period for which the customer has received a bill for such resold MTS and/or MTS-type service(s). This information shall be delivered to the Telephone Company, at a location specified by the Telephone Company, no later than 15 days after the bill date shown on the resold MTS and/or MTS-type service bill. If the required information is not received by the Telephone Company, the previously reported information, as described preceding, will be used for the next two months. For any subsequent month, no allocation or credit will be made until the required documentation is delivered to the Telephone Company by the

Continued

# Frontier Communications of the White Mountains ARIZONA ACCESS TARIFF NO. 1 Original Page 92

# **ACCESS SERVICE**

customer.

Continued

- 3. Carrier Common Line Access Service (Cont'd)
  - 3.4 Obligations of the Customer (Cont'd)
    - (G) When the customer orders Switched Access Service as set forth in (F) preceding, the Telephone Company or the billing entity may request when resold MTS is involved, a certified copy of the customer's MTS usage billing from either the customer or the provider of the MTS Service and/or when resold MTS-type service is involved, a certified copy of the customer's MTS-type usage billing from either the customer or the provider of the MTS-type service. The requests for this billing will relate back no more than 12 months prior to the current billing period.
    - (H) Where Operator Trunk-Coin or Combined Coin and Non-Coin or Operator Trunk-Full Feature Optional Features for sent-paid pay telephone access is provided to the IC and the IC wishes to receive the monies it is due for the monies collected by the Telephone Company from coin pay telephone stations, the IC shall furnish to the Telephone Company, at a location specified by the Telephone Company, the IC message call detail for the IC sent-paid (coin) pay telephone calls in accordance with the Telephone Company collection schedule. The IC message call detail furnished shall be in a standard format established by the Telephone Company. If no IC message call detail is received from the IC for each bill period established by the Telephone Company, the Telephone Company will assume there were no IC sent-paid (coin) pay telephone calls for the period. In addition the IC shall furnish a schedule of its

- 3. Carrier Common Line Access Service (Cont'd)
  - 3.4 Obligations of the Customer (Cont'd)
    - (H) (Cont'd)

charges for sent-paid (coin) calls to the Telephone Company at a location and date as specified by the Telephone Company. Any change in the IC's schedule of charges shall be furnished to the Telephone Company one day after the change becomes effective.

# 3.5 Payment Arrangements

(A) The Telephone Company will bill the Carrier Common Line Access. The bill day (i.e., the billing date of the bill) in a month for each customer account will be established by the Telephone Company. Payment is due from the customer 31 days after the bill day date (payment date) or by the next bill date (i.e., same date in the following month as the bill date), whichever is the shortest interval, and is payable in immediately available funds. If such payment date is a Saturday, Sunday, or Holiday (i.e., New Year's Day, Independence Day, Labor Day, Thanksgiving Day, Christmas Day, the second Tuesday in November, and a day when Washington's Birthday, Memorial Day, or Columbus Day is legally observed), payment will be due from the customer as follows:

If such payment date falls on a Sunday or on a Holiday which is observed on a Monday, the payment date shall

Continued

- 3. Carrier Common Line Access Service (Cont'd)
  - 3.5 Payment Arrangements (Cont'd)
    - (A) (Cont'd)

be the first non-Holiday day following such Sunday or Holiday. If such payment date falls on a Saturday or on a Holiday which is observed on Tuesday, Wednesday, Thursday, or Friday, the payment date shall be the last non-Holiday day preceding such Saturday or Holiday.

- (B) Further, if any portion of the Carrier Common Line Access payment is received by the Telephone Company after the payment date as set forth in (A) preceding, or if any portion of the Carrier Common Line Access payment is received by the Telephone Company in funds which are not immediately available, then a late payment penalty shall be due to the Telephone Company. The late payment penalty shall be the portion of the Carrier Common Line Access payment not received by the payment date times a late factor. The late factor shall be the lesser of:
  - (1) the highest interest rate (in decimal value) which may be levied by law for commercial transactions, compounded daily for the number of days from the payment date to and including the date that the customer actually makes the payment to the Telephone Company, or
  - (2) 0.000590 per day, compounded daily for the number of days from the payment date to and including the date that the customer actually makes the payment to the Telephone Company.

Continued

- 3. Carrier Common Line Access Service (Cont'd)
  - 3.5 Payment Arrangements (Cont'd)
    - (C) In the event a billing dispute concerning a month's Carrier Common Line Access billed to the customer by the Telephone Company is resolved in favor of the Telephone Company, any payments withheld pending settlement of the dispute shall be subject to the late payment penalty set forth in (B) preceding. If the customer disputes the bill on or before the payment date, and pays the undisputed amount on or before the payment date, any late payment charge for the disputed amount will not start until 10 days after the payment date. If the billing dispute is resolved in favor of the customer, no late payment penalty will apply to the disputed amount. In addition, if the customer disputes the billed amount and pays the total amount (i.e., the nondisputed amount and the disputed amount) on or before the payment date and the billing dispute is resolved in the favor of the customer, the customer will receive a credit for a disputed amount penalty from the Telephone Company if the billing dispute is not resolved within 10 working days following the payment date or the date the customer furnishes to the Telephone Company documentation to support its claim plus 10 working days, whichever date is the later date. The disputed amount penalty shall be the disputed amount resolved in the customer's favor times a penalty factor.

# 3. Carrier Common Line Access Service (Cont'd)

## 3.6 Payment of Coin Sent-Paid Monies

The Telephone Company will collect the monies from coin pay telephone stations and will determine and remit amounts due to an IC which is provided Operator Trunk-Coin or Combined Coin and Non-Coin or Operator Trunk-Full Feature Optional Features for sent-paid pay telephone access as follows:

## (A) Bill Period Coin Revenue

The Telephone Company will establish a collection schedule for each coin pay telephone station and will collect the monies from the coin pay stations based on this collection schedule. The monies collected based on this schedule during each bill period established by the Telephone Company will be identified by coin pay telephone station and summed to develop the Bill Period Coin Revenue for each coin record day

develop the Bill Period Coin Revenue for each coin record day (i.e., the day a record is prepared and dated to show the amount due the IC).

## (B) Total IC Coin Revenue

The intrastate Total IC Coin Revenue will be determined by the Telephone Company based on the customer message call detail received from the customer for each bill period and the IC's schedule of charges for sent-paid coin calls. Such Total Customer Coin Revenue will be developed each coin record day.

Continued

# 3. Carrier Common Line Access Service (Cont'd)

# 3.6 Payment of Coin Sent-Paid Monies (Cont'd)

# (C) Recourse Adjustments

For each coin record day, the Telephone Company will subtract from the Total IC Coin Revenue an amount for coin station shortages. Coin station shortages are amounts resulting from unauthorized calling at coin pay telephone stations, use of unauthorized coins (i.e., foreign coins, slugs, and improper use of U.S. pennies), unauthorized removal of coins from coin pay telephone stations, and coin refunds beyond the Telephone Company's control. Such amount for coin station shortages will be developed by the Telephone Company by multiplying the Total IC Coin Revenue for each coin record day by a shortage factor. Such amount will be rounded to the nearest penny. The shortage factor will be determined by dividing the yearly total coin shortage amount by the yearly total coin revenue amount (i.e., total coin revenue equals the coin revenue due under exchange tariffs, state toll tariffs, and interstate toll tariffs). The total coin shortage amount and the total revenue amount will be determined by the Telephone Company through an annual special study.

## (D) Payment of Net IC Coin Revenue

The Telephone Company will determine the Net IC Coin Revenue for each coin record day by subtracting from the Total IC Coin Revenue determined as set forth in (B) preceding the amount for coin station shortages determined as set forth

Continued

# 3. Carrier Common Line Access Service (Cont'd)

# 3.6 Payment of Coin Sent-Paid Monies (Cont'd)

# (D) Payment of Net IC Coin Revenue (Cont'd)

in (C) preceding. On the date (payment date) determined by adding 45 days to the coin record day, the Telephone Company will remit payment to the IC for the Net IC Coin Revenue.

# (E) <u>Audit Provisions</u>

Upon reasonable written notice by the customer to the Telephone Company, the customer shall have the right through its authorized representative to examine and audit, during normal business hours and at reasonable intervals as determined by the Telephone Company, all such records and accounts as may, under recognized accounting practices, contain information bearing upon the determination of the amount payable to the customer. Adjustment shall be made by the proper party to compensate for any errors or omissions disclosed by such examination or audit. Neither such right to examine and audit nor the right to receive such adjustment shall be affected by any statement to the contrary, appearing on checks or otherwise, unless such statement expressly waiving such right appears in a letter signed by the authorized representative of the party having such right and delivered to the other party.

# 3. <u>Carrier Common Line Access Service</u> (Cont'd)

# 3.6 Payment of Coin Sent-Paid Monies (Cont'd)

(E) <u>Audit Provisions</u> (Cont'd)

All information received or reviewed by the customer or its authorized representative is to be considered confidential and is not to be distributed, provided or disclosed in any form to anyone not involved in the audit, nor is such information to be used for any other purpose.

# 3.7 Rate Regulations

- (A) The Transitional Charges will be billed to each Switched Access Service provided under this tariff in accordance with the regulations as set forth in (E) following, except as set forth in (D) and (F) following.
- (B) When access minutes are used to determine the Transitional Charges, they will be accumulated using call detail recorded by Telephone Company equipment except as set forth in (C) following and Feature Group C operator and TSPS call detail such as pay telephone sent-paid, operator-DDD, operatorperson, collect, credit-card, third number, and/or other like calls recorded by the customer. The Telephone Company measuring and recording equipment except as set forth in (C) following will be associated with end office or local tandem switching equipment and will record each originating and terminating access minute where answer supervision is received. The accumulated access minutes will be summed on a line by line basis, by line group or by end office, whichever type of account is used by the Telephone Company, for each customer and then rounded to the nearest

Continued

# Frontier Communications of the White Mountains ARIZONA ACCESS TARIFF NO. 1 Original Page 100

# **ACCESS SERVICE**

minute.

Continued

# Frontier Communications of the White Mountains ARIZONA ACCESS TARIFF NO. 1 1st Revised Page 101 Cancels Original Page 101

#### **ACCESS SERVICE**

# 3. Carrier Common Line Access Service (Cont'd)

# 3.7 Rate Regulations (Cont'd)

Issued: May 9, 2012

- (C) When Carrier Common Line Access is provided in association with Feature Group A or Feature Group B Switched Access Service in Telephone Company offices that are not equipped for measurement capabilities, an assumed average intrastate access minutes will be used to determine the Transitional Charges. These assumed access minutes are as set forth in Section 6 of this tariff.
- (T)
- (D) When the customer is provided an access group to be used in conjunction with the resale of MTS and/or MTS-type services as set forth in 3.3(B) preceding, subject to the limitations of Carrier Common Line as set forth in 3.2 preceding, and the billing entity receives the usage information required to calculate the proration of Carrier Common Line as set forth in 3.4(F) preceding, the customer will be billed as set forth in (1), (2) or (3) following.

When the customer is provided with more than one access group in a LATA in association with the resale of MTS and/or MTS-type services, the resold minutes of use will be apportioned as follows:

The billing entity will apportion the resold outward MTS and/or MTS-type services and originating minutes of use for which resale credit applies, among the access groups. Such apportionment will be based on the relationship of the

Continued

Kenneth Mason Effective: July 1, 2012
Vice President
Government & Regulatory Affairs

180 S. Clinton Ave. Rochester, NY 14646

### 3. <u>Carrier Common Line Access Service</u> (Cont'd)

# 3.7 Rate Regulations (Cont'd)

# (D) (Cont'd)

originating usage for each access group to the total originating usage for all access groups in the LATA. For purposes of administering this provision:

Resold outward MTS and/or MTS-type services minutes shall be only those attributable to intrastate outward MTS and/or MTS-type minutes and shall not include collect, third number, credit card, or interstate minutes of use.

The resale credit shall apply for resold outward MTS and MTS-type services and minutes of use, provided Carrier Common Line and Switched Access Charges have been assessed on such services.

The billing entity will apportion the resold inward MTS and/or MTS-type services and terminating minutes of use for which resale credit applies, among the access groups. Such apportionment will be based on the relationship of the terminating usage for each access group to the total terminating usage for all access groups in the LATA. For purposes of administering this provision:

Resold inward MTS and/or MTS-type services minutes shall be only those attributable to intrastate inward MTS/MTS-type (i.e., collect calls, third number calls, and credit card calls) and shall not include interstate minutes of use or MTS/MTS-type minutes of use paid for by

Continued

# Frontier Communications of the White Mountains ARIZONA ACCESS TARIFF NO. 1 Original Page 102

# **ACCESS SERVICE**

another party.

- 3. Carrier Common Line Access Service (Cont'd)
  - 3.7 Rate Regulations (Cont'd)
    - (D) (Cont'd)

The resale credit shall apply for resold inward MTS and MTS-type services and minutes of use, provided Carrier Common Line and Switched Access Charges have been assessed on such services.

In order for the rate regulations to apply as set forth in (1), (2) or (3) following, the access groups and the resold MTS and/or MTS-type services must be provided in the same state (except when the same extended area service arrangement is provided in two different states by the same telephone company) in the same exchange, provided by the same telephone company and connected directly or indirectly. For those exchanges that encompass more than one state, the customer shall report the information by state within the exchange.

Each of the access group arrangements used by the customer in association with the resold MTS and/or MTS-type services must be connected either directly or indirectly to the customer designated premises at which the resold MTS and/or MTS-type services are terminated. Direct connections are those arrangements where the access groups and resold MTS and/or MTS-type services are terminated at the same customer designated premises.

Indirect outward connections are those arrangements where the access groups and the resold outward MTS and/or MTS-

Continued

Issued: December 1, 1994 Robert S. Crum Effective: December 1, 1994
Vice President
Western Region Telephone Operations

8920 Emerald Park Drive
Elk Grove, CA 95624

# Frontier Communications of the White Mountains ARIZONA ACCESS TARIFF NO. 1 Original Page 103

# **ACCESS SERVICE**

type services are terminated at different customer designated

# Frontier Communications of the White Mountains ARIZONA ACCESS TARIFF NO. 1 Original Page 104

#### ACCESS SERVICE

# 3. Carrier Common Line Access Service (Cont'd)

#### 3.7 Rate Regulations (Cont'd)

# (D) (Cont'd)

premises in the same exchange. Such different customer designated premises are connected by facilities that permit a call to flow from access groups to resold MTS and/or MTS-type services.

Indirect inward connections are those arrangements where the access groups and resold inward MTS and/or MTS-type services are terminated at different customer designated premises in the same exchange. Such different customer designated premises are connected by facilities that permit a call to flow from resold inward MTS and/or MTS-type services to access groups.

The adjustments as set forth following will be computed separately for each access group.

# (1) Access Groups - Non-Equal Access Offices Only

When all the usage on an access group originates from end offices that have not been converted to equal access the Nonpremium Access Charge per minute as set forth in 3.8 following will apply to only originating minutes of use. The minutes billed Carrier Common Line Access charges will be the adjusted terminating intrastate access minutes plus the adjusted originating intrastate access minutes for such access groups.

Continued

# 3. Carrier Common Line Access Service (Cont'd)

- 3.7 Rate Regulations (Cont'd)
  - (D) (Cont'd)
    - (1) Access Groups Non-Equal Access Offices Only (Cont'd)

The adjusted originating access minutes will be the originating intrastate access minutes less the reported resold outward MTS and/or MTS-type service minutes of use as set forth in this section preceding; but not less than zero.

# (2) Access Groups - Equal Access Offices Only

When all the usage on an access group originates from and/or terminates at end offices that have been converted to equal access the Premium Access Charge per minute as set forth in 3.8 following will apply. The minutes billed Carrier Common Line Access Service charges will be the adjusted terminating intrastate access minutes and the adjusted originating intrastate access minutes for such access groups.

The adjusted terminating access minutes will be the terminating intrastate access minutes less the reported resold inward MTS and/or MTS-type service minutes of use as set forth in this section preceding; but not less than zero. The adjusted originating access minutes will be the originating intrastate access minutes less the reported resold outward MTS and/or MTS-type service minutes of use; but not less than zero.

Continued

# Frontier Communications of the White Mountains ARIZONA ACCESS TARIFF NO. 1 Original Page 105

# **ACCESS SERVICE**

Continued

- 3. Carrier Common Line Access Service (Cont'd)
  - 3.7 Rate Regulations (Cont'd)
    - (D) (Cont'd)

Issued: May 9, 2012

(3) Access Groups - Non-Equal Access and Equal Access
Offices

When an access group has usage that originates from end offices that have been converted to equal access and end offices that have not been converted, both transitional premium and nonpremium per minute charges as set forth in 3.8 following will apply. The minutes billed Carrier Common Line Access Service charges will be the adjusted terminating intrastate access minutes plus the adjusted originating intrastate access minutes for such access groups.

The adjusted originating access minutes will be the originating intrastate access minutes less the reported resold outward MTS and/or MTS-type service minutes of use as set forth in this section preceding; but not less than zero.

The adjusted originating access minutes will be apportioned between premium and nonpremium access minutes using end-office specific usage data when available, or when usage data are not available, the premium and nonpremium ratios developed as set forth in Section 6 following. The Premium and Nonpremium per minute charges set forth in 3.8 following

(T)

Continued

Effective: July 1, 2012

Kenneth Mason Vice President Government & Regulatory Affairs \_180 S. Clinton Ave.

Rochester, NY 14646

- 3. Carrier Common Line Access Service (Cont'd)
  - 3.7 Rate Regulations (Cont'd)
    - (D) (Cont'd)
      - (3) Access Groups Non-Equal Access and Equal Access
        Offices (Cont'd)
        - will apply as appropriate to the premium and nonpremium access minutes determined in this manner.
      - (4) The adjustment as set forth in (1), (2), and (3) preceding will be made to the involved customer account no later than either the next bill date, or the one subsequent to that, depending on when the usage report is obtained.
      - (5) When the MTS and/or MTS-type usage is shown in hours, the number of hours shall be multiplied by 60 to develop the associated MTS and/or MTS-type minutes of use. If the MTS and/or MTS-type usage is shown in a unit that does not show hours or minutes, the customer shall provide a factor to convert the shown units to minutes.
      - (6) The adjustment as set forth in (1), (2), and (3) preceding will be made to the involved customer account after making the adjustments to the customer account as set forth in (E) following.
    - (E) When the customer reports interstate and intrastate use of inservice Switched Access Service, the Carrier Common Line Access Transitional Charges will be billed only to intrastate

Continued

# Frontier Communications of the White Mountains ARIZONA ACCESS TARIFF NO. 1 Original Page 107

# **ACCESS SERVICE**

Switched Access Service access minutes based on the data

- Carrier Common Line Access Service (Cont'd) 3.
  - 3.7 Rate Regulations (Cont'd)
    - (E) (Cont'd)

Issued: May 9, 2012

reported by the customer as set forth in Section 6 following. The intrastate Switched Access Service access minutes will, after adjustment as set forth in (D) preceding, when necessary, be used to determine the Carrier Common Line Charges as set forth in (F) following.

- (T)
- (F) After the adjustments as set forth in (D) and (E) preceding have been applied, when necessary, to the Switched Access Service access minutes, the charges for the involved customer account will be determined as follows:
  - (1) The access minutes for all premium-rated Switched Access Service subject to Carrier Common Line charges will be multiplied by the Transitional Charge - Premium Access per minute rate as set forth in 3.8 following to determine the charges.
  - (2) The access minutes for all nonpremium-rated Switched Access Service subject to Carrier Common Line charges will be multiplied by the Transitional Charge-Nonpremium Access per minute rate as set forth in 3.8 following to determine the charges.
  - Carrier Common Line charges shall not be reduced as (3) set forth in 3.3(B) preceding unless Switched Access Charges, as set forth in Section 6 following, are applied

Continued

Effective: July 1, 2012

Kenneth Mason Vice President Government & Regulatory Affairs 180 S. Clinton Ave. Rochester, NY 14646

# Frontier Communications of the White Mountains ARIZONA ACCESS TARIFF NO. 1 Original Page 108 Cancels Original Page 108

# **ACCESS SERVICE**

to the customer's Switched Access Services.

Effective: July 1, 2012

Issued: May 9, 2012

- 3. Carrier Common Line Access Service (Cont'd)
  - 3.7 Rate Regulations (Cont'd)
    - (F) (Cont'd)
      - (4) The terminating per minute charge(s) apply to all terminating access minutes of use, plus all originating access minutes of use associated with calls placed to 800 and/or 900 numbers, plus all originating access minutes of use associated with FGA Access Services where the off-hook supervisory signalling is forwarded by the customer's equipment when the called party answers.
      - (5) The originating Access, per minute charge(s) apply to all originating access minutes of use, less those originating access minutes of use associated with calls placed to 800 and/or 900 numbers and less those originating access minutes of use associated with FGA Access Services where the off-hook supervisory signalling is forwarded by the customer's equipment when the called party answers.

# Frontier Communications of the White Mountains ARIZONA ACCESS TARIFF NO. 1 Original Page 109

# **ACCESS SERVICE**

Continued

# Frontier Communications of the White Mountains ARIZONA ACCESS TARIFF NO. 1 3<sup>rd</sup> Revised Page 110 Cancels 2<sup>nd</sup> Revised Page 110

#### **ACCESS SERVICE**

# 3. Carrier Common Line Access Service (Cont'd)

# 3.8 Rates and Charges

The rate for Carrier Common Line Access is:

# **Transitional Charge**

<u>Transitional Onalgo</u>		
Premium Access, per minute - Terminating - Originating, per Access Minute – Non 800/888 - Originating, per Access Minutes -800/888	\$0.0 0.024248 *	(C) (N)
Nonpremium Access, per minute - Terminating - Originating, per Access Minute – Non 800/888 - Originating, per Access Minutes -800/888	\$0.0 0.010912 *	(C) (N)

(N)

Continued

Effective: July 1, 2021

<sup>\*</sup> See Frontier Telephone Companies Tariff FCC No. 1 for rates.

4. Reserved for future use.

#### 5. Ordering Switched and Special Access Service

This section sets forth the regulations and order related charges for Access Orders for Switched and Special Access Services. These charges are in addition to other applicable charges as set forth in other sections of this tariff.

#### 5.1 Access Service Request Requirements

An Access Service Request (ASR) is used by the Telephone Company to provide the customer with Switched Access Service as set forth in Section 6 following, and Special Access Service as set forth in Section 7 following or to provide changes to existing services.

When placing an order for Access Services, the customer must complete a Telephone Company Access Service Request and shall provide the information as required in 5.1.1, 5.1.2, and 5.1.3 following.

#### 5.1.1 General

A customer may order any number of services of the same type and between the same premises on a single Access Service Request. All details for services for a particular order must be identical except for those for multipoint service.

A customer may order access service on behalf of the customer's end user. The customer must provide the Telephone Company all the necessary information as set forth in this section.

The customer shall provide all information necessary for the Telephone Company to provide and bill for the requested service. In addition to the order information required in 5.1.2 and 5.1.3 following, the customer must also provide:

- Customer name and premise address(es)
- Billing name and address (when different from customer name and address).

# 5. Ordering Switched and Special Access Service (Cont'd)

# 5.1 Access Service Request Requirements (Cont'd)

# 5.1.1 General (Cont'd)

 Customer contact name(s) and telephone number(s) for the following provisioning activities:

Order negotiation Order confirmation Interactive design Installation Billing.

### 5.1.2 <u>Switched Access Ordering Requirements</u>

Switched Access Service may be ordered by the customer on the basis of line-side or trunk-side access connections at Telephone Company locations. Trunk side ordering regulations are as set forth in 5.1.2(A) following. Line side ordering regulations are as set forth in 5.1.2(B) following.

#### (A) Trunk Side Access Services

Feature Groups B,C,D and 800 Access services are provided by the Telephone Company via trunk side connections. Trunk side services may be ordered at the option of the customer, in BHMCs or in trunk quantities. 800 Access Service Trunks are provided only at Telephone Company designated switches capable of performing the customer identification function for 800 service. When direct routing of 800 Access Service traffic via 800 Access Service trunks is desired, or when the customer's 800 Access Service traffic is combined in the same trunk group arrangement with the customer's FGC or FGD traffic, the customer must complete an Access Service Request as set forth in (1) or (2) following.

- 5. Ordering Switched and Special Access Service (Cont'd)
  - 5.1 Access Service Request Requirements (Cont'd)
    - 5.1.2 <u>Switched Access Ordering Requirements</u> (Cont'd)
      - (A) Trunk Side Access Services (Cont'd)
        - (1) Trunk Ordering

Customers may order Feature Groups B, C, or D and 800 Access Services by specifying the number of trunks desired between their premises and the end office when direct routing to the end office is desired or the access tandem switch when routing is desired via an access tandem switch and the Local Transport and Local Switching Options desired. When ordering by trunk quantities rather than BHMC quantities to an access tandem, the customer must also provide to the Telephone Company a Traffic Distribution Request specifying an estimate of the amount of traffic it will generate to and/or from each end office subtending the access tandem to assist the Telephone Company in its own efforts to project further facility requirements. The major traffic types and directionality must also be specified to enable efficient provisioning and billing functions.

There are two major traffic types identified as Originating and Terminating traffic. Because some customers will wish to further segregate their originating traffic into separate trunk groups, originating traffic may be further categorized into Domestic, 800, 900, Operator and IDDD.

When a customer orders Feature Group B, C, or D or 800 Access Service in trunks, the customer is responsible to assure that sufficient access facilities have been ordered to handle this traffic.

- 5. Ordering Switched and Special Access Service (Cont'd)
  - 5.1 Access Service Request Requirements (Cont'd)
    - 5.1.2 Switched Access Ordering Requirements (Cont'd)
      - <u>Trunk Side Access Services</u> (Cont'd)
        - BHMC Ordering (2)

Customers may order Feature Groups B, C, and D or 800 Access Switched Access Service by specifying the number of busy hour minutes of capacity (BHMC) from the customer's premises to the end office by Switched Access arrangement and by type of BHMC. This information is used to determine the number of transmission paths as set forth in Section 6 following. The customer then specifies the Local Transport and Local Switching options desired, and for FGB the manner in which intrastate communications shall be completed.

(T)

The BHMC may be determined by the customer in the following manner. For each day (8 am to 11 pm, Monday through Friday, excluding national holidays), the customer shall determine the highest number of minutes of use for a single hour (e.g., 55 minutes in the 10-11 am hour). The customer shall, for the same hour period (i.e., busy hour) for each of twenty consecutive business days, pick the twenty consecutive business days in a calendar year which add up to the largest number of minutes of use. Both originating and terminating minutes shall be included. The customer shall then determine the average busy hour minutes of capacity (i.e., BHMC) by dividing the largest number of minutes of use figure for the same hour period for the consecutive twenty business day period by 20. This computation shall be performed for each end office

Continued

Effective: July 1, 2012

Kenneth Mason Vice President Government & Regulatory Affairs 180 S. Clinton Ave.

Issued: May 9, 2012

Rochester, NY 14646

- 5. Ordering Switched and Special Access Service (Cont'd)
  - 5.1 Access Service Request Requirements (Cont'd)
    - 5.1.2 <u>Switched Access Ordering Requirements</u> (Cont'd)
      - (A) Trunk Side Access Services (Cont'd)
        - (2) BHMC Ordering (Cont'd)

the customer wishes to serve. These determinations thus establish the forecasted BHMC for each end office.

BHMCs are differentiated by type and directionality of traffic carried over a Switched Access Service arrangement. Differentiation of traffic among BHMC types is necessary for the Telephone Company to properly design Switched Access Service to meet the traffic carrying capacity requirement of the customer. There are two major BHMC categories identified as Originating and Terminating. Because some customers will wish to further segregate their originating traffic into separate trunk groups, originating BHMCs are further categorized into Domestic, 800, 900, Operator, and IDDD.

(3) 800 NXX Code Activation/Deactivation

800 Access Service NXX Code Activation or Deactivation shall be ordered by the customer for an entire Telephone Company jurisdiction. Telephone Company jurisdiction is set forth on Page 1 preceding. The customer must specify in its Access Service Request, the 800 NXX codes to be activated or deactivated in a Telephone Company jurisdiction.

- 5. Ordering Switched and Special Access Service (Cont'd)
  - 5.1 Access Service Request Requirements (Cont'd)
    - 5.1.2 <u>Switched Access Ordering Requirements</u> (Cont'd)
      - (A) Trunk Side Access Services (Cont'd)
        - (3) 800 NXX Code Activation/Deactivation (Cont'd)

When a customer's 800 Access Service traffic originates from a Telephone Company end office which is not capable of performing the customer identification function the customer may be required, upon reasonable notice, to provide the Telephone Company an estimate of the amount of traffic it will generate from the end office to assist the Telephone Company in its own efforts to project future facility requirements.

For additions and/or deletions of 800 Access Service NXX(s) subsequent to the initial order for service, the customer shall place an Access Service Request for such additions and/or deletions at least 30 days prior to the effective date of the change in order to allow the Telephone Company sufficient time to implement the change. Calls originating in Telephone Company jurisdictions to NXXs which the customer has not ordered activated will be blocked in those end offices or access tandems which possess the technical capabilities to block such calls.

- 5. Ordering Switched and Special Access Service (Cont'd)
  - 5.1 Access Service Request Requirements (Cont'd)
    - <u>Switched Access Ordering Requirements</u> (Cont'd) 5.1.2
      - (B) <u>Line Side Access Services</u>

Feature Group A Access Service is provided by the Telephone Company via line-side connections. All customers shall provide the ordering requirements as follows:

For Feature Group A Switched Access Service, the customer shall specify the number of lines and the first point of switching (i.e., dial tone office), the Local Transport options and Local Switching options desired, and the manner in which intrastate communications shall be completed. In addition, the customer shall also specify which lines are to be arranged in multiline hunt group arrangements and which lines are to be provided as single lines.

When Feature Group A is ordered the customer shall specify whether or not the terminating traffic is to be restricted to the FGA Access Area (local exchange calling area) as set forth in Section 6 following or allowed to extend beyond the FGA Access area but within the LATA. When Feature Group A traffic is terminated beyond the Access Area but remains within the LATA, the rates for Switched Access as set forth in Section 6 following will apply.

(T)

(T)

Effective: July 1, 2012

# 5. Ordering Switched and Special Access Service (Cont'd)

#### 5.1 Access Service Request Requirements (Cont'd)

#### 5.1.3 <u>Special Access Services</u>

When placing an order for Special Access Services, the customer must provide the requirements as follows:

For all Special Access Services, the customer must specify the customer designated premises or Hubs involved, the type of service, (e.g., Voice Grade, High Capacity, etc.), the channel interface, technical specification package, and options desired. For multipoint services, the channel interface at each premises may, at the request of the customer, be different but all such interfaces shall be compatible.

# 5.1.4 <u>Combined Access Service Arrangements</u>

The Combined Access Service Arrangement optional feature, as set forth in Section 6 following, is ordered by a customer in the provision of that customer's intrastate communications service (e.g., WATS, 800, or WATS-type services) to end users. Orders for the Combined Access Service Arrangement must specify the required information as set forth preceding for the appropriate Switched Access Service Feature Group and Voice Grade Special Access Service. The customer must also specify the Combined Access Service Arrangement optional features, if any, the directionality of the service to be provided (i.e., originating, terminating, or two-way) and the type of Supervisory Signaling.

If the wire center that serves the customer's end user premises is not capable of providing the necessary functions to combine Switched and Special Access Services as requested by the customer or is not a WATS Serving Office (WSO) the Telephone Company will configure the Special Access portion of the service to the nearest wire center where the necessary functions exist.

Continued

(T)

Kenneth Mason Effective: July 1, 2012

Vice President Government & Regulatory Affairs 180 S. Clinton Ave. Rochester, NY 14646

Issued: May 9, 2012

# 5. Ordering Switched and Special Access Service (Cont'd)

#### 5.1 Access Service Request Requirements (Cont'd)

# 5.1.5 <u>Equal Access Conversions</u>

When an office is scheduled to be converted to equal access, the IC must submit an Access Service Request for FGD service no later than 120 days prior to the end office equal access conversion date in order for the IC to participate in the presubscription process.

Customers may request existing FGA or FGB services be converted to FGD upon the conversion of an office to equal access. Changes in Feature Group types are provided as set forth in Section 6 following.

(A) Feature Group D Facilities Shortages

In the event a shortage of FGD resources exists, the Telephone Company will make every reasonable effort to meet all Access Service Requests as of the equal access conversion date. In the event these efforts are unsuccessful, the Telephone Company will notify all ICs requesting FGD service that a shortage of facilities exist and allocation of available facilities among participating ICs is necessary.

The available resources are determined by the Telephone Company and represent the equipment and facility quantities necessary to provide FGD service, excluding intraLATA FGC and interLATA FGC terminating resources currently in service. If the interLATA FGC trunks are arranged to carry two-way traffic, one half will be considered available resources.

FGD resources are allocated to each IC based on the percent of end users that are presubscribed to that IC as counted 30 days prior to the conversion date. For

Continued

Kenneth Mason Effective: July 1, 2012

Issued: May 9, 2012

(T)

- 5. Ordering Switched and Special Access Service (Cont'd)
  - 5.1 Access Service Request Requirements (Cont'd)
    - 5.1.5 Equal Access Conversions (Cont'd)
      - (A) Feature Group D Facilities Shortages (Cont'd)

example, if 10% of end users in an end office scheduled to be converted to equal access are presubscribed to a particular IC, 10% of the total available FGD services will be allocated to that IC.

The quantity of resources in service for each IC as determined by the allocation process will be adjusted on the basis of actual usage and blocking measurements. Actual usage adjustments will be made 90 days after conversion to equal access. If necessary, this reallocation process will continue at three month intervals until all initial service requests have been met.

#### 5.1.6 Provision of Other Services

- (A) Testing Service, Additional Labor, Restoration Priority, and Special Facilities Routing shall be ordered with an Access Service Request or as set forth in (B) following. The rates and charges for these services, as set forth in other sections of this tariff, will apply in addition to the ordering charges set forth in this section and the rates and charges for the Access Service with which they are associated.
- (B) Where possible, the Telephone Company will allow the services listed preceding to be subsequently added to an Access Service Request at any time, up to and including the service date for the Access Service. When added subsequently, charges for a design change as set forth in 5.3.1(C) following will apply when an engineering review is required.

# 5. Ordering Switched and Special Access Service (Cont'd)

# 5.1 Access Service Request Requirements (Cont'd)

#### 5.1.6 <u>Provision of Other Services</u> (Cont'd)

(C) Additional Engineering is not an ordering option, but will be applied to an Access Service Request when the Telephone Company determines that Additional Engineering is necessary to accommodate a customer request. Additional Engineering conditions and charges are as set forth in Section 8.1 following and are in addition to the regulations, rates and charges specified in this section.

#### 5.1.7 Access Order Service Date Intervals

Access Service is provided with Service Date Intervals. The Service Date Interval is that period of time which the Telephone Company requires to properly provision the service and begins when the customer submits a completed Access Service Request for service, as set forth in 5.1 preceding. The Telephone Company shall publish and make available to all customers, upon reasonable request, a schedule of Service Date Intervals applicable for Switched and Special Access Services. The schedule shall specify the services and the quantities of services that can be provided in the Service Date Intervals. Service Date Interval schedules are provided during regular business days at Telephone Company offices at which the customer places an order for Access Service.

Access Services provided in a Service Date Interval will be installed during Telephone Company business days. If a customer requests that installation be done outside of scheduled work hours, and the Telephone Company agrees to this request, the customer will be subject to applicable Additional Labor Charges as set forth in Section 8.2 following.

# 5. Ordering Switched and Special Access Service (Cont'd)

# 5.1 Access Service Request Requirements (Cont'd)

#### 5.1.8 Selection of Facilities For Access Order

When there are analog or digital high capacity facilities to a Hub on order or in service for the customer's use, the customer may request a specific channel or transmission path be used to provide the Switched or Special Access Service requested in an Access Service Request. The Telephone Company will make a reasonable effort to accommodate the customer request.

For all other Access Service Requests, the option to request a specific transmission path or channel is not provided except as provided for under Special Facilities Routing as set forth in Section 11 following.

#### 5.1.9 Shared Use Facilities

Shared Use (i.e., Switched and Special Access Services provided over the same analog or digital high capacity facilities) is allowed. Shared use facilities to a Hub will be ordered and provided as Special Access Service. While shared use is allowed, individual services utilizing these facilities must be ordered either as Switched Access Service or Special Access Service. When placing the order for the individual service(s), the customer must specify a channel assignment for each service ordered.

# 5. Ordering Switched and Special Access Service (Cont'd)

# 5.2 Access Services Provided by More than One Telephone Company

The Telephone Company will provide Access Services under this tariff where more than one Telephone Company is involved in the provision of Access Service as set forth in (A), (B), or (C) following. The Single Company Billing arrangement as set forth in (A) following will be used for FGA and FGB switched access services except where interconnection arrangements between the telephone companies involved permit the use of the Multiple Company Billing arrangement as set forth in (B) following. The Telephone Company will notify the customer of the billing arrangement when the customer orders FGA or FGB service. The Multiple Company Billing arrangement, as set forth in (B) following, will be used for all FGC, FGD, and 800 Access, Switched Access Services and Special Access Services.

### (A) Single Company Billing

For FGA Switched Access Service the customer shall submit an ASR to the Telephone Company in whose territory the dial tone office is located. For FGB the customer shall submit an ASR to the Telephone Company in whose territory the end office switch or access tandem is located. The Telephone Company receiving the order from the customer will arrange to provide the service and bill the customer as set forth in Section 2.4.7(A) preceding.

For services ordered as set forth preceding, the customer shall provide a copy of the ASR containing all information as required in 5.1 preceding to any other Telephone Company involved in providing the service.

# (B) <u>Multiple Company Billing</u>

For all Switched and Special Access Services, the customer shall submit an ASR to each Telephone Company involved in providing the service.

#### 5. Ordering Switched and Special Access Service (Cont'd)

# 5.2 Access Services Provided by More than One Telephone Company (Cont'd)

# (B) <u>Multiple Company Billing</u> (Cont'd)

Each Telephone Company will provide the appropriate access service elements within its operating territory to a physical point of interconnection with the other involved telephone company(ies). The physical point of interconnection is the location where one telephone company's facilities connect with another telephone company's facilities.

Each telephone company that receives an order will bill the customer for the appropriate access service elements provided by each respective telephone company as set forth in Section 2.4.7(B) preceding.

# (C) <u>EAS and Access Tandem Arrangements</u>

Where a customer utilizes FGA to originate and/or terminate calls within an Extended Area Service (EAS) calling area or FGB to originate and/or terminate calls within an access tandem network provided by more than one telephone company, as set forth in Section 2.4.7(C) preceding, the customer shall submit an ASR for FGA or FGB service in the manner set forth in (A) preceding. The customer shall also provide a copy of the ASR to any other telephone company involved in providing the service within the EAS calling area or access tandem network.

# 5. Ordering Switched and Special Access Service (Cont'd)

# 5.3 <u>Access Order Charges</u>

#### 5.3.1 <u>Access Service Request Modifications</u>

The customer may request a modification of its Access Service Request prior to the service date. The Telephone Company will make every effort to accommodate a requested modification when it is able to do so with the normal work force assigned to complete such an order within normal business hours. If the modification cannot be made with the normal work force during normal business hours, the Telephone Company will notify the customer. If the customer still desires the Access Service Request modification, the Telephone Company will schedule a new service date. All charges for Access Service Request modifications will apply on a per occurrence basis.

Any increase in the number of Special Access Service circuits or Switched Access Service lines, trunks, or busy hour minutes of capacity will be treated as a new Access Service Request (for the increased amount only).

If order modifications are necessary to satisfy the transmission performance for a Special Access Service ordered by a customer, these changes will be made without order modification charges being incurred by the customer.

#### (A) Service Date Change Charge

Access Order service dates may be changed, but the new service date may not exceed the original service date by more than 30 calendar days. If the customer is unable to accept the service on the established service date and/or the customer requested service date is more than 30 calendar days after the original service date, the customer will have the option of (a) or (b) following:

- 5. Ordering Switched and Special Access Service (Cont'd)
  - 5.3 Access Order Charges (Cont'd)
    - 5.3.1 <u>Access Service Request Modifications</u> (Cont'd)
      - (A) <u>Service Date Change Charge</u> (Cont'd)
        - (a) The original order will be cancelled by the Telephone Company, and reissued with appropriate cancellation charges applied, or
        - (b) the billing will commence for the services ordered on the original ASR.

If the Telephone company determines it can accommodate the customer's request without delaying service dates for orders of other customers, a new service date may be established that is prior to the original standard or negotiated interval service date.

If the service date is changed to an earlier date, and the Telephone Company determines additional labor or extraordinary costs are necessary to meet the earlier service date requested by the customer, the customer will be notified by the Telephone Company that Expedited Order Charges as set forth in (D) following apply. Such charges will apply in addition to the Service Date Change Charge.

A Service Date Change Charge will apply, on a per order per occurrence basis, for each service date changed. The applicable charge is:

Service Date Change Charge, per order OMC \$27.00

# 5. Ordering Switched and Special Access Service (Cont'd)

# 5.3 Access Order Charges (Cont'd)

#### 5.3.1 <u>Access Service Request Modifications</u> (Cont'd)

#### (B) Partial Cancellation Charge

Any decrease in the number of ordered Special Access Service circuits or Switched Access Service lines, trunks or busy hour minutes of capacity will be treated as a partial cancellation and the charges as set forth in 5.3.2(C) following will apply.

# (C) <u>Design Change Charge</u>

The customer may request a design change to the service ordered. A design change is any change to an Access Service Request which requires engineering review. An engineering review is a review by Telephone Company personnel of the service ordered and the requested changes to determine what changes in the design, if any, are necessary to meet the changes requested by the customer. Design changes include such things as the addition or deletion of optional features or functions or a change in the type of Transport Termination (Switched Access only), type of channel interface, type of Interface Group or technical specification package. Design changes do not include a change of customer premises, end user premises, end office switch, Feature Group type, or Special Access Service circuit type. Changes of this nature will require the issuance of a new order and the cancellation of the original order with appropriate cancellation charges applied.

The Telephone Company will review the requested change, notify the customer whether the change is a design change, if it can be accommodated and if a new

# 5. Ordering Switched and Special Access Service (Cont'd)

# 5.3 Access Order Charges (Cont'd)

#### 5.3.1 <u>Access Service Request Modifications</u> (Cont'd)

# (C) <u>Design Change Charge</u> (Cont'd)

service date is required. If the customer authorizes the Telephone Company to proceed with the design change, a Design Change Charge will apply. The Design Change Charge will apply on a per order per occurrence basis, for each order requiring a design change. The applicable charge is:

USOC Rate

Design Change Charge, per order

H28 \$27.00

If a change of service date is required, the Service Date Change Charge as set forth in (A) preceding will also apply.

#### (D) Expedited Order Charge

When placing an Access Service Request a customer may request a service date that is prior to the Telephone Company's published service date interval. A customer may also request an earlier service date on a pending Access Service Request. If the Telephone Company determines that service can be provided on the requested date and that additional labor cost or extraordinary costs are required to meet the requested service date, the customer will be notified and will be provided with an estimate of the additional charges involved. Actual charges assessed may not exceed the estimate by more than 10%. Such additional charges will be determined and billed to the customer as follows:

- 5. Ordering Switched and Special Access Service (Cont'd)
  - 5.3 Access Order Charges (Cont'd)
    - 5.3.1 Access Service Request Modifications (Cont'd)
      - (D) Expedited Order Charge (Cont'd)

To calculate the additional labor charges, the Telephone Company will, upon authorization from the customer to incur the additional labor charges, keep track of the additional labor hours used to meet the request of the customer and will bill the customer at the applicable Additional Labor charges as set forth in Section 8.2 following.

To develop, determine and bill the customer the extraordinary costs which may be involved, the special construction terms and conditions as set forth in Section 14 will be used by the Telephone Company. Authorization to incur the costs and to bill the customer will be in accordance with the terms and conditions of Section 14.

When the request for expediting occurs subsequent to the issuance of the Access Service Request, a Service Date Change Charge as set forth in (A) preceding also applies.

5.3.2 Cancellation of an Access Service Request (Cont'd)

A customer may cancel an Access Service Request on any date after receipt of the Access Service Request by the Telephone Company and prior to the installation of service. The cancellation date is the date the Telephone Company receives written or verbal notice from the customer that the Access Service Request order is to be cancelled. The verbal notice must be followed by written confirmation within 10 days. If written confirmation of the cancellation is not received by the Telephone Company, the verbal notice will not

#### 5. Ordering Switched and Special Access Service (Cont'd)

#### 5.3 Access Order Charges (Cont'd)

#### 5.3.2 Cancellation of an Access Service Request (Cont'd)

be considered a valid cancellation notice. When a customer cancels an Access Service Request for the discontinuance of service, no charges apply for the cancellation.

#### (A) <u>Delay of Service Date by Customer</u>

If a customer or a customer's end user is unable to accept Access Service within 30 calendar days after the original service date, the customer has the choice of the following options:

- The Access Service Request shall be cancelled and charges set forth in (C) following will apply, or
- Billing for the service will commence.

In such instances, the cancellation date or the billing date, depending on which option is selected by the customer, shall be the 31st day beyond the original service date of the Access Service Request.

#### (B) Delay of Service Date by Telephone Company

If the Telephone Company misses a service date by more than 30 days due to circumstances over which it has direct control (excluding, e.g., Acts of God, governmental requirements, work stoppages, and civil commotions), the customer may cancel the Access Service Request without incurring cancellation charges.

Continued

- 5. Ordering Switched and Special Access Service (Cont'd)
  - 5.3 Access Order Charges (Cont'd)
    - 5.3.2 <u>Cancellation of an Access Service Request</u> (Cont'd)
      - (C) Cancellation Charge

When a customer cancels an Access Service Request and the Telephone Company incurs any costs associated with the processing of the Access Service Request or installation prior to the cancellation date, the Cancellation Charge will apply. The Cancellation Charge specified in (1) or (2) following, whichever is lower, shall apply.

- (1) The charge for the minimum period of Switched or Special Access Service as set forth in 5.3.3 following.
- (2) A charge equal to the costs incurred in such installation, less estimated net salvage, and/or a charge equal to the costs incurred in such order processing. These charges include the nonrecoverable cost of installation and removal including the costs of engineering, labor, supervision, transportation, right-ofway, and other associated costs.

Installation and Order costs of Switched or Special Access Service facilities are considered to have started when the Telephone incurs any costs associated with such installation or order processing.

#### 5.3.3 <u>Minimum Period Charges</u>

(A) When Access Service is disconnected prior to the expiration of the minimum period, charges are applicable for the balance of the minimum period. A disconnect constitutes facilities being returned to available inventory.

Continued

- 5. Ordering Switched and Special Access Service (Cont'd)
  - 5.3 Access Order Charges (Cont'd)

Issued: May 9, 2012

- 5.3.3 <u>Minimum Period Charges</u> (Cont'd)
  - (A) (Cont'd)

For purposes of applying minimum period charges, the disconnect date shall be two business days after the date the Telephone Company receives written notification from the customer or the date the customer requests service be disconnected, whichever is the later date.

(B) The Minimum Period Charge for monthly billed services will be determined as follows:

For Switched Access Service, the charge for a month or fraction thereof is equal to the applicable minimum monthly charge for the capacity as set forth in Section 6 following.

For Special Access Service, the charge for a month or fraction thereof is the applicable monthly rates for the service as set forth in Section 7.2.3 following.

The Minimum Period Charge for part-time Television and Program Audio Services is the applicable daily rate for the service as set forth in Section 7.2.3 following.

Continued

Effective: July 1, 2012

(T)

Kenneth Mason Vice President Government & Regulatory Affairs 180 S. Clinton Ave.

180 S. Clinton Ave. Rochester, NY 14646

#### 6. Switched Access Service

#### 6.1 General

The Telephone Company adopts Section 6 and the associated rates in Section 20 of the Frontier Telephone Companies Tariff FCC No. 1 (the Telephone Company's Interstate Access Tariff) effective as of July 1, 2012, and any successive issues thereto. This tariff was filed with the FCC on behalf of the Telephone Company and affiliated companies.

This tariff includes all the rules, regulations, rates and charges under which interstate access services will be offered. Exceptions to this adoption of the tariff schedules, if any, are as follows:

#### 6.2 <u>Language Exceptions</u>

(None)

#### 6.3 Rate Exceptions

	Originating	Terminating*
Local Switching (LS1) – Non 800/888	\$0.05918694	(C)
Local Switching (LS2) – Non 800/888	\$0.05918694	(C)
Switched 56 Kbps	\$0	
Transitional (LS) N-Prem – Non 800/888	\$0.02743700	(C)
Tandem Switched Transport – Non 800/888	\$0.02021100	(C)
Tandem Switched Transport Facility- Non 800/88	88 \$0.00185500	(C)
Network Blocking - per Blocked Call	\$0.00800000	

<sup>\*</sup> See Frontier Telephone Companies Tariff FCC No. 1 for rates. (C)

Continued

Issued: May 11, 2021 Effective: July 1, 2021

ARIZONA ACCESS TARIFF NO. 1 1<sup>st</sup> Revised Page 135 Cancels Original Page 135

#### **ACCESS SERVICE**

# 6. Reserved For Future Use (T)

(D)

(D)

Continued

ARIZONA ACCESS TARIFF NO. 1 1<sup>st</sup> Revised Page 136 Cancels Original Page 136

#### **ACCESS SERVICE**

6. Reserved For Future Use (T)

(Ď)

(D)

Continued

Effective: July 1, 2012

ARIZONA ACCESS TARIFF NO. 1 1st Revised Page 137 Cancels Original Page 137

#### **ACCESS SERVICE**

6. Reserved For Future Use (T)

(D)

(D)

Continued

Effective: July 1, 2012

ARIZONA ACCESS TARIFF NO. 1 1<sup>st</sup> Revised Page 138 Cancels Original Page 138

#### **ACCESS SERVICE**

#### 6. Reserved For Future Use (T)

(D)

(D)

Continued

ARIZONA ACCESS TARIFF NO. 1 1<sup>st</sup> Revised Page 139 Cancels Original Page 139

#### **ACCESS SERVICE**

6. Reserved For Future Use (T)

Continued

Effective: July 1, 2012

(D

(D)

ARIZONA ACCESS TARIFF NO. 1 1<sup>st</sup> Revised Page 140 Cancels Original Page 140

#### **ACCESS SERVICE**

## 6. Reserved For Future Use (T)

(D)

(p)

Continued

ARIZONA ACCESS TARIFF NO. 1 1<sup>st</sup> Revised Page 141 Cancels Original Page 141

#### **ACCESS SERVICE**

## 6. Reserved For Future Use (T)

(D)

Continued

ARIZONA ACCESS TARIFF NO. 1 1<sup>st</sup> Revised Page 142 Cancels Original Page 142

#### **ACCESS SERVICE**

#### 6. Reserved For Future Use (T)

(D)

(D)

Continued

Effective: July 1, 2012

ARIZONA ACCESS TARIFF NO. 1 1<sup>st</sup> Revised Page 143 Cancels Original Page 143

#### **ACCESS SERVICE**

#### 6. Reserved For Future Use (T)

(D)

(D)

Continued

ARIZONA ACCESS TARIFF NO. 1 1<sup>st</sup> Revised Page 144 Cancels Original Page 144

#### **ACCESS SERVICE**

## 6. Reserved For Future Use (T)

(D)

(D)

Continued

ARIZONA ACCESS TARIFF NO. 1 1<sup>st</sup> Revised Page 145 Cancels Original Page 145

#### **ACCESS SERVICE**

### 6. Reserved For Future Use

(D)

(T)

(D)

Continued

ARIZONA ACCESS TARIFF NO. 1 1<sup>st</sup> Revised Page 146 Cancels Original Page 146

#### **ACCESS SERVICE**

#### 6. Reserved For Future Use (T)

(D)

(D)

Continued

Effective: July 1, 2012

ARIZONA ACCESS TARIFF NO. 1 1<sup>st</sup> Revised Page 147 Cancels Original Page 147

#### **ACCESS SERVICE**

# 6. Reserved For Future Use (T)

(D)

Continued

ARIZONA ACCESS TARIFF NO. 1 1<sup>st</sup> Revised Page 148 Cancels Original Page 148

#### **ACCESS SERVICE**

# 6. Reserved For Future Use (T)

| (D)

(D)

Continued

ARIZONA ACCESS TARIFF NO. 1 1<sup>st</sup> Revised Page 149 Cancels Original Page 149

#### **ACCESS SERVICE**

#### 6. Reserved For Future Use (T)

(D)

(D)

Continued

ARIZONA ACCESS TARIFF NO. 1 1<sup>st</sup> Revised Page 150 Cancels Original Page 150

#### **ACCESS SERVICE**

#### 6. Reserved For Future Use (T)

(D)

(D)

Continued

Effective: July 1, 2012

ARIZONA ACCESS TARIFF NO. 1 1<sup>st</sup> Revised Page 151 Cancels Original Page 151

#### **ACCESS SERVICE**

# 6. Reserved For Future Use (T)

(D)

(D)

Continued

ARIZONA ACCESS TARIFF NO. 1 1<sup>st</sup> Revised Page 152 Cancels Original Page 152

#### **ACCESS SERVICE**

# 6. Reserved For Future Use (T)

(p)

(D)

Continued

Effective: July 1, 2012

ARIZONA ACCESS TARIFF NO. 1 1<sup>st</sup> Revised Page 153 Cancels Original Page 153

#### **ACCESS SERVICE**

# 6. Reserved For Future Use (T)

Continued

(p)

ARIZONA ACCESS TARIFF NO. 1 1<sup>st</sup> Revised Page 154 Cancels Original Page 154

#### **ACCESS SERVICE**

# 6. Reserved For Future Use (T)

(p)

Continued

Effective: July 1, 2012

1<sup>st</sup> Revised Page 155 Cancels Original Page 155

#### **ACCESS SERVICE**

Reserved For Future Use 6. (T)

(D)

(D)

Continued

ARIZONA ACCESS TARIFF NO. 1 1<sup>st</sup> Revised Page 156 Cancels Original Page 156

#### **ACCESS SERVICE**

# Reserved For Future Use 6. (T) (D)

Continued

Effective: July 1, 2012

(D)

ARIZONA ACCESS TARIFF NO. 1 1<sup>st</sup> Revised Page 157 Cancels Original Page 157

#### **ACCESS SERVICE**

	Decembed For Fritzing Hea	
6.	Reserved For Future Use	(T)
		(D)
		(D)

Continued

ARIZONA ACCESS TARIFF NO. 1 1<sup>st</sup> Revised Page 158 Cancels Original Page 158

#### **ACCESS SERVICE**

6.	Reserved For Future Use	(T)
		(D

Continued

(D)

1<sup>st</sup> Revised Page 159 Cancels Original Page 159

#### **ACCESS SERVICE**

# 6. Reserved For Future Use (T)

(р)

(D)

Continued

1<sup>st</sup> Revised Page 160 Cancels Original Page 160

#### **ACCESS SERVICE**

6. Reserved For Future Use (T)

(Ď)

(D)

Continued

6.

Issued: May 9, 2012

ARIZONA ACCESS TARIFF NO. 1 1st Revised Page 161 Cancels Original Page 161

#### **ACCESS SERVICE**

# Reserved For Future Use (T) (D)

(p)

Continued

ARIZONA ACCESS TARIFF NO. 1 1<sup>st</sup> Revised Page 162 Cancels Original Page 162

#### **ACCESS SERVICE**

# Reserved For Future Use 6. (T) (D)

Continued

(D)

1<sup>st</sup> Revised Page 163 Cancels Original Page 163

#### **ACCESS SERVICE**

#### Reserved For Future Use 6. (T)

(D)

(D)

Continued

1<sup>st</sup> Revised Page 164 Cancels Original Page 164

#### **ACCESS SERVICE**

6.2	Switched Access Service Arrangements (Cont'd)	

Continued

Effective: July 1, 2012

(p)

ARIZONA ACCESS TARIFF NO.

1<sup>st</sup> Revised Page 165 Cancels Original Page 165

#### **ACCESS SERVICE**

6. Reserved For Future Use (T)

(D)

(Ď)

Continued

1<sup>st</sup> Revised Page 166 Cancels Original Page 166

#### **ACCESS SERVICE**

Reserved For Future Use 6. (T)

(D)

Continued

1<sup>st</sup> Revised Page 167 Cancels Original Page 167

### **ACCESS SERVICE**

### 6. Reserved For Future Use (T)

Continued

Effective: July 1, 2012

(D)

1<sup>st</sup> Revised Page 168 Cancels Original Page 168

### **ACCESS SERVICE**

6. Reserved For Future Use (T)

(D)

(D)

Continued

Effective: July 1, 2012

ARIZONA ACCESS TARIFF NO.

1<sup>st</sup> Revised Page 169 Cancels Original Page 169

### **ACCESS SERVICE**

Reserved For Future Use 6. (T)

(D)

Continued

1<sup>st</sup> Revised Page 170 Cancels Original Page 170

### **ACCESS SERVICE**

### 6. Reserved For Future Use (T)

Ψ,

(D)

Continued

1<sup>st</sup> Revised Page 171 Cancels Original Page 171

### **ACCESS SERVICE**

Reserved For Future Use 6. (T) 6.3 Optional Features (Cont'd) (D)

Continued

Effective: July 1, 2012

(D)

ARIZONA ACCESS TARIFF NO. 1 1<sup>st</sup> Revised Page 172 Cancels Original Page 172

### **ACCESS SERVICE**

## Reserved For Future Use 6. (T) (D)

Continued

1<sup>st</sup> Revised Page 173 Cancels Original Page 173

### **ACCESS SERVICE**

6. <u>Reserved For Future Use</u> (T)

(D)

(D)

Continued

1<sup>st</sup> Revised Page 174 Cancels Original Page 174

### **ACCESS SERVICE**

6. Reserved For Future Use (T)

(D)

(Ď)

Continued

ARIZONA ACCESS TARIFF NO. 1 1<sup>st</sup> Revised Page 175 Cancels Original Page 175

### **ACCESS SERVICE**

# 6. Reserved For Future Use (T)

Continued

ARIZONA ACCESS TARIFF NO. 1 1<sup>st</sup> Revised Page 176 Cancels Original Page 176

### **ACCESS SERVICE**

## Reserved For Future Use 6. (T) (D)

Continued

(D)

ARIZONA ACCESS TARIFF NO. 1 1<sup>st</sup> Revised Page 177 Cancels Original Page 177

### **ACCESS SERVICE**

# 6. Reserved For Future Use (T) (D)

Continued

ARIZONA ACCESS TARIFF NO. 1 1<sup>st</sup> Revised Page 178 Cancels Original Page 178

### **ACCESS SERVICE**

6.	Reserved For Future Use	(T)
		(D

Continued

(p)

1<sup>st</sup> Revised Page 179 Cancels Original Page 179

### **ACCESS SERVICE**

6.	Reserved For Future Use	(1
		([

Continued

(p)

ARIZONA ACCESS TARIFF NO.

1<sup>st</sup> Revised Page 180 Cancels Original Page 180

### **ACCESS SERVICE**

6. Reserved For Future Use (T)

(D)

(D)

Continued

Effective: July 1, 2012

ARIZONA ACCESS TARIFF NO. 1 1<sup>st</sup> Revised Page 181 Cancels Original Page 181

### **ACCESS SERVICE**

# 6. Reserved For Future Use (T) (D)

Continued

Effective: July 1, 2012

(D)

1<sup>st</sup> Revised Page 182 Cancels Original Page 182

### **ACCESS SERVICE**

### Reserved For Future Use 6. (T) (D)

Continued

(p)

1<sup>st</sup> Revised Page 183 Cancels Original Page 183

### **ACCESS SERVICE**

Reserved For Future Use 6. (T)

(D)

(D)

Continued

ARIZONA ACCESS TARIFF NO. 1 1<sup>st</sup> Revised Page 184 Cancels Original Page 184

### **ACCESS SERVICE**

6.	Reserved For Future Use	(T)
		(D)
		(D)

Continued

1<sup>st</sup> Revised Page 185 Cancels Original Page 185

### **ACCESS SERVICE**

### 6. Reserved For Future Use (T)

Δ.

(D)

Continued

Effective: July 1, 2012

1<sup>st</sup> Revised Page 186 Cancels Original Page 186

### **ACCESS SERVICE**

6.	Reserved For Future Use	(T
	:	(D

Continued

Effective: July 1, 2012

(p)

1<sup>st</sup> Revised Page 187 Cancels Original Page 187

### **ACCESS SERVICE**

### 6. Reserved For Future Use (T)

(D)

(p)

Continued

1<sup>st</sup> Revised Page 188 Cancels Original Page 188

### **ACCESS SERVICE**

6. Reserved For Future Use (T)

ΨZ

(D)

Continued

Effective: July 1, 2012

1<sup>st</sup> Revised Page 189 Cancels Original Page 189

### **ACCESS SERVICE**

Reserved For Future Use 6. (T)

(D)

(D)

Continued

1<sup>st</sup> Revised Page 190 Cancels Original Page 190

### **ACCESS SERVICE**

6. Reserved For Future Use (T)

(D)

(D)

Continued

1<sup>st</sup> Revised Page 191 Cancels Original Page 191

### **ACCESS SERVICE**

### Reserved For Future Use 6. (T)

(D)

(D)

Continued

ARIZONA ACCESS TARIFF NO. 1 1<sup>st</sup> Revised Page 192 Cancels Original Page 192

### **ACCESS SERVICE**

## 6. Reserved For Future Use (T) (D)

Continued

Effective: July 1, 2012

1<sup>st</sup> Revised Page 193 Cancels Original Page 193

### **ACCESS SERVICE**

6. Reserved For Future Use (T)

(D)

(D

Continued

1<sup>st</sup> Revised Page 194 Cancels Original Page 194

### **ACCESS SERVICE**

### Reserved For Future Use 6. (T) (D)

Continued

1<sup>st</sup> Revised Page 195 Cancels Original Page 195

### **ACCESS SERVICE**

### Reserved For Future Use 6. (T)

(D)

Continued

1<sup>st</sup> Revised Page 196 Cancels Original Page 196

### **ACCESS SERVICE**

### Reserved For Future Use 6. (T) (D)

Continued

(D)

1<sup>st</sup> Revised Page 197 Cancels Original Page 197

### **ACCESS SERVICE**

6. <u>Reserved For Future Use</u> (T)

(D)

Ψ,

Continued

1<sup>st</sup> Revised Page 198 Cancels Original Page 198

### **ACCESS SERVICE**

6. Reserved For Future Use (T)

(D)

(Ď)

Continued

1<sup>st</sup> Revised Page 199 Cancels Original Page 199

### **ACCESS SERVICE**

6. Reserved For Future Use (T)

(D)

(p)

Continued

1<sup>st</sup> Revised Page 200 Cancels Original Page 200

### **ACCESS SERVICE**

## 6. Reserved For Future Use (T)

Continued

1<sup>st</sup> Revised Page 201 Cancels Original Page 201

### **ACCESS SERVICE**

## 6. Reserved For Future Use (T)

Υ,

Continued

Effective: July 1, 2012

1<sup>st</sup> Revised Page 202 Cancels Original Page 202

### **ACCESS SERVICE**

### 6. Reserved For Future Use

(T)

(D)

Continued

1<sup>st</sup> Revised Page 203 Cancels Original Page 203

### **ACCESS SERVICE**

6. Reserved For Future Use (T)

Ψ,

(D)

Continued

1<sup>st</sup> Revised Page 204 Cancels Original Page 204

### **ACCESS SERVICE**

### Reserved For Future Use 6. (T)

(D)

Continued

1<sup>st</sup> Revised Page 205 Cancels Original Page 205

### **ACCESS SERVICE**

6. Reserved For Future Use (T)
(D)

Continued

1<sup>st</sup> Revised Page 206 Cancels Original Page 206

### **ACCESS SERVICE**

6. Reserved For Future Use (T)

(D)

Continued

ARIZONA ACCESS TARIFF NO. 1 1<sup>st</sup> Revised Page 207 Cancels Original Page 207

### **ACCESS SERVICE**

# 6. Reserved For Future Use (T) (D)

Continued

1<sup>st</sup> Revised Page 208 Cancels Original Page 208

### **ACCESS SERVICE**

6. Reserved For Future Use (T)

(D)

(D)

Continued

1<sup>st</sup> Revised Page 209 Cancels Original Page 209

### **ACCESS SERVICE**

### 6. Reserved For Future Use (T)

(D)

(D)

Continued

(D)

1<sup>st</sup> Revised Page 210 Cancels Original Page 210

### **ACCESS SERVICE**

6. Reserved For Future Use (T)

(D)

Continued

ARIZONA ACCESS TARIFF NO. 1 1<sup>st</sup> Revised Page 211 Cancels Original Page 211

### **ACCESS SERVICE**

### 6. Reserved For Future Use (T)

Continued

ARIZONA ACCESS TARIFF NO. 1 1<sup>st</sup> Revised Page 212 Cancels Original Page 212

### **ACCESS SERVICE**

# 6. Reserved For Future Use (T)

Continued

1<sup>st</sup> Revised Page 213 Cancels Original Page 213

### **ACCESS SERVICE**

### 6. Reserved For Future Use (T) (D)

Continued

Effective: July 1, 2012

(D)

ARIZONA ACCESS TARIFF NO. 1 1<sup>st</sup> Revised Page 214 Cancels Original Page 214

### **ACCESS SERVICE**

### 6. Reserved For Future Use (T) (D)

Continued

(D)

1<sup>st</sup> Revised Page 215 Cancels Original Page 215

### **ACCESS SERVICE**

6. Reserved For Future Use (T)

Τ,

(D)

Continued

Effective: July 1, 2012

1<sup>st</sup> Revised Page 216 Cancels Original Page 216

### **ACCESS SERVICE**

## 6. Reserved For Future Use (T)

Continued

(D)

ARIZONA ACCESS TARIFF NO. 1 1<sup>st</sup> Revised Page 217 Cancels Original Page 217

### **ACCESS SERVICE**

### Reserved For Future Use 6. (T) (D)

Continued

ARIZONA ACCESS TARIFF NO. 1 1<sup>st</sup> Revised Page 218 Cancels Original Page 218

### **ACCESS SERVICE**

### 6. Reserved For Future Use (T) (D)

Continued

Effective: July 1, 2012

1<sup>st</sup> Revised Page 219 Cancels Original Page 219

### **ACCESS SERVICE**

6. Reserved For Future Use (T)

Continued

Effective: July 1, 2012

1<sup>st</sup> Revised Page 220 Cancels Original Page 220

### **ACCESS SERVICE**

# 6. Reserved For Future Use (T)

Continued

(D)

Reserved For Future Use

6.

1<sup>st</sup> Revised Page 221 Cancels Original Page 221

### **ACCESS SERVICE**

(T) (D)

Continued

1<sup>st</sup> Revised Page 222 Cancels Original Page 222

### **ACCESS SERVICE**

6. Reserved For Future Use (T)

(D)

(Ф,

Continued

Effective: July 1, 2012

1<sup>st</sup> Revised Page 223 Cancels Original Page 223

### **ACCESS SERVICE**

Reserved For Future Use 6. (T)

(D)

Continued

ARIZONA ACCESS TARIFF NO. 1 1<sup>st</sup> Revised Page 224 Cancels Original Page 224

### **ACCESS SERVICE**

6. Reserved For Future Use (T)

(D)

(D)

Continued

Effective: July 1, 2012

ARIZONA ACCESS TARIFF NO. 1 1<sup>st</sup> Revised Page 225 Cancels Original Page 225

### **ACCESS SERVICE**

### 6. Reserved For Future Use (T) (D)

Continued

Effective: July 1, 2012

(D)

ARIZONA ACCESS TARIFF NO. 1 1<sup>st</sup> Revised Page 226 Cancels Original Page 226

### **ACCESS SERVICE**

### 6. Reserved For Future Use (T)

(D)

(D)

Continued

ARIZONA ACCESS TARIFF NO. 1 1<sup>st</sup> Revised Page 227 Cancels Original Page 227

### **ACCESS SERVICE**

## 6. Reserved For Future Use (T) (D)

Continued

Effective: July 1, 2012

(Ď)

1<sup>st</sup> Revised Page 228 Cancels Original Page 228

### **ACCESS SERVICE**

## 6. Reserved For Future Use (T)

Continued

Effective: July 1, 2012

(D)

ARIZONA ACCESS TARIFF NO. 1 2<sup>nd</sup> Revised Page 229 Cancels 1<sup>st</sup> Revised Page 229

### **ACCESS SERVICE**

### 6. Reserved For Future Use (T) (D)

(D)

Continued

Effective: July 1, 2012

ARIZONA ACCESS TARIFF NO. 1

1<sup>st</sup> Revised Page 229.1 Cancels Original Page 229.1

### **ACCESS SERVICE**

### Reserved For Future Use 6. (T)

(D)

(D)

Continued

ARIZONA ACCESS TARIFF NO. 1 2<sup>nd</sup> Revised Page 230 Cancels 1<sup>st</sup> Revised Page 230

### **ACCESS SERVICE**

## 6. Reserved For Future Use (T) (D)

Continued

Effective: July 1, 2012

(D)

6.

ARIZONA ACCESS TARIFF NO. 1 1st Revised Page 231 Cancels Original Page 231

### **ACCESS SERVICE**

### Reserved For Future Use (T) (D)

Continued

(D)

Reserved For Future Use

Issued: May 9, 2012

6.

ARIZONA ACCESS TARIFF NO. 1 1st Revised Page 232 Cancels Original Page 232

### **ACCESS SERVICE**

### (T) (D)

Continued

Effective: July 1, 2012

(D)

1<sup>st</sup> Revised Page 233 Cancels Original Page 233

### **ACCESS SERVICE**

Reserved For Future Use 6. (T) (D)

Continued

(Ď)

1<sup>st</sup> Revised Page 234 Cancels Original Page 234

### **ACCESS SERVICE**

6. Reserved For Future Use (T)

Continued

(D)

1<sup>st</sup> Revised Page 235 Cancels Original Page 235

### **ACCESS SERVICE**

## 6. Reserved For Future Use (T)

Continued

(D)

1<sup>st</sup> Revised Page 236 Cancels Original Page 236

### **ACCESS SERVICE**

Reserved For Future Use 6. (T) (D)

Continued

Effective: July 1, 2012

(D)

1<sup>st</sup> Revised Page 237 Cancels Original Page 237

### **ACCESS SERVICE**

Reserved For Future Use 6. (T) (D)

Continued

(D)

ARIZONA ACCESS TARIFF NO. 1 2<sup>nd</sup> Revised Page 238 Cancels 1<sup>st</sup> Revised Page 238

# **ACCESS SERVICE**

# 6. Reserved For Future Use (T)

(D)

(p)

Continued

Effective: July 1, 2012

ARIZONA ACCESS TARIFF NO. 1 1<sup>st</sup> Revised Page 239 Cancels Original Page 239

# **ACCESS SERVICE**

# 6. Reserved For Future Use (T)

(D)

Continued

Effective: July 1, 2012

Issued: May 9, 2012

ARIZONA ACCESS TARIFF NO. 1 2<sup>nd</sup> Revised Page 240 Cancels 1<sup>st</sup> Revised Page 240

# **ACCESS SERVICE**

# 6. Reserved For Future Use (T) (D)

(D)

Continued

Effective: July 1, 2012

# 7. Special Access Service

# 7.1 Provision of Special Access Service

Special Access Service provides a dedicated transmission path to connect customer designated premises\*, either directly or through a Telephone Company hub where bridging or multiplexing functions are performed. Special Access Service may also be combined with Switched Access Services in the provision of a customer's intrastate communications service (WATS, 800 or WATS-type Services). Special Access Service includes all exchange access not utilizing Telephone Company central office switches.

Certain Special Access Services listed in this section of the tariff may not be currently offered in all Telephone Company locations but may be provided upon customer request, on an individual case basis, if facilities can be made available with reasonable effort. The Telephone Company will work cooperatively with the Customer to provide the service on a timely basis.

# 7.1.1 Circuit Types

There are seven types of circuits used to provide Special Access Services:

- Metallic (MT)
- Low Speed Data (LSD)
- Voice Grade (VG)
- Program Audio
- Video
- Wideband Analog (WA)
- Wideband Data (WD)
- Digital Data (DA)
- High Capacity (HC)

\* Telephone Company Centrex CO-like switches are considered to be customer premises for purposes of this tariff.

# 7. Special Access Service (Cont'd)

# 7.1 <u>Provision of Special Access Service</u> (Cont'd)

# 7.1.1 Circuit Types (Cont'd)

These circuits can be either analog or digital. Analog circuits are differentiated by frequency spectrum and bandwidth. Digital connections are differentiated by bit rate.

Each of the nine circuits has its own characteristics. All of the circuit types are subdivided by one or more of the following:

- Transmission specifications,
- Bandwidth,
- Speed (i.e., bit rate),
- Spectrum

The circuit descriptions set forth in this section specify the characteristics of the basic circuit and indicates whether the circuit is provided between customer designated premises or between a customer designated premise and a Telephone Company hub where bridging or multiplexing functions are performed, or between a customer designated premise and a telephone company office capable of combining switched or special access services or a WATS serving office.

Customers can order a basic circuit and select from a list of available technical specifications packages (customized or predefined), channel interfaces, and optional features to design a circuit which meets the Customer's specific communications needs. For purposes of ordering circuits, each has been identified as a type of Special Access circuit. However, such identification is not intended to limit a customer's use of the circuit, nor to imply that a circuit is limited to a particular use.

# 7. Special Access Service (Cont'd)

# 7.1 Provision of Special Access Service (Cont'd)

# 7.1.1 Circuit Types (Cont'd)

The optional features and functions available with each type of basic circuit are included in the individual service description sections following. The optional features and functions information also indicates with which technical specifications packages they are available.

When a customized circuit is ordered, the Telephone Company may determine that Additional Engineering is required to meet the customer's request for service. The customer will be notified whether Additional Engineering charges apply and will be given an estimate of the hours to be billed before any further action is taken on the order. Additional engineering charges are determined as set forth in Section 8.1 following.

# 7.1.2 Service Configurations

There are two types of service configurations over which Special Access Services are provided: two-point service and multipoint service.

### (A) Two-Point Service

A two-point service connects two customer designated premises, either on a directly connected basis or through a hub where multiplexing functions are performed. A Voice Grade Special Access Circuit may be provided as a two-point service connecting an end user premise and a Telephone Company switch when Special Access is used in conjunction with Switched Access as set forth in Section 6.3.2(T) for Combined Access Service Arrangements.

# 7. Special Access Service (Cont'd)


# 7.1 Provision of Special Access Service (Cont'd)

### 7.1.2 Service Configurations (Cont'd)

# (A) Two-Point Service (Cont'd)

All types of Special Access Service may be provided as twopoint service.

The following diagram depicts an example of a two-point Voice Grade service connecting two customer designated premises located 15 miles apart. The service is provided with the optional feature of C-Type conditioning.



CT - Circuit Termination
CM - Circuit Mileage
SWC- Serving Wire Center

Applicable rate elements are:

- Circuit Termination (2 applicable)
- Circuit Mileage (fixed rate plus rate per airline mile between SWC)
- C-Type Conditioning Optional Feature

In addition, charges for additional Optional Features and Functions may apply.

Continued

Issued: December 1, 1994

Robert S. Crum Vice President

Effective: December 1, 1994

# 7. Special Access Service (Cont'd)

# 7.1 Provision of Special Access Service (Cont'd)

# 7.1.2 <u>Service Configurations</u> (Cont'd)

# (B) Multipoint Service

Multipoint service connects three or more customer designated premises through a Telephone Company hub (i.e., bridging locations). Only certain types of Special Access Service are provided as multipoint service. These are so designated in the Service Descriptions for the appropriate circuit.

The circuit between hubs on a multipoint service is a midlink. There is no limitation on the number of mid-links, but the use of more than three mid-links in tandem may degrade the quality of multi-point facilities.

Multipoint service utilizing a customized technical specifications package, as set forth in 7.1.3, will be provided when technically possible.

When ordering, the customer will specify the desired bridging hub(s). Section 15 of this tariff identifies serving wire centers, hub locations and the type of bridging functions available.


# 7. Special Access Service (Cont'd)

# 7.1 <u>Provision of Special Access Service</u> (Cont'd)

# 7.1.2 <u>Service Configurations</u> (Cont'd)

# (B) Multipoint Service (Cont'd)

The following diagram depicts an example of a Voice Grade multi-point service connecting four customer premises via two customer specified bridging hubs.



CT - Circuit Termination

CM - Circuit Mileage

B - Bridging

SWC- Serving Wire Center

# Applicable rate elements are:

- Circuit Termination (4 applicable)
- Circuit Mileage (5 sections-fixed rate plus rate per mile between SWC)
- Bridging Optional Features (6 applicable, i.e., each port)

In addition, charges for other Optional Features and Functions may be applicable.

Continued

Issued: December 1, 1994

Robert S. Crum Vice President Effective: December 1, 1994

# 7. Special Access Service (Cont'd)

# 7.1 Provision of Special Access Service (Cont'd)

### 7.1.3 Technical Specifications Packages

Information pertaining to the technical specifications packages indicates the transmission parameters that are available with each package. This information is included in each individual service description section in 7.3 through 7.11 following, in a matrix format with the transmission parameters listed down the left side and the packages listed across the top. Each package is identified by a code, e.g., VGC. The first two letters of the code indicate the category of Special Access Service to which the parameters are applicable. These two letter codes are shown above in parentheses following the category of Special Access Service.

The letter "C" following the two letter code indicates the technical specifications package for a customized service. A numeric or alpha-numeric designation following the two letter code indicates the specific predefined package. For a customized service, the customer may select any parameters available with that category of service as long as the parameters are compatible. When appropriate, the Technical Reference which contains detailed specifications for the parameters is shown following the matrix.

All services installed after the effective date of this tariff will conform to the transmission specification standards contained in this tariff or in the following Technical References for each category of service:

Metallic PUB 62502 Low Speed Data PUB 62502

Voice Grade PUB TR-NPL-000335 PUB 41004, Table 4

# 7. <u>Special Access Service</u> (Cont'd)

# 7.1 Provision of Special Access Service (Cont'd)

### 7.1.3 Technical Specifications Packages (Cont'd)

Program Audio	PUB	62503 and associated Addendum
Video	PUB	62504 and associated Addendum
Wideband Analog	PUB	62505 and associated Addendum
Wideband Data PUB	6250	6
Digital Data	PUB	62507
3	PUB	62310
High Capacity	PUB	64508
3 1 7		62411

The Telephone Company will maintain existing transmission specifications on services installed prior to the effective date of this tariff, except that existing services with performance specifications exceeding the standards listed in this provision will be maintained at those levels until disconnected and all new services will be maintained at the performance levels specified in this tariff.

Customized technical specifications packages will be provided where technically feasible. If the Telephone Company determines that the requested parameter specifications are not compatible, the customer will be advised and given the opportunity to change the order.

### 7.1.4 Channel Interfaces

Channel interfaces at each point of termination on a two-point service may be symmetrical or asymmetrical. On a multipoint service they may also be symmetrical or asymmetrical, but communications can only be provided between compatible

# 7. Special Access Service (Cont'd)

# 7.1 Provision of Special Access Service (Cont'd)

# 7.1.4 <u>Channel Interfaces</u> (Cont'd)

channel interfaces. Only certain channel interfaces are compatible. These are set forth in Section 9 following, in a combination format.

Only certain channel interface combinations are available with the predefined technical specifications packages. These are delineated in the Technical References set forth in 7.1.3 preceding. When a customized circuit is requested, all channel interface combinations available with the specified type of service are available with the customized circuit.

# 7.1.5 Alternate Use

Alternate Use occurs when a service is arranged by the Telephone Company so that the customer can select different types of transmission at different times. A customer may use a service in any privately beneficial manner. However, where technical or engineering changes are required to effectuate an alternate use, the Telephone Company will make such special arrangements available on an individual case basis.

The arrangement required to transfer the service from one operation to the other (i.e., the transfer relay and control leads) will be rated and provided on an individual case basis and filed in Section 12, Specialized Service or Arrangements. The customer will pay the stated tariff rates for the Access Service rate elements for the service ordered (i.e., Circuit Terminations, Circuit Mileage [as applicable], and Optional Features and Functions [if any]).

# 7. Special Access Service (Cont'd)

# 7.1 Provision of Special Access Service (Cont'd)

# 7.1.6 Special Facilities Routing

A customer may request that the Special Access used be specially routed. The regulations, rates and charges for Special Facilities Routing are as set forth in Section 11 following.

# 7.1.7 <u>Design Layout Report</u>

At the customer's request, the Telephone Company will provide the make-up of the facilities and services provided under this tariff as Special Access Service to aid the customer in designing its overall service. The information will be provided to the customer at no charge in the form of a Design Layout Report and will be reissued or updated whenever the described facilities are materially changed.

# 7.1.8 Acceptance Testing

At the customer's request, the Telephone Company will cooperatively test, at the time of installation and at no additional charge, the following parameters:

(A) For Voice Grade analog services, acceptance testing will include tests for loss, 3-tone slope, D.C. continuity, operational signaling, C-notched noise, and C-message noise as applicable according to the order for service. Voice Grade services acceptance testing will also include a balance (improved loss) test if the customer has ordered that optional feature.

# 7. <u>Special Access Service</u> (Cont'd)

# 7.1 Provision of Special Access Service (Cont'd)

### 7.1.8 Acceptance Testing (Cont'd)

(B) For services other than Voice Grade, acceptance tests will include tests for the parameters applicable to the service as specified by the customer in the order for service.

In addition to the above tests, Additional Cooperative Acceptance Testing and Nonscheduled Testing, as described in Section 8.4 following, are available at the customer's request. All test results will be made available to the customer upon request.

# 7.2 Rate Categories, Applications, and Regulations

This section contains the specific regulations governing the rates and charges that apply for Special Access.

## 7.2.1 Rate Categories

The following rate categories apply to Special Access Service:

- Circuit Terminations
- Circuit Mileage
- Optional Features and Functions
- Nonrecurring Charges

These rate categories are described in (A) through (D) following.

### (A) Circuit Termination

The Circuit Termination rate category provides for the communications path between a customer designated premise and the serving wire center of that premise. Included as part of the Circuit Termination is a standard

# 7. Special Access Service (Cont'd)

# 7.2 Rate Categories, Applications, and Regulations (Cont'd)

# 7.2.1 <u>Rate Categories</u> (Cont'd)

# (A) <u>Circuit Termination</u> (Cont'd)

channel interface arrangement which defines the technical characteristics associated with the type of facilities to which the access service is to be connected at the Point of Termination (POT) and the type of signaling capability, if any. The signaling capability itself is provided as an optional feature as set forth in (C) following. One Circuit Termination charge applies per customer designated premises at which the circuit is terminated. This charge will apply even if the customer designated premises and the serving wire center are co-located in a Telephone Company building.

For the avoidance of any doubt when a customer orders Special Access Service to a Telephone Company Switch, that switch is a Customer Designated Premise (CDP) where the Special Access terminates.

# (B) Circuit Mileage

The Circuit Mileage rate category provides for the end office equipment and transmission facilities between serving wire centers and/or Telephone Company hubs. In addition, when Special Access is used in conjunction with Switched Access Service as set forth in Section 6.3.2(T) preceding for Combined Access Service Arrangements, and the end office serving the customer's end user premises is not capable of combining Switched and Special Access or is not a WATS Serving Office, Circuit Mileage is used to extend the Special Access Circuit to a WATS Serving Office or office capable of combining Switched and Special Access Services. The Circuit Mileage charge is composed of a flat monthly charge plus a rate per mile.

(N)

(N)

# 7. Special Access Service (Cont'd)

# 7.2 Rate Categories, Applications, and Regulations (Cont'd)

### 7.2.1 Rate Categories (Cont'd)

# (B) Circuit Mileage (Cont'd)

## (1) Fixed Rate

The fixed rate component of Circuit Mileage is applied only once per Circuit Mileage facility and is also applied when two or more customer designated premises are served by a common serving wire center (i.e., mileage is zero). When Special Access is used in conjunction with Switched Access where the customer's end user premises for the Special Access facility is served by a Telephone Company office capable of combining Switching and Special Access Service, or a WATS Serving Office, the fixed rate does not apply.

### (2) Per Mile Rate

The mileage to be used to determine the monthly rate for the per mile portion of Circuit Mileage is calculated on the airline distance between the serving wire centers associated with two customer designated premises, between a serving wire center associated with a customer designated premise and a Telephone Company hub, between two Telephone Company hubs, or between a Telephone Company end office and a WATS serving office, or Telephone Company office capable of combining Switched and Special Access Services. The serving wire center associated with a customer designated premise is the serving wire center from which this customer designated premise would normally receive dial tone. The information for mileage calculation and

- 7. <u>Special Access Service</u> (Cont'd)
  - 7.2 Rate Categories, Applications, and Regulations (Cont'd)
    - 7.2.1 Rate Categories (Cont'd)
      - (B) <u>Circuit Mileage</u> (Cont'd)
        - (2) Per Mile Rate (Cont'd)

serving wire center V & H coordinates are specified in Section 15 of this tariff. Where the calculated miles include a fraction, the value is always rounded up the next full mile.

When hubs are involved, mileage is computed and rates applied separately for each section of the Circuit Mileage, i.e., customer designated premises serving wire center to hub, hub to hub and/or hub to customer designated premises serving wire center.

However, when any service is routed through a hub for purposes other than customer specified bridging or multiplexing (e.g., the Telephone Company chooses to so route for test access purposes), rates will be applied only to the distance calculated between the serving wire centers associated with the customer designated premises.

When more than one Telephone Company is involved in the provision of Special Access Service, the mileage for the per mile component of Circuit Mileage for each Telephone Company is calculated as set forth in Section 2.4.7 preceding.

# 7. <u>Special Access Service</u> (Cont'd)

# 7.2 Rate Categories, Applications, and Regulations (Cont'd)

# 7.2.1 Rate Categories (Cont'd)

# (C) Optional Features and Functions

Optional Features and Functions may be added to a basic circuit service to improve its quality or utility to meet the customer's specific communications requirements. These optional features and functions are identifiable with specific equipment, and represent the end result in terms of performance characteristics which may be obtained. These characteristics may be obtained by using various combinations of equipment. Although the equipment necessary to perform a specified function may be installed at various locations along the path of the service, they will be charged for a single rate element.

Descriptions for each of the available Optional Features and Functions are set forth in Sections 7.3 through 7.11 following. Specific rate applications for multiplexing are set forth in 7.2.4 following.

# (D) Nonrecurring Charges

Nonrecurring charges are one-time charges that apply for installation of Special Access Services, installation of optional features and functions, and moves and service rearrangements.

# (1) Installation of Service

Nonrecurring charges apply to each service installed. The nonrecurring charges for the installation of service are applied per Circuit Termination.

### 7. Special Access Service (Cont'd)

- 7.2 Rate Categories, Applications, and Regulations (Cont'd)
  - 7.2.1 Rate Categories (Cont'd)
    - (D) Nonrecurring Charges (Cont'd)
      - (2) Installation of Optional Features and Functions

Nonrecurring charges apply for the installation of some of the optional features and functions available with Special Access Service. The charge applies whether the feature or function is installed coincident with the initial installation of service or at any time subsequent to the installation of the service.

The optional features for which installation charges apply are:

- Voice Grade Data Capability
- Voice Grade Telephoto Capability
- Program Audio Gain Conditioning
- Program Audio Stereo
- Wideband Data Transfer Arrangement

### (3) Moves

A move involves a change in the physical location of either the customer's premises or a point of termination at the customer's premises. The charges for the move are dependent on whether the move is to a new location within the same building or to a different building.

# 7. Special Access Service (Cont'd)

# 7.2 Rate Categories, Applications, and Regulations (Cont'd)

# 7.2.1 Rate Categories (Cont'd)

# (D) Nonrecurring Charges (Cont'd)

# (3) Moves (Cont'd)

# (a) Moves Within the Same Building

When the move is to a new location within the same building, the charge for the move will be an amount equal to one half of the nonrecurring (i.e., installation) charge for the service termination affected. There will be no change in the minimum period requirements.

# (b) Moves to a Different Building

Moves to a different building will be treated as a discontinuance and a start of service and all associated nonrecurring charges will apply. New minimum period requirements will be established for the new services. The customer will also remain responsible for satisfying all outstanding minimum period charges for the discontinued service.

## (4) Service Rearrangements

Service rearrangements are changes to existing (installed) services which may be administrative only in nature, or that involve actual physical change to the service. Changes to pending orders are set forth in Section 5.3.1 preceding.

- 7. Special Access Service (Cont'd)
  - 7.2 Rate Categories, Applications, and Regulations (Cont'd)
    - 7.2.1 Rate Categories (Cont'd)
      - (D) Nonrecurring Charges (Cont'd)
        - (4) <u>Service Rearrangements</u> (Cont'd)
          - (a) A charge will not apply to administrative changes as follows:
            - Change of customer name,
            - Change of customer or customer's end user premises address when the change of address is not a result of a physical relocation of equipment,
            - Change in billing data (name, address, or contact name or telephone number),
            - Change of agency authorization,
            - Change of customer circuit identification,
            - Change of billing account number,
            - Change of customer test line number,
            - Change of customer or customer's end user contact name or telephone number, and
            - Change of jurisdiction.
          - (b) All other service rearrangements will be charged for as follows:
            - If the change involves the addition of other customer designated premises to an existing multipoint service, the nonrecurring charge for the Circuit Termination rate element will apply. The charge(s) will apply only for the location(s) that is being added.

- 7. Special Access Service (Cont'd)
  - 7.2 Rate Categories, Applications, and Regulations (Cont'd)
    - 7.2.1 Rate Categories (Cont'd)
      - (D) Nonrecurring Charges (Cont'd)
        - (4) <u>Service Rearrangements</u> (Cont'd)
          - (b) (Cont'd)
            - If the change involves the addition of an optional feature or function which has a separate nonrecurring charge, that nonrecurring charge will apply.
            - If the change involves changing the type of signaling on a Voice Grade service, a charge equal to the Voice Grade Circuit Termination rate element nonrecurring charge will apply. The charge will apply per service termination affected.
            - For all other changes, including the addition of optional feature or function without a separate nonrecurring charge, a charge equal to a Circuit Termination rate element nonrecurring charge will apply. Only one such charge will apply per service, per change.

# 7. Special Access Service (Cont'd)

# 7.2 Rate Categories, Applications, and Regulations (Cont'd)

# 7.2.2 Minimum Periods

The minimum service period for all services except part-time and occasional Video and Program Audio services is one month. The minimum service period for part-time Video and Program Audio Services is one day even though the service will be provided only for the duration of the event specified on the order (e.g., one-half hour, two hours, five hours, etc.).

# 7.2.3 Application of Daily and Monthly Rates

# (A) Daily Rates

Daily rates are recurring rates that apply to each 24 hour period or fraction thereof that a Video or Program Audio Special Access Service provided for part-time or occasional use. For purposes of applying daily rates, the 24 hour period is not limited to a calendar day.

Part-time Program Audio or Video Service ordered on one Access Service Request and provided within a consecutive 30 day period will be charged the daily rate, not to exceed an amount equal to the monthly rate. For each subsequent day or part day, a charge equal to 1/30th of the monthly rate shall apply.

## (B) Monthly Rates

Monthly rates are flat recurring rates that apply each month or fraction thereof that a Special Access Service is provided. For billing purposes, each month is considered to have 30 days.

# 7. Special Access Service (Cont'd)

# 7.2 Rate Categories, Applications, and Regulations (Cont'd)

# 7.2.4 Facility Hubs and Multiplexing

A customer has the option of ordering Voice Grade facilities or High Capacity facilities (i.e., Group, Supergroup, Mastergroup, DS1, DS1C, DS2, DS3 or DS4) to a facility hub for multiplexing to individual services of a lower capacity or bandwidth (e.g., Telegraph, Voice, etc.). Additionally, the customer may specify optional features for the individual circuits derived from the facility to further tailor the circuit to meet specific communications requirements.

Some of the types of multiplexing available include the following:

- from higher to lower bit rate
- from higher to lower bandwidth
- from digital to voice frequency circuits

A hub is a Telephone Company designated wire center at which multiplexing functions are performed.

Different locations may be designated as hubs for different facility capacities, e.g., multiplexing from digital to digital may occur at one location while multiplexing from digital to analog may occur at a different location. When placing an Access Service Request the customer will specify the desired hub. Section 15 of this tariff identifies serving wire centers, hub locations and the type of multiplexing functions available.

Point to point services may be provided on circuits of these facilities to a hub. The transmission performance for the point to point service provided between the customer designated premises will be that of the lower capacity or bit rate.

# 7. Special Access Service (Cont'd)

# 7.2 Rate Categories, Applications, and Regulations (Cont'd)

# 7.2.4 <u>Facility Hubs and Multiplexing</u> (Cont'd)

The Telephone Company will commence billing the monthly rate for the facility to the hub on the date specified by the customer on the Access Service Request. The customer will be billed for a High Capacity or Voice Grade Circuit Termination, Circuit Mileage and the multiplexer for the service at the time the facility is installed. Individual services utilizing these facilities may be installed coincident with the installation of the facility to the hub or may be ordered and/or installed at a later date, at the option of the customer. Individual service rates (by service type) will apply for a Circuit Termination and additional Circuit Mileage (as required) for each channelized service. These will be billed to the customer as each

individual service is installed.

Cascading multiplexing occurs when a high capacity circuit is demultiplexed to provide circuits with a lesser capacity and one of the lesser capacity circuits is further demultiplexed. When cascading multiplexing is performed, whether in the same or a different hub, a charge for the additional multiplexing unit also applies. When cascading multiplexing is performed at different hubbing locations, Circuit Mileage charges also apply between the hubs.

Although not requiring multiplexing, the Telephone Company will designate certain hubs for Video and Program Audio Services. Full-time service will be provided between a customer designated premise and a hub and billed accordingly at the monthly rates set forth in 7.6.5 and 7.7.4 for a Circuit Termination, and Circuit Mileage and Optional Features and Functions as applicable. The customer may order part-time and occasional Program Audio or Video services as needed between the hub and a second customer designated premise.

# 7. Special Access Service (Cont'd)

# 7.2 Rate Categories, Applications, and Regulations (Cont'd)

# 7.2.4 <u>Facility Hubs and Multiplexing</u> (Cont'd)

The rate elements required to provide the part-time or occasional service (i.e., Circuit Termination, and Circuit Mileage and Optional Features as applicable) will be billed at daily rates for the duration of the service requested.

# 7.2.5 Shared Use Analog and Digital High Capacity Services

Shared use refers to a rate application applicable only when the customer orders High Capacity or Wideband Analog facilities between a customer designated premise and a Telephone Company hub where the Telephone Company performs multiplexing/demultiplexing functions and the same customer then orders the derived circuits as Special and Switched Access Services.

The facility will be ordered, provided and rated as Special Access Service (i.e., Circuit Termination, Circuit Mileage, as appropriate, and Multiplexing Arrangement). The nonrecurring charge that applies when the shared use facility is installed will be the nonrecurring charge associated with the appropriate Special Access High Capacity or Wideband Analog Circuit Termination. Rating as Special Access will continue until such time as the customer chooses to use a portion of the available capacity for Switched Access Service. Individual service (i.e., Switched or Special Access) nonrecurring charges will not apply to the individual circuits of the shared use facility.

As each individual circuit is activated for Switched Access Service, the High Capacity or Wideband Analog Special Access Circuit Termination and Circuit Mileage rates will be reduced accordingly (e.g., 1/24th for a DS1 service, etc.). Switched Access Service rates and charges, as set forth in Section 6 preceding, will apply for each circuit of the shared use facility that is used to provide a Switched Access Service.

# 7. Special Access Service (Cont'd)

# 7.2 <u>Rate Categories, Applications, and Regulations</u> (Cont'd)

# 7.2.5 Shared Use Analog and Digital High Capacity Service (Cont'd)

The customer must place an order for each individual Switched or Special Access Service utilizing the Shared Use Facilities and specify the circuit assignment for each such service.

When Special Access Service is provided utilizing a circuit of the shared use facility to a hub, High Capacity or Wideband Analog rates and charges will apply for the facility to the hub, as set forth preceding, and individual service rates and charges will apply from the hub to the customer designated premises. The rates and charges that will apply to the portion from the hub to the customer designated premises will be dependent on the specific type of Special Access Service that is provided (e.g., Voice Grade, Telegraph, etc.). The applicable rates and charges will include a Circuit Termination and Circuit Mileage, if applicable. Rates and charges for optional features and functions associated with the service, if any, will apply for the appropriate circuit type.

### 7.3 Metallic Service

## 7.3.1 Basic Circuit Description

A Metallic circuit is an unconditioned two-wire circuit capable of transmitting low speed varying signals at rates up to 30 baud. Metallic circuits are provided between customer designated premises or between a customer designated premise and a Telephone Company hub where bridging functions are performed. Interoffice metallic facilities will be limited in length to a total of five miles per circuit.

# 7. Special Access Service (Cont'd)

# 7.3 Metallic Service (Cont'd)

# 7.3.2 <u>Technical Specifications Packages</u>

	Package M1-				
<u>Parameter</u>	<u>C</u>	<u>1</u>	<u>2</u>	<u>3</u>	
D.C. Resistance					
Between Conductors	Χ	Χ	Х		
Loop Resistance	X			Χ	
Shunt Capacitance	Χ			Χ	

The technical specifications are delineated in Technical Reference PUB 62502.

## 7.3.3 Channel Interfaces

Compatible channel interfaces are set forth in Section 9 following.

## 7.3.4 Optional Features and Functions

- (1) Central Office Bridging Capability
  - (a) Three Premises Bridging Provision of tip-to-tip and ring-to-ring connection in a central office of a metallic pair to a third customer premise.
  - (b) Series Bridging of up to 26 customer premises. The following table shows the technical specifications packages with which the optional features and functions are available.

Continued

Effective: December 1, 1994

# 7. Special Access Service (Cont'd)

# 7.3 Metallic Service (Cont'd)

# 7.3.4 Optional Features and Functions (Cont'd)

(1) Central Office Bridging Capability (Cont'd)

# 7.3.5 Rates and Charges

(A)	Circuit Termination	n <u>Code</u>	USOC/ S&E <u>Rate</u>	Monthly s <u>Ch</u>	Nonrecurring narge
	Termination		T6ECS/ YMZY	\$23.30	\$141.00
(B)	Circuit Mileage				
,	Fixed		1L5XX/ YMF1	8.84	-
	Per mile		1L5XX/ YMP1	None	-
(C)	Optional Features	and Function			
	Bridging	USOC	S&E <u>Code</u>	Monthly <u>Rates</u>	Nonrecurring <u>Charges</u>
	(a) Three Premise Bridging	s			
	- Per Port	BCNM3	YMZV	\$ 4.33	None
	(b) Series Bridging - Per Port	BCNMS	YMZU	\$ 4.33	None

Continued

Effective: December 1, 1994

Issued: December 1, 1994

Robert S. Crum Vice President

# 7. Special Access Service (Cont'd)

## 7.4 Low Speed Data

# 7.4.1 <u>Basic Service Description</u>

A Low Speed Data circuit is an unconditioned circuit capable of transmitting binary signals at rates of 0-75 baud or 0-150 baud. This circuit is furnished for half-duplex or duplex operation. Low Speed Data circuits are provided between customer designated premises or between a customer designated premise and a Telephone Company hub.

# 7.4.2 <u>Technical Specifications Packages</u>

<u>Parameter</u>	Pa	ckag	ge T	G-
	C	1	2	
Data Distortion	X	X	X	

The technical specifications are delineated in Technical Reference PUB 62502.

# 7.4.3 Channel Interfaces

Compatible channel interfaces are set forth in Section 9 following.

## 7.4.4 Optional Features and Functions

## (1) Data Bridging (two-wire and four-wire)

The following table shows the technical specifications packages with which the optional features and functions are available.

	Available with Specifications		ΓG-
Data Bridging	<u>C</u>	1	<u>2</u>
	X	X	X

# 7. Special Access Service (Cont'd)

# 7.4 Low Speed Data (Cont'd)

# 7.4.5 Rates and Charges

			USOC/		
			S&E	Monthly	Nonrecurring
(A)	Circuit Termination - Per Point of Termination	n <u>Code</u>	Rate	es Ch	arge_
	- Two-wire		TME2X/ YWZ2	\$23.30	\$141.00
	- Four-wire		TME4X/ YWZ4	29.50	141.00
(B)	Circuit Mileage				
` ,	Fixed		1L5XX/ YWF1	8.84	-
	Per mile		1L5XX/ YWP1	2.80	-
(C)	Optional Features	and Function	ns		
	Bridging	USOC	S&E <u>Code</u>	Monthly <u>Rates</u>	Nonrecurring <u>Charges</u>
	- Per Port - Two-wire - Four-wire	BCNT2 BCNT4	YWB2 YWB4	\$4.33 4.33	None None
	- i oui-wile	DOINTA	1 1104	4.55	INOLIG

## 7.5 <u>Voice Grade Service</u>

# 7.5.1 Basic Circuit Description

A Voice Grade Circuit is a circuit which provides voice frequency transmission capability in the nominal frequency range of 300 to 3000 Hz and may be terminated two-wire or four-wire. Effective two-wire and four-wire circuits are available as an Optional Feature and Function. Voice Grade

Continued

Effective: December 1, 1994

# 7. Special Access Service (Cont'd)

## 7.5 <u>Voice Grade Service</u> (Cont'd)

# 7.5.1 Basic Circuit Description (Cont'd)

circuits are provided between customer designated premises or between a customer designated premise and a Telephone Company hub.

Voice Grade Service may be ordered in conjunction with Switched Access services as set forth in Section 6.3.2(T) preceding to provide access for a customer's communication service; e.g., WATS, 800, or WATS-type service. When the customer orders the Combined Access Service Arrangement, Voice Grade Circuits provide voice frequency transmission capability between an end user premises and Telephone Company offices capable of combining Special and Switched Access services or between an end user premises and a

WATS Serving Office (WSO). All applicable Special Access rates and charges apply (including Optional Features and Functions charges). Technical Specifications, Optional Features and Functions available with this arrangement are indicated under Package VG-CA in 7.5.2 and 7.5.5 following.

# 7. Special Access Service (Cont'd)

## 7.5 <u>Voice Grade Service</u>

# 7.5.2 Technical Specifications Packages

								Pa	cka	age	VG	-			
<u>Parameter</u>	<u>C</u> *	<u>1</u>	2	3	4	<u>5</u>	6	7	8 9	<u> 1</u>	0 1	<u> 1</u>	<u> 12</u>	CA	
Attenuation															
Distortion	Χ	Χ	Χ	Χ	Χ	Χ	Χ	Χ	Χ	Χ	Χ	Χ	Χ	Χ	
C-Message Noise	Χ	Χ	Χ	Χ	Χ	Χ	Χ	Χ	Χ	Χ	Χ	Χ	Χ	Χ	
Echo Control	Χ	Χ	Χ	Χ		Χ		Χ	Χ			Χ	Χ	Χ	
Envelope Delay															
Distortion	Χ						Χ	Χ	Χ	Χ	Χ	Χ	Χ	Χ	
Frequency Shift	Χ						Χ	Χ	Χ	Χ	Χ	Χ	Χ	Χ	
Impulse Noise	Χ					Χ	Χ	Χ	Χ	Χ	Χ	Χ	Χ	Χ	
Intermodulation															
Distortion	Χ						Χ	Χ	Χ	Χ	Χ	Χ		Χ	
Loss Deviation	Χ	Χ	Χ	Χ	Χ	Χ	Χ	Χ	Χ	Χ	Χ	Χ	Χ	Χ	
Phase Hits, Gain															
Hits, and															
Dropouts	Χ														
Phase Jitter	Χ						Χ	Χ	Χ	Χ	Χ	Χ	Χ	Χ	
Return Loss														Χ	
Signal-to-C															
Message Noise					Χ										
Signal-to-C															
Notch Noise	Χ						Χ	Χ	Χ	Χ	X	Χ	Χ	Χ	Χ

The technical specifications for these parameters (except for dropouts, gain hits, and phase hits) are delineated in Technical Reference TR-NPL-000335 and associated Addendum. The technical specifications for dropouts, phase hits, and gain hits are delineated in Technical Reference PUB 41004, Table 4.

Continued

Effective: December 1, 1994

Issued: December 1, 1994

<sup>\*</sup> The desired parameters are selected by the customer from the list of available parameters.

# 7. Special Access Service (Cont'd)

# 7.5 <u>Voice Grade Service</u> (Cont'd)

# 7.5.3 Channel Interfaces

The following channel interfaces for Voice Grade service do not require signaling capability: AH, DA, DB, DD, DE, DS, NO, PR and TF.

The following channel interfaces for Voice Grade service require signaling capability: AB, AC, CT, DX, DY, EA, EB, EC, EX, GO, GS, LA, LB, LC, LO, LR, LS, RV, and SF.

Compatible channel interfaces are set forth in Section 9 following.

# 7.5.4 Optional Features and Functions

- (1) Central Office Bridging Capability
  - (a) Voice Bridging (two-wire or four-wire)
  - (b) Data Bridging (two-wire or four-wire)
  - (c) Telephoto Bridging (two-wire and four-wire)
  - (d) Dataphone Select-A-Station Bridging with sequential arrangement ports or addressable arrangement ports
  - (e) Telemetry and Alarm Bridging, Split Band-Active Bridging, Passive Bridging, Summation-Active Bridging

# 7. Special Access Service (Cont'd)

## 7.5 <u>Voice Grade Service</u> (Cont'd)

# 7.5.4 Optional Features and Functions (Cont'd)

# (2) <u>Central Office Multiplexing</u>

Voice to Telegraph Grade: An arrangement that converts a Voice Grade circuit to Telegraph Grade circuits using frequency division multiplexing.

# (3) Conditioning

Conditioning provides more specific transmission characteristics for Voice Grade services. C-Type conditioning controls attenuation distortion and envelope delay distortion. Sealing Current helps maintain continuity on dry metallic loops.

For two-point services, the parameters apply to each service. For multipoint services, the parameters apply to each mid link or end link. C-Type conditioning and Data Capability may be combined on the same service.

# (a) C-Type Conditioning

C-Type Conditioning is provided for the additional control of attenuation distortion and envelope delay distortion on data services. The attenuation distortion and envelope delay distortion specifications for C-Type Conditioning are:

# 7. Special Access Service (Cont'd)

# 7.5 <u>Voice Grade Service</u> (Cont'd)

# 7.5.4 Optional Features and Functions (Cont'd)

# (3) Conditioning (Cont'd)

# (a) C-Type Conditioning (Cont'd)

Attenuation D (Frequency F		Envelope Delay	
Relative to 1	1004 Hz	Distortion	
			Variation
Frequency	Variation	Frequency	(micro-
Range (Hz)	<u>(dB)</u>	Range (Hz)	seconds)
400 - 2800	-1.0 to +2.0	1000-2600	100
300 - 3000	-1.0 to +3.0	800-2600	200
3000 - 3200	-2.0 to +6.0	600-2600	300
		500-2800	600
		500-3000	3000

# (b) Sealing Current

Sealing Current Conditioning is provided to help maintain continuity on dry metallic loops. It is usually associated with four-wire DA or NO type channel interfaces.

## (4) <u>Customer Specified Premises Receive Level</u>

This option allows the customer to specify the receive level at the Point of Termination. This level must be within a specific range on effective four-wire transmission. The ranges are delineated in Technical Reference TR-NPL-000335.

Effective: December 1, 1994

- 7. Special Access Service (Cont'd)
  - 7.5 <u>Voice Grade Service</u> (Cont'd)
    - 7.5.4 Optional Features and Functions (Cont'd)
      - (5) Improved Return Loss
        - (a) On Effective Four-Wire Transmission at Four-Wire Point of Termination (applicable to each two-wire port): Provides for a fixed 600 ohm impedance, variable level range and simplex reversal. Telephone Company equipment is required at the customer's premises where this option is ordered. The Improved Return Loss parameters are delineated in Technical Reference TR-NPL-000335.
        - (b) On Effective Two-Wire Transmission at Two-Wire Point of Termination: Provides for more stringent Echo Control specifications. In order for this option to be applicable, the transmission path must be four-wire at one POT and two-wire at the other POT. Placement of Telephone Company equipment may be required at the customer's premises with the twowire POT. The Improved Return Loss parameters are delineated in Technical Reference TR-NPL-000335.
      - (6) <u>Data Capability</u>

Data Capability provides transmission characteristics suitable for data communications. Specifically, Data Capability provides for the control of Signal to C-Notched Noise Ratio and intermodulation distortion. It is available for two-point services or multipoint services.

## 7. Special Access Service (Cont'd)

## 7.5 <u>Voice Grade Service</u> (Cont'd)

## 7.5.4 Optional Features and Functions (Cont'd)

#### (6) Data Capability (Cont'd)

The Signal to C-Notched Noise Ratio and intermodulation distortion parameter for Data Capability are:

- Signal to C-Notched Noise Ratio is greater than or equal to 32 dB Intermodulation distortion
- Signal to second order modulation products (R2) is greater than or equal to 38 dB
- Signal to third order modulation products (R3) is greater than or equal to 42 dB.

When a service equipped with Data Capability is used for voice communications, the quality of the voice transmission may not be satisfactory.

#### (7) Telephoto Capability

Telephoto Capability provides transmission characteristics suitable for telephotographic communications. Specifically, Telephoto Capability is provided for the control of attenuation distortion and envelope delay distortion of telephotographic services. The attenuation distortion and envelope delay distortion parameters for Telephoto Capability are:

## 7. Special Access Service (Cont'd)

#### 7.5 <u>Voice Grade Service</u> (Cont'd)

## 7.5.4 Optional Features and Functions (Cont'd)

## (7) Telephoto Capability (Cont'd)

(1004 Hz Reference)	Envelope Delay Distortion
Frequency Variation Range (Hz) (dB)	Frequency Variation Range (Hz) (mcs)
500-3000 -0.5 to +1.5 300-3200 -1.0 to +2.5	1000-2600 110 800-2800 180

#### (8) Signaling Capability

Signaling Capability provides for the ability to transmit signals from one customer premise to another customer premise on the same service.

#### (9) Selective Signaling Arrangement

An arrangement that permits code selective ringing for up to ten codes on a multipoint service.

#### (10) Transfer Arrangement

An arrangement that affords the customer an additional measure of flexibility in the use of their access circuits. The arrangement can be utilized to transfer a leg of a Special Access Service to another circuit that terminates in either the same or a different customer premise. A

## 7. Special Access Service (Cont'd)

## 7.5 <u>Voice Grade Service</u> (Cont'd)

## 7.5.4 Optional Features and Functions (Cont'd)

## (10) Transfer Arrangement (Cont'd)

key activated or dial-up control service is required to operate the transfer arrangement. A spare circuit, if required, is not included as part of the option.

#### (11) Four-Wire/Two-Wire Conversions

The term "Effective Two-Wire" denotes a condition which permits the simultaneous transmission in both directions over a channel, but it is not possible to insure independent information transmission in both directions. Effective two-wire channels may be terminated with two-wire or four-wire interfaces.

The term "Effective Four-Wire" denotes a condition which permits the simultaneous independent transmission of information in both directions over a channel. The method of implementing effective four-wire transmission is at the discretion of the Telephone Company (physical, time domain, frequency-domain separation, or echo cancellation techniques). Effective four-wire channels may be terminated with a two-wire interface at the customer's premises. However, when terminated two-wire, simultaneous independent transmission cannot be supported because the two wire interface combines the transmission paths into a single path.

- Special Access Service (Cont'd) 7.
  - 7.5 Voice Grade Service (Cont'd)
    - 7.5.4 Optional Features and Functions (Cont'd)
      - (11) Four-Wire/Two-Wire Conversions (Cont'd)

When a customer requests that an effective four-wire circuit be terminated with a two-wire circuit interface at the customer designated premises, a four-wire to two-wire conversion is required. The customer will be charged the four-wire Circuit Termination rate when an effective four-wire is specified in the customer's order. The rate for the conversion is included as part of the basic Circuit Termination rate.

Elk Grove, CA 95624

# 7. Special Access Service (Cont'd)

#### 7.5 <u>Voice Grade Service</u> (Cont'd)

# 7.5.4 Optional Features and Functions (Cont'd)

The following table shows the technical specifications packages with which the optional features and functions are available.

	Available with Technical								
					<u>ackag</u>			_	
	<u>C</u> 1	<u>2</u> 3	<u>4 5</u>	<u>6</u> <u>7</u>	8 9 1 X X	<u>0</u> <u>11</u>	<u>12</u> C	<u>A</u>	
C-Type Conditioning X			XΧ	XX	XX				
Central Office									
Bridging Capability X	Χ	X	Χ	Χ	ХХ				
Central Office									
Multiplexing	Χ			Χ					
Customer Specified									
Premises Receive									
Level	Χ	ΧX			XX	X			
Data Capability X			Х	Χ	X				
Improved Return Loss									
-For Effective Four-			.,				, ,,		
Wire Transmission X	$\langle X \rangle$	$\mathbf{X}$	Х	ХХ	XX	χ )	< X		
-For Effective Two-			.,						
Wire Transmission X	ХХ		X			X			
Sealing Current	V								
Conditioning	Χ			X					
Selective Signaling	V	V		VV	,	. v	V		
Arrangement	X	X	,	XX		Х	X		V
Signaling Capability	XX			VV	XXX	-	. v	V	X
Transfer Arrangement	ΧX	. A X	ιX	λX	X X X	(X	X	Χ	

#### 7. Special Access Service (Cont'd)

#### Voice Grade Service (Cont'd) 7.5

#### Rates and Charges 7.5.5

		USOC/		
		S&E	Monthly	Nonrecurring
(A)	Circuit Termination - Per Point of Termination	<u>Code</u>	Rates	<u>Charge</u>
	- Two-wire	YME2X/ \$ 23 YZZ2/XZZ	<b>-</b>	21.50
	- Four-wire	TME4X/ 29 YZZ4/XZZ4		21.50
(B)	Circuit Mileage - Fixed	1L5XX/		
	- Two/Four-wire	YZF1/XZF	1 8.84	-
	<ul><li>Per Mile</li><li>Two/Four-Wire</li></ul>	1L5XX/ YZP1/XZP	1 2.80	-

# 7. Special Access Service (Cont'd)

## 7.5 <u>Voice Grade Service</u> (Cont'd)

## 7.5.5 Rates and Charges (Cont'd)

# (C) Optional Features and Functions

Rates and charges for the Optional Features and Functions of Voice Grade Service listed in this section apply to all jurisdictions.

			S&E	Monthly	Nonrecurring
(1)	Bridging	USOC	<u>Code</u>	Rates	<u>Charges</u>
	(a) Voice Bridging				_
	- Per port				
	- Two-Wire	BCNV2	YZV2/	\$ 4.33	None
			XZV2		
	- Four-Wire	BCNV4	YXV4/	4.33	None
			XZV4		
	(b) Data Bridging				
	- Per Port				
	- Two-Wire	BCND2	YZD2/	4.33	None
			XZD2		
	- Four-Wire	BCND4	YZD4/	4.33	None
			XZD4		
	(c) Telephoto Bridging				
	- Per port				
	- Two-Wire	BCNF2	YZT2/	4.33	None
			XZT2		
	- Four-Wire	BCNF4	YXT4/	4.33	None
			XZT4		

Continued

# 7. Special Access Service (Cont'd)

# 7.5 <u>Voice Grade Service</u> (Cont'd)

# 7.5.5 Rates and Charges (Cont'd)

# (C) Optional Features and Functions (Cont'd)

(1) Bridging (Cont'd) (d) DATAPHONE Select- A-Station Bridging Sequential Arrangement Ports - Per Circuit Connected	<u>USOC</u>	S&E <u>Code</u>	Monthly <u>Rates</u>	Nonrecurring <u>Charges</u>
- Two-Wire	DQ2	YXS2/ XZS2	24.07	None
- Four-Wire	DQ4	YZS4/ 1: XZS4	27.86	None
Addressable Arrangement Ports - Per Circuit Connected				
- Two-Wire	KQ2	YZA2/25.80 XZA2	) Non	е
- Four-Wire	KQ4	YZA4/ 1: XZA4	31.35	None
(e) Telemetry and Alarm Bridging Active Bridging Circuit Connections - Per Circuit Connected				
- Split Band	CNLRX	YZSB/ XZSB	9.12	None
- Summation	BCNSA	YZSM/ XZSM	1.55	None
Passive Bridging Circuit Connections - Per Circuit				
Connected	BCNTP	YZPB/ XZPB	0.23	None

Continued

Effective: December 1, 1994

Issued: December 1, 1994

Robert S. Crum

Vice President
Western Region Telephone Operations
8920 Emerald Park Drive
Elk Grove, CA 95624

# 7. Special Access Service (Cont'd)

# 7.5 <u>Voice Grade Service</u> (Cont'd)

# 7.5.5 Rates and Charges (Cont'd)

# (C) Optional Features and Functions (Cont'd)

(2) Conditioning - Per Point of Termination	<u>USOC</u>	S&E <u>Code</u>	Mont Rate	,
- C - Type	X1CPT	YZCD/ XZCD	\$ 6.4	15 None
- Sealing Current	1HBPT	7.202	Non	e None
(3) Improved Return Loss for Effective Four-Wire Transmission - Per Point of Termination - Two-Wire	on 1RL2W	YZR2/	1.91	None
- Four-Wire	1RL4W	XZR2 YZR4/ XZR4	1.91	None
<ul><li>(4) Customer Specified Receive Level</li><li>Per Two-Wire Point of Termination</li></ul>	RLS		None	None
<ul><li>(5) Multiplexing</li><li>Voice to Telegraph Grad</li><li>Per Arrangement</li></ul>	de MQX	YZMT/ 2 XZMT	245.68	None
<ul><li>(6) Data Capability</li><li>Per Point of Termination</li><li>Two-wire</li><li>Four-wire</li></ul>	on XDCPT	YZDD/ XZDD	34.0 27.8	
(7) Telephoto Capability - Per Point of Termination	on XTCPT	YZTC/ XZTC	3.19	None

Continued

Effective: December 1, 1994

Issued: December 1, 1994

Robert S. Crum

Vice President
Western Region Telephone Operations
8920 Emerald Park Drive
Elk Grove, CA 95624

- 7. Special Access Service (Cont'd)
  - 7.5 <u>Voice Grade Service</u> (Cont'd)
    - 7.5.5 Rates and Charges (Cont'd)
      - (C) Optional Features and Functions (Cont'd)

(8) Signaling Capability	<u>USOC</u>	S&E <u>Code</u>	Monthly <u>Rates</u>	Nonrecurring Charges
- Per Point of Termination XS	S++	\$14.89	None	
<ul> <li>In lieu of ++, substitute appropriate two digit code from following list to specify type of signaling.</li> </ul>				
AB		YZAB/XZAB		
AC		YZAC/XZAC		
CT		YZCT/XZCT		
DX		YZDX/XZDX		
DY		YZDY/XZDY		
EA		YZEA/XZEA		
EB		YZEB/XZEB		
EC		YZEC/XZEC		
EX		YZEX/XZEX		
GO		YZGO/XZGO		
GS		YZGS/XZGS		
LA		YZLA/XZLA		
LB		YZLB/XZLB		
LC		YZLC/XZLC		
LO		YZLO/XZLO		
LR		YZLR/XZLR		
LS DV		YZLS/XZLS		
RV		YZRV/XZRV		
SF		YZSF/XZSF		

Continued

#### Special Access Service (Cont'd) 7.

#### 7.5 Voice Grade Service (Cont'd)

#### 7.5.5 Rates and Charges (Cont'd)

# (C) Optional Features and Functions (Cont'd)

(9) Selective Signaling Arrangement	<u>USOC</u>	S&E <u>Code</u>	Monthly <u>Rates</u>	Nonrecurring Charges
- Per Arrangement	USZ	YZSS/ XZSS	\$15.92	None
<ul> <li>(10) Transfer Arrangement</li> <li>(Key Activated* or</li> <li>Dial Up**)</li> <li>Per Four Port</li> <li>Arrangement, including</li> <li>control circuit</li> </ul>				
termination***	USY	YZ4P/ XZ4P	3.41	None
<ul> <li>Per Five Port         Arrangement, in- cluding control     </li> </ul>				
circuit termination***	US5	YZ5P/ XZ5P	7.76	None

An additional Circuit Termination charge will apply whenever a spare circuit is configured as a leg to the customer's premises. Additional circuit mileage charges will apply when the transfer arrangement is not located in the customer premises serving wire center.

Continued

Robert S. Crum Issued: December 1, 1994 Effective: December 1, 1994 Vice President Western Region Telephone Operations

The key activated control circuit is rated as a Metallic Circuit Termination (use USOC T6EME in lieu of T6ECS) and Circuit Mileage, if applicable (use USOC 1L5MX in lieu of 1L5XX).

The Dial-up option requires the customer to purchase the Controller Arrangement (USOC XTDDU) from Section 13.3.8 following.

## 7. Special Access Service (Cont'd)

#### 7.6 Program Audio Service

#### 7.6.1 Basic Circuit Description

A Program Audio circuit is a circuit measured in Hz for the transmission of a complex signal voltage. The actual bandwidth is a function of the channel interface selected by the customer. The nominal frequency bandwidths are from 50 to 15000 Hz, from 200 to 3500 Hz, from 100 to 5000 Hz or from 50 to 8000 Hz. Only one-way transmission is provided. Program Audio circuits are provided between customer designated premise or between a customer designated premise and a Telephone Company hub.

#### 7.6.2 Technical Specifications Packages

		Package AP-				
<u>Parameter</u>	C*	<u>1</u>	<u>2</u>	<u>3</u>	4	
Actual Measured Loss	Χ	Χ	Χ	Χ	X	
Amplitude Tracking	Χ					
Crosstalk	Χ	Χ	Χ	Χ	Χ	
Distortion Tracking X						
Gain/Frequency						
Distortion	Χ	Χ	X	Χ	Χ	
Group Delay	Χ					
Noise	Χ	Χ	Χ	Χ	Χ	
Phase Tracking	Χ					
Short-Term Gain Stability	Χ					
Short-Term Loss	Χ					
Total Distortion	Χ	Χ	Χ	Χ	Χ	

The technical specifications are delineated in Technical Reference PUB 62503 and associated Addendum.

\* The desired parameters are selected by the customer from the list available parameters.

Continued

Issued: December 1, 1994 Robert S. Crum Effective: December 1, 1994
Vice President
Western Region Telephone Operations
8920 Emerald Park Drive
Elk Grove. CA 95624

## 7. Special Access Service (Cont'd)

## 7.6 Program Audio Service (Cont'd)

#### 7.6.3 Channel Interfaces

The following channel interfaces (CIs) define the bandwidths that are available for a Program Audio circuit:

<u>Cl</u> PG-1	<u>Bandwidth</u>
PG-1	Nominal frequency from 50 to 15000 Hz
PG-3	Nominal frequency from 200 to 3500 Hz
PG-5	Nominal frequency from 100 to 5000 Hz
PG-8	Nominal frequency from 50 to 8000 Hz

Compatible channel interfaces are set forth in Section 9 following.

## 7.6.4 Optional Features and Functions

(1) Central Office Bridging Capability

Distribution Amplifier

(2) Gain Conditioning

Control of 1004 Hz AML at initiation of service to OdB ± 0.5 dB.

(3) Stereo

Provision of a pair of gain/phase equalized channels for stereo applications. (Additional AP channels must be ordered separately.)

The following table shows the technical specifications packages with which the optional features and functions are available.

## 7. Special Access Service (Cont'd)

# 7.6 Program Audio Service (Cont'd)

## 7.6.4 Optional Features and Functions (Cont'd)

# (3) Stereo (Cont'd)

					hnical ckage A	.P-
		<u>1</u>			<u>4</u>	
- Central Office Bridging						
Capability	Χ	Χ	Χ	Χ	Χ	
- Gain Conditioning	Χ	Χ	Χ	Χ	Χ	
- Stereo	Χ				Χ	

# 7.6.5 Rates and Charges

0000	
S&E	Monthly Nonrecurring
Code	Rates Charge
	_
TMECS/	Rates and charges as shown
YXB1/XXB1	in Citizens Telecommunications
TMECS/	Interstate Access Tariff
YXB2/XXB2	
TMECS/	
YXB3/XXB3	
TMECS/	
YXB4/XXB4	
	Code  TMECS/ YXB1/XXB1 TMECS/ YXB2/XXB2 TMECS/ YXB3/XXB3 TMECS/

<sup>\*</sup> Daily Rates will be topped and maximum rates derived as set forth in 7.2.3(A) preceding.

Continued

Effective: December 1, 1994

Issued: December 1, 1994

S&E Code

# 7. Special Access Service (Cont'd)

# 7.6 Program Audio Service (Cont'd)

# 7.6.5 Rates and Charges (Cont'd)

(A) Circuit Termination
-Per Point of
Termination(Cont'd)

	- 200 to 3500 H - 100 to 5000 H - 50 to 8000 H - 50 to 15000 H	lz Iz	YXD1/XXD1 YXD2/XXD2 YXD3/XXD3 YXD4/XXD4
		USOC/ S&E <u>Code</u>	Monthly <u>Rates</u>
(B) Circuit N	/lileage		
	3500 Hz	1L5XX/	
- 100 to	5000 Hz	YX1A/XX1A 1L5XX/ YX2A/XX2A	Rates and charges as shown in Citizens Tele- communications Inter-
- 50 to	8000 Hz	1L5XX/ YX3A/XX3A	state Access Tariff
- 50 to	15000 Hz	1L5XX/ YX4A/XX4A	
Per mile		17(17(7)(1)(	
- 200 to	3500 Hz	YX11/XX11	Rates and charges as
- 100 to	5000 Hz	YX21/XX21	shown in Citizens Tele-
- 50 to	8000 Hz	YX31/XX31	communications Inter-
- 50 to	15000 Hz	YX41/XX41	state Access Tariff

Continued

Effective: December 1, 1994

Issued: December 1, 1994

## 7. Special Access Service (Cont'd)

# 7.6 Program Audio Service (Cont'd)

# 7.6.5 Rates and Charges (Cont'd)

000,	
S&E	Daily
<u>Code</u>	Rates*
YX1Z/XX1Z	Rates as shown in
YX2Z/XX2Z	Citizens Telecommunications
YX3Z/XX3Z	Interstate Tariff
YX4Z/XX4Z	
YX61/XX61	Rates as shown in
YX71/XX71	Citizens Telecommunications
YX81/XX81	Interstate Tariff
YX91/XX91	
	Code  YX1Z/XX1Z YX2Z/XX2Z YX3Z/XX3Z YX4Z/XX4Z  YX61/XX61 YX71/XX71 YX81/XX81

#### (C) Optional Features and Functions

Rates and charges for the Optional Features and Functions of Program Audio Service listed in this section apply to all jurisdictions.

\* Daily Rates will be topped and maximum rates derived as set forth in 7.2.3(A) preceding.

#### 7. Special Access Service (Cont'd)

#### Program Audio Service (Cont'd) 7.6

#### Rates and Charges (Cont'd) 7.6.5

(C) Optional Features and Functions (Cont'd)

	<u>USOC</u>	S&E <u>Code</u>	Monthly <u>Rates</u>	S&E <u>Code</u>	Daily* <u>Rates</u>
- Bridging, Dis- tribution					
Amplifier - Per Port	BCNPT	YXBD/ XXBD	Rates and charges as shown in Citizens Telecommunication Interstate Tariff	YXDD/ XXDD s commun	Rates and charges as shown in Citizens Tele-i-cations Interstate Tariff
- Gain Conditioning - Per Service	XGC	YXCG/ XXCG	Rates and charges as shown in Citizens Telecommunication Interstate Tariff	YXG1/ XXG1 s commun	Rates and charges as shown in Citizens Tele-
- Per Service	XSC		None		None

Continued

Effective: December 1, 1994

Issued: December 1, 1994

r	Daily rates will be to	opped and maximum rate	es derived as set forth	in 7.2.3(A) preceding.

#### 7. Special Access Service (Cont'd)

#### 7.7 Video Services

#### 7.7.1 Basic Circuit Description

A Video circuit is a circuit with one-way transmission capability for a standard 525 line/60 field monochrome, or National Television Systems Committee color video signal and one or two associated 5 or 15 kHz audio signal(s). The bandwidth for a video circuit is either 30 Hz to 4.5 MHz or 30 Hz to 6.6 MHz. The associated audio signal(s) may be either duplexed or provided as one or two separate circuits. The provision and the bandwidth of the associated audio signal(s) is a function of the channel interface selected by the

customer. Video circuits are provided between customer designated premises or between a customer designated premise and a Telephone Company hub.

## 7.7.2 <u>Technical Specifications Packages</u>

	_Pa	ackage	e TV-
<u>Parameter</u>	<u>C</u> *	1	2
Amplitude vs. Frequency Response	Χ		
Chrominance/Luminance Inequalities			
- Gain	Χ	Χ	Χ
- Delay	Χ	Χ	Χ
Chrominance/Luminance Intermodulation	Χ		
Chrominance Nonlinear Gain	Χ		
Chrominance Nonlinear Phase	Χ		
Crosstalk	Χ		Χ
Differential Gain	Χ	Χ	Χ
Differential Phase	Χ	Χ	Χ
Dynamic Gain (picture and			
sync signal)	Χ		
Field-Time Distortion	Χ	Χ	Χ
Gain/Frequency Distortion	Χ	X	Χ
Gain Stability	Χ	Χ	Χ

	The desired	parameters ar	e selected by	the customer	from the list	of available	parameters.
--	-------------	---------------	---------------	--------------	---------------	--------------	-------------

# 7. Special Access Service (Cont'd)

#### 7.7 <u>Video Services</u> (Cont'd)

# 7.7.2 <u>Technical Specifications Packages</u> (Cont'd)

		<u>Pa</u>	ackage	e TV-
Parameter (Cont'd)		<u>C</u> *	<u>1</u>	<u>2</u>
Insertion Gain		Χ	Χ	Χ
Line-Time Distortion		Χ	X	Χ
Long-Time Distortion		Χ	X	Χ
Luminance Nonlinearity		Χ		
Luminance Signal/CCIR				
Weighted Noise	X	Χ	X	
Short-Time Distortion				
2 T Pulse	X	Χ	X	
T - Bar Ringing		Χ	X	X
Signal/15 kHz Flat				
Weighted Noise	X	Χ	X	
Signal/Low Frequency Noise		Χ		
Stereo Gain Difference		Χ	X	
Stereo Phase Difference	X	Χ		
Total Harmonic Distortion	X	Χ	X	
Transient Sync Signal				
Non-Linearity		Χ		
Video/Audio Delay Difference		Χ		

The technical specifications are delineated in Technical Reference PUB 62504 and associated Addendum.

\* The desired parameters are selected by the customer from the list of available parameters.

Continued

Elk Grove, CA 95624

# 7. Special Access Service (Cont'd)

## 7.7 <u>Video Services</u> (Cont'd)

#### 7.7.3 Channel Interfaces

The following channel interfaces (CIs) define the bandwidth and the provision of the audio signal(s) associated with a Video circuit:

<u>CI</u>	Audio <u>Bandwidth</u>	Provision
2TV6-1	15kHz	1 Channel, duplexed
2TV6-2	15kHz	2 Channels, duplexed
2TV7-1	15kHz	1 Channel, duplexed
2TV7-2	15kHz	2 Channels, duplexed
4TV6-5	5kHz	1 Channel, separate
4TV6-15	15kHz	1 Channel, separate
4TV7-5	5kHz	1 Channel, separate
4TV7-15	15kHz	1 Channel, separate
6TV6-5	5kHz	2 Channels, separate
6TV6-15	15kHz	2 Channels, separate
6TV7-5	5kHz	2 Channels, separate
6TV7-15	15kHz	2 Channels, separate

Compatible channel interfaces are set forth in Section 9 following.

## 7.7.4 Rates and Charges

#### (A) Circuit Termination

- Per Point of Termination

Monthly Rates and Nonrecurring Charges for all jurisdictions will be determined on an Individual Case Basis and filed in Section 7.12 following.

Continued

# 7. Special Access Service (Cont'd)

#### 7.7 <u>Video Services</u> (Cont'd)

## 7.7.4 Rates and Charges (Cont'd)

# (A) Circuit Termination (Cont'd)

Available frequency bandwidths and USOC formats are as follows:

Frequency Bandwidths	<u>USOC</u>
- TV - 1 or 2	TWT++
- 4TV - 5	TWT++
- 6TV - 5	TWT++
- TV - 15	TWT++

# (B) <u>Circuit Mileage</u>

Fixed and Per Mile Monthly Rates for all jurisdictions will be determined on an Individual Case Basis and filed in 7.12 following.

Available mileage bands and USOC formats are as follows:

Mileage <u>Bands</u>	USOC
0 Over 0 to 4 Over 4 to 8 Over 8 to 25 Over 25 to 50 Over 50	1LO++ 1LO++ 1LO++ 1LO++ 1LO++

## 7. Special Access Service (Cont'd)

## 7.8 Wideband Analog Services

#### 7.8.1 Basic Circuit Description

A Wideband Analog circuit is a circuit with a bandwidth measured in kHz for the transmission of a wideband signal. The actual bandwidth is a function of the channel interface selected by the customer. The bandwidths are from 60 to 108 kHz (Group), from 312 to 552 kHz (Supergroup), from 564 to 3084 kHz (Mastergroup), from 300 Hz to 18 kHz, from 29 to 44 kHz or from 28 to 44 kHz. Wideband Analog circuits are provided between customer designated premises or between a customer designated premise and a Telephone Company hub.

#### 7.8.2 Technical Specifications Packages

		Package WA-				
<u>Parameter</u>	1	2	2A	3	4	
Amplitude Stability X	Χ					
Background Noise	Χ	Χ	Χ	Χ	Χ	
Frequency Shift	Χ	Χ	Χ			
Gain/Frequency						
Characteristics of:						
- Group Connections	Χ			Χ	Χ	
<ul> <li>Supergroup</li> </ul>						
Connections	Χ					
<ul> <li>Mastergroup</li> </ul>						
Connections		Χ				
Impulse Noise	Χ	Χ	Χ			
Net Loss Variations	Χ	Χ	Χ	Χ	Χ	
Pilot Slot		Χ	Χ			
Spurious Single						
Frequency Tone	Χ	Χ	Χ			

The technical specifications are delineated in Technical Reference PUB 62505 and associated Addendum.

# 7. Special Access Service (Cont'd)

# 7.8 <u>Basic Circuit Description</u> (Cont'd)

#### 7.8.3 Channel Interfaces

The following channel interfaces (CIs) define the bandwidths that are available for a Wideband Analog channel:

<u>CI</u>	<u>Bandwidth</u>
AH-B AH-C AD-D WD-1 WD-2 WD-3	60 kHz to 108 kHz (Group) 312 kHz to 552 KHz (Supergroup) 564 kHz to 3084 kHz (Mastergroup) 300 Hz to 18 kHz 29 kHz to 44 kHz 28 kHz to 44 kHz

Compatible channel interfaces are set forth in Section 9 following.

#### 7.8.4 Optional Features and Functions

#### (A) Central Office Multiplexing

#### (1) Mastergroup to Supergroup

An arrangement that converts a Mastergroup circuit to ten Supergroup circuits using frequency division multiplexing.

#### (2) Supergroup to Group

An arrangement that converts a Supergroup circuit to five Group circuits using frequency division multiplexing.

Continued

- 7. Special Access Service (Cont'd)
  - 7.8 <u>Basic Circuit Description</u> (Cont'd)
    - 7.8.4 Optional Features and Functions (Cont'd)
      - (A) Central Office Multiplexing (Cont'd)
        - (3) Group to Voice

An arrangement that converts a Group circuit to twelve Voice Grade circuits using frequency division multiplexing.

(4) Group to DS1

An arrangement that converts two Group circuit to DS1 circuit using analog to digital conversion.

The following table shows the technical specifications packages with which the optional features and functions are available.

Available with Technical Specifications Package WA-1 2 2A 3 4

Central Office
Multiplexing:
Mastergroup to Supergroup
Supergroup to Group
Group to Voice
Group to DS1\*



\* Requires two 60-108 kHz Circuit Terminations and Circuit Mileage, one 1.544 Mbps Circuit Mileage and either a 1.544 Circuit Termination or a DS1 to Voice Multiplexing optional feature, depending on whether the service terminates at a customer's premise or was purchased as a facility, to a Telephone Company hub for multiplexing to Voice Grade.

Continued

Elk Grove, CA 95624

## 7. Special Access Service (Cont'd)

# 7.8 <u>Basic Circuit Description</u> (Cont'd)

## 7.8.5 Rates and Charges

#### (A) Circuit Termination

- Per Point of Termination

Monthly Rates and Nonrecurring Charges for all jurisdictions will be determined on an Individual Case Basis and filed in Section 7.12 following.

Available frequency bandwidths and USOC formats are as follows:

Frequen Bandwidt	cy :hs_	<u>USOC</u>
60 kHz 312 kHz 564 kHz 300 Hz 29 kHz	<ul><li>108 kHz</li><li>552 kHz</li><li>3084 kHz</li><li>18 kHz</li><li>44 kHz</li></ul>	TWT++ TWT++ TWT++ TWT++ TWT++

#### (B) Circuit Mileage

Fixed and Per Mile Monthly Rates for all jurisdictions will be determined on an Individual Case Basis and filed in Section 7.12 following.

Available bandwidths and USOC formats are as follows.

Frequence Bandwidt		<u>USOC</u>
312 kHz 564 kHz 300 Hz	<ul> <li>108 kHz</li> <li>552 kHz</li> <li>3084 kHz</li> <li>18 kHz</li> <li>44 kHz</li> </ul>	1LO++ 1LO++ 1LO++ 1LO++ 1LO++

Continued

Effective: December 1, 1994

Issued: December 1, 1994

- 7. Special Access Service (Cont'd)
  - 7.8 <u>Basic Circuit Description</u> (Cont'd)
    - 7.8.5 Rates and Charges (Cont'd)
      - (C) Optional Features and Functions
        - (1) Multiplexing

Fixed and Per Mile Monthly Rates for all jurisdictions will be determined on an Individual Case Basis and filed in 7.12 following.

Available multiplexing arrangements and USOC formats are as follows:

Multiplexing USOC Arrangement (Per Arrangement)

Mastergroup to Supergroup
Supergroup to Group
MQ9++
Group to Voice
Group to DS1\*
MQ9++
MQS++
MQV++
MQG++

\* Requires two 60-108 kHz Circuit Terminations and Circuit Mileage, one 1.544 Mbps Circuit Mileage and either a 1.544 Circuit Termination or a DS1 to Voice Multiplexing optional feature, depending on whether the service terminates at a customer's premise or was purchased as a facility, to a Telephone Company hub for multiplexing to Voice Grade.

Continued

## 7. Special Access Service (Cont'd)

#### 7.9 Wideband Data Service

#### 7.9.1 Basic Circuit Description

A Wideband Data circuit is an analog circuit for the transmission of synchronous serial data at the rate of 19.2, 50.0, or 230.4 kbps or of asynchronous serial data at rates of up to 19.2, 50.0, or 230.4 kbps. Optional arrangements are available for transmission of synchronous serial data at 18.75 or 40.8 kbps. The actual bit rate is a function of the channel interface selected by the customer. This service requires a 303 Data Station(s). The 303 Data Station provides coupling between the customers business machine and the wideband data transmission medium. A voice band coordinating channel is also provided. Wideband Data circuits are provided between customer designated premises.

#### 7.9.2 Technical Specifications Packages

	Package WD-			
Parameter	1	2	3	
Error-Free Seconds	$\overline{X}$	$\overline{X}$	$\overline{X}$	

While in service, the monthly average of error-free seconds will be equal to or greater than 98.75%.

#### 7.9.3 Channel Interfaces

The following channel interfaces (CIs) define the bit rates that are available for a Wideband Data circuit:

## 7. Special Access Service (Cont'd)

#### 7.9 <u>Wideband Data Service</u> (Cont'd)

## 7.9.3 Channel Interfaces (Cont'd)

CI	Bit Rate
WB-18S WB-19A WB-19S WB-23A WB-23S WB-40S WB-50A	18.75 kbps, synchronous up to 19.2 kbps, asynchronous 19.2 kbps, synchronous up to 230.4 kbps, asynchronous 230.4 kbps, synchronous 40.8 kbps, synchronous up to 50.0 kbps, asynchronous
WB-50S	50.0 kbps, synchronous

Compatible channel interfaces are set forth in Section 9 following.

# 7.9.4 Optional Features and Functions

#### (A) Key Activated Transfer Arrangement

An arrangement that affords the customer an additional measure of flexibility in the use of their access circuit(s). The arrangement can be utilized to transfer a leg of a Special Access Service to either a spare or working circuit that terminates in either the same or a different customer premises. A key activated control service is required to operate the transfer arrangement. A spare circuit, if required, is not included as a part of the option.

The following table shows the technical specifications packages with which the optional features and functions are available.

Available with Technical Specifications Package WD-1 2 3

X X X

Key Activated Transfer Arrangement

Effective: December 1, 1994

Continued

Issued: December 1, 1994

Robert S. Crum Vice President

Western Region Telephone Operations 8920 Emerald Park Drive Elk Grove. CA 95624

- 7. Special Access Service (Cont'd)
  - 7.9 <u>Wideband Data Service</u> (Cont'd)
    - 7.9.5 Rates and Charges
      - (A) Circuit TerminationPer Point of Termination

USOC/ S&E Code	_		Nonrecurring Charge	
50.0 or 40.8 Kbps TM	ECS/ YUT2/XU	\$473 JT2	.31	ICB

For data speeds other than 40.8 and 50.0 kbps:

Monthly Rates for the Circuit Termination rate element of Wideband Data Service for all jurisdictions will be determined on an Individual Case Basis and filed in 7.12 following.

Available data speeds and USOC formats are as follows:

Data S	<u>Speed</u>	<u>USOC</u>
18.75	kbps	TWT++
19.2	kbps	TWT++
230.4	kbps	TWT++

Continued

# 7. Special Access Service (Cont'd)

#### 7.9 <u>Wideband Data Service</u> (Cont'd)

## 7.9.5 Rates and Charges (Cont'd)

#### (B) Circuit Mileage

50.0 or	USOC/ S&E <u>Code</u>	Monthly <u>Rates</u>
40.8 kbps Fixed	1L5XX/ YU21	\$11.49
Per Mile	1L5XX/ XU21	\$42.90

For data speeds other than 40.8 and 50.0 kbps:

Fixed and Per Mile Monthly Rates for the Circuit Mileage rate element of Wideband Data Service for all jurisdictions will be determined on an Individual Case Basis and filed in 7.12 following.

Available data speeds and USOC formats are as follows:

Data Speed	<u>USOC</u>	S&E <u>Code</u>
18.75 kbps	1LOXX	YU11/XU11
19.2 kbps	1LOXX	YU11/XU11
230.4 kbps	1LOXX	YU31/XU31

## 7. Special Access Service (Cont'd)

- 7.9 <u>Wideband Data Service</u> (Cont'd)
  - 7.9.5 Rates and Charges (Cont'd)
    - (C) Optional Features and Functions

Monthly Rates and Nonrecurring Charges for all jurisdictions will be determined on an Individual Case Basis and filed in 7.12 following.

Available Optional Features and Functions and USOC formats are as follows.

Optional Features S&E
and Functions USOC Code
Key Activated

Transfer Arrangement

 Per Four Port Arrangement, including

control circuit termination\* UTK++ YUKA/

# (D) 303 Data Station

Monthly Rates and Nonrecurring Charges for all jurisdictions will be determined on an Individual Case Basis and filed in 7.12 following.

S&E
303 Data Station <u>USOC Code</u>
- Per Point of TerminationTDQ++ YUDS/
XUDS

\* The key activated control circuit is rated as a Metallic Circuit Termination (use USOC TMEME in lieu of TMECS) and Circuit Mileage, if applicable (use USOC 1L5MX in lieu of 1L5XX).

Continued

Issued: December 1, 1994 Robert S. Crum Effective: December 1, 1994
Vice President
Western Region Telephone Operations
8920 Emerald Park Drive

## 7. Special Access Service (Cont'd)

#### 7.10 <u>Digital Data Service</u>

#### 7.10.1 Basic Circuit Description

A Digital Data circuit is a circuit for duplex four-wire transmission of synchronous serial data at the rate of 2.4, 4.8, 9.6 or 56 Kbps. The actual bit rate is a function of the channel interface selected by the customer. The circuit provides a synchronous service with timing provided by the Telephone Company through the Telephone Company's facilities to the customer in the received bit stream. Digital Data circuits are only available via Telephone Company designated hubs and are provided between customer designated premises or between a customer designated premise and a Telephone Company hub.

The customer may provide the Channel Service Unit-type equipment or other Network Channel Terminating Equipment associated with the Digital Data circuit at the customer premises. The interim program for interconnection of such equipment is set forth in Technical Reference PUB AS No. 1.

## 7.10.2 <u>Technical Specifications Packages</u>

	Package DA				
Parameter	1	2	<u>3</u>	4	
Frror-Free Seconds	$\overline{X}$	X	_ X		Χ

The Telephone Company will provide a circuit capable of meeting a monthly average performance equal to or greater than 99.875% error-free seconds while the circuit is in service, if it is measured through a CSU equivalent which is designed, manufactured, and maintained to conform with the specifications contained in Technical Reference PUB 62310.

Voltages which are compatible with Digital Data Service are delineated in Technical Reference PUB 62507.

## 7. Special Access Service (Cont'd)

#### 7.10 <u>Digital Data Service</u> (Cont'd)

#### 7.10.3 Channel Interfaces

The following channel interfaces (CIs) define the bit rates that are available for a Digital Data circuit.

CI	Bit Rate
DU-24	2.4 Kbps
DU-48	4.8 Kbps
DU-96	9.6 Kbps
DU-56	56.0 Kbps

Compatible channel interfaces are set forth in Section 9 following.

#### 7.10.4 Optional Features and Functions

(1) Central Office Bridging Capability

#### (2) Transfer Arrangement

An arrangement that affords the customer an additional measure of protection and/or flexibility in the use of the customer's access circuit(s) on a 1xN basis. The arrangement can be utilized to transfer a leg of a Special Access Service to either a spare or working circuit that terminates in either the same or a different customer designated premises. This arrangement is only available at a Telephone Company designated hub. A key activated or dial-up control service is required to operate the transfer arrangement. A spare circuit, if required, is not included as a part of the option.

#### 7. Special Access Service (Cont'd)

# 7.10 <u>Digital Data Service</u> (Cont'd)

#### Rates and Charges 7.10.5

	USOC/		
	S&E	Monthly	Nonrecurring
(A) Circuit Termination	<u>Code</u>	Rates	<u>Charge</u>
(A) Circuit Termination - Per Point of			
Termination			
- 2.4 kbps	TMECS/	\$ 52.11	_
- 2. <del>4</del> Rbp3	YYT1/XYT1	ψ 52.11	_
- 4.8 kbps	TMECS/	52.11	_
no nopo	YYT2/XYT2	02.11	
<ul> <li>9.6 kbps</li> </ul>	TMECS/	52.11	-
0.0	YYT3/XYT3		
-56.0 kbps	TMECS/	56.45	-
·	YYT4/XYT4		
(B) Circuit Mileage			
Fixed			
<ul> <li>2.4 kbps</li> </ul>	1L5XX/	8.84	-
	YY11/XY11		
<ul> <li>4.8 kbps</li> </ul>	1L5XX/	8.84	-
0.011	YY21/XY21	0.04	
<ul> <li>9.6 kbps</li> </ul>	1L5XX/	8.84	-
50.011	YY31/XY31	47.00	
-56.0 kbps	1L5XX/	17.68	-
Per mile	YY41/XY41		
	1L5XX/	2.80	
- 2.4 kbps	YY61/XY61	2.00	-
- 4.8 kbps	1L5XX/	2.80	_
- 4.0 Kbps	YY71/XY71	2.00	_
- 9.6 kbps	1L5XX/	2.80	_
o.o Ropo	YY81/XY81	2.00	
-56.0 kbps	1L5XX/	5.60	-
2 2 2 2 2 2 2 2	YY91/XY91	3.34	

Continued

Effective: December 1, 1994

Issued: December 1, 1994

# 7. Special Access Service (Cont'd)

## 7.10 <u>Digital Data Service</u> (Cont'd)

## 7.10.5 Rates and Charges (Cont'd)

## (C) Optional Features and Functions

Monthly Rates and Nonrecurring Charges for the Optional Features and Functions of Digital Data Service listed in this section apply to all jurisdictions.

Optional Features and Functions	<u>USOC</u>	S&E <u>Code</u>	Monthly <u>Rates</u>	Nonrecurring Charges
(1) Bridging - Per Port	BCNDA	YYBP/ XYBP	\$ 26.93	None
<ul><li>(2) Loop Transfer     Arrangement     (Key Activated*     or Dial-Up**)     - Per Four-Port     Arrangement***</li></ul>	XTD	YYLT/ XYLT	6.75	None

\*\*\* An additional Circuit Termination charge will apply whenever a spare circuit is configured as a leg to the customer's premises. Additional Circuit Mileage charges will also apply when the transfer arrangement is not located in the customer premises serving wire center.

<sup>\*</sup> The key activated control is rated as a Metallic Circuit Termination (Use USOC T6EME in lieu of T6ECS) and Circuit Mileage, if applicable (Use USOC 1L5MX in lieu of 1L5XX).

<sup>\*\*</sup> The Dial-Up option requires the customer to purchase the Controller Arrangement (USOC XTDDU) from Section 8.6(A) following.

## 7. Special Access Service (Cont'd)

#### 7.10 <u>Digital Data Service</u> (Cont'd)

## 7.10.5 Rates and Charges (Cont'd)

## (D) Channel Service Unit

Monthly Rates and Nonrecurring Charges for the Channel Service Unit\* of Digital Data Service listed in this section apply to all jurisdictions.

Channel Service Limit* - Per Point of Termination	USOC	S&E Monthly Code Rate	
where provided	11		
- 2.4 Kbps	TSH24 YYC1/ XYC1	\$18.60	None
- 4.8 Kbps	TSH48 YYC2/ XYC2	19.88	None
- 9.6 Kbps	TSH96 YYC3/ XYC3	20.85	None
- 56.0 Kbps	TSH56 YYC4/ XYC4	21.73	None

Continued

Effective: December 1, 1994

<sup>\*</sup> Channel Service Units will only be provided under tariff if they existed in the Telephone Company's inventory as of November 18, 1983.

## 7. <u>Special Access Service</u> (Cont'd)

#### 7.11 High Capacity Services

#### 7.11.1 Basic Circuit Description

A High Capacity circuit is a circuit for the transmission of nominal 64.0 kbps\* or 1.544, 3.152, 6.312, 44.736, or 274.176 Mbps isochronous serial data. The actual bit rate is a function of the channel interface selected by the customer. High Capacity circuits are provided between customer designated premises or between a customer designated premise and a Telephone Company hub.

The customer may provide the Network Channel Terminating Equipment associated with the High Capacity circuit at the customer's premises. The interim program for interconnection of such equipment is set forth in Technical Reference PUB AS No. 1.

# 7.11.2 <u>Technical Specifications Packages</u>

	Package HC						
<u>Parameter</u>	0	1	<u>1C</u>	<u>2</u>	3	4	
Error-Free Seconds		Χ					

A circuit with technical specifications package HC1 will be capable of an error-free second performance of 98.75% over a continuous 24 hour period as measured at the 1.544 Mbps rate through a CSU equivalent which is designed, manufactured, and maintained to conform with the specifications contained in Technical Reference PUB 62411.

\* Available only as a circuit of a 1.544 Mbps facility to a Telephone Company Digital Data hub or as a cross connect of two 2.4, 4.8, 9.6, 56.0, or 64.0 kbps circuits of two 1.544 Mbps facilities to a Digital Data hub(s). The customer must provide system and channel assignment data.

## 7. Special Access Service (Cont'd)

## 7.11 <u>High Capacity Services</u> (Cont'd)

#### 7.11.3 Channel Interfaces

The following channel interfaces (CIs) define the bit rates that are available for a High Capacity circuit:

<u>CI</u>	Bit Rate
DS-15*	1.544 Mbps (DS1)
DS-27	274.176 Mbps (DS4)
DS-31	3.152 Mbps (DS1C)
DS-44	44.736 Mbps (DS3)
DS-63	6.312 Mbps (DS2)

Compatible channel interfaces are set forth in Section 9.3.5 following.

#### 7.11.4 Optional Features and Functions

#### (1) Automatic Loop Transfer

The Automatic Loop Transfer provides protection on a 1xN basis against failure of the facilities between a customer designated premise and the wire center serving that premise. Protection is furnished through the use of a switching arrangement that automatically switches to a spare circuit line when a working line fails. The spare circuit is not included as a part of the option. This option requires compatible equipment at both the serving wire center and the customer premises. The customer is responsible for providing the equipment at its premises. Equipment at the customer premises will be provided under tariff only if it existed in the Telephone Company inventory as of November 18, 1983.

Continued

Issued: December 1, 1994 Robert S. Crum Effective: December 1, 1994
Vice President
Western Region Telephone Operations
8920 Emerald Park Drive

<sup>\*</sup> A 64.0 kbps circuit is available as a circuit(s) of a 1.544 Mbps facility to a Telephone Company hub.

## 7. Special Access Service (Cont'd)

## 7.11 <u>High Capacity Services</u> (Cont'd)

#### 7.11.4 Optional Features and Functions (Cont'd)

## (2) <u>Transfer Arrangement</u>

An arrangement that affords the customer an additional measure of flexibility in the use of the customer's access circuit(s). The arrangement can be utilized to transfer a leg of a Special Access Service to either a spare or working circuit that terminates in either the same or a different customer designated premise. A key activated or dial-up control service is required to operate the transfer arrangement. A spare circuit, if required, is not included as part of the option.

## (3) Central Office Multiplexing

#### (a) DS4 to DS1

An arrangement that converts a 274.176 Mbps circuit to 168 DS1 circuits using digital time division multiplexing.

#### (b) DS3 to DS1

An arrangement that converts a 44.736 Mbps circuit to 28 DS1 circuits using digital time division multiplexing.

#### (c) <u>DS2 to DS1</u>

An arrangement that converts a 6.312 Mbps circuit to four DS1 circuits using digital time division multiplexing.

## 7. Special Access Service (Cont'd)

## 7.11 <u>High Capacity Services</u> (Cont'd)

# 7.11.4 Optional Features and Functions (Cont'd)

#### (3) <u>Central Office Multiplexing</u> (Cont'd)

#### (d) DS1C to DS1

An arrangement that converts a 3.152 Mbps circuit to two DS1 circuits using digital time division multiplexing.

#### (e) DS1 to Voice

An arrangement that converts a 1.544 Mbps circuit to 24 circuits for use with Voice Grade Services. A circuit at this DS1 to the hub can also be used for a Digital Data Service.

#### (f) DS1 to DS0

An arrangement that converts a 1.544 Mbps circuit to 23 64.0 kbps circuits utilizing digital time division multiplexing.

#### (g) DSO to Subrate

An arrangement that converts a 64.0 kbps circuit to subspeeds of up to twenty 2.4 kbps, ten 4.8 kbps, or five 9.6 kbps circuits using digital time division multiplexing.

Effective: December 1, 1994

- 7. Special Access Service (Cont'd)
  - 7.11 <u>High Capacity Services</u> (Cont'd)
    - 7.11.4 Optional Features and Functions (Cont'd)
      - (3) Central Office Multiplexing (Cont'd)
        - (g) DSO to Subrate (Cont'd)

The following table shows the technical specifications packages with which the optional features and functions are available.

_			with 1			HC-
	0	<u>1</u>	<u>1C</u>	<u>2</u>	<u>3</u>	<u>4</u>
Automatic Loop Transfer Central Office Multiplexing: DS4 to DS1 DS3 to DS1 DS2 to DS1		X	V	X	X	X
DS1C to DS1 DS1 to Voice		X	Х			
DS1 to DS0	V	Χ				
DS0 to Subrate* Transfer Arrangement	X	Х				

Continued

Effective: December 1, 1994

Issued: December 1, 1994

<sup>\*</sup> Available only on a circuit of a 1.544 Mbps facility to a Telephone Company hub.

## 7. Special Access Service (Cont'd)

## 7.11 <u>High Capacity Services</u> (Cont'd)

## 7.11.5 Rates and Charges

(A) Circuit Termination	USOC/ S&E <u>Code</u>	Monthly <u>Rates</u>	Nonrecurring Charge
Per Point of Termination 1.544 Mbps	TMECS/ YCT1/XCT1	\$209.73	\$388.00

Frequency bandwidths other than 1.544 mbps:

Monthly Rates and Nonrecurring Charges for the Circuit Termination rate element of High Capacity Service for all jurisdictions will be determined on an Individual Case Basis and filed in Section 7.12 following.

Frequency <u>Bandwidths</u>	<u>USOC</u>
64 Kbps	TWT++
3.152 Mbps	TWT++
6.312 Mbps	TWT++
44.736 Mbps	TWT++
274.176 Mbps	TWT++

Continued

Effective: December 1, 1994

# 7. Special Access Service (Cont'd)

#### 7.11 <u>High Capacity Services</u> (Cont'd)

## 7.11.5 Rates and Charges (Cont'd)

(B) Circuit Mileage 1.544 Mbps Fixed		USOC/ S&E <u>Code</u>	Monthly Rates	
	1L5XX/ YC11/XC11	\$ 51.70		
	Per mile	1L5XX/ YCB1/XCB1	42.90	

For frequency bandwidths other than 1.544 Mbps:

Fixed and Per Mile Monthly Rates for the Circuit Mileage rate element of High Capacity Service for all jurisdictions will be determined on an Individual Case Basis and filed in 7.12 following.

Frequen Bandwid	cy <u>lths</u>	<u>USOC</u>
64 3.152 6.312 44.736	Mbps Mbps	1L5XX (Fixed), 1L5XX (Per Mile) 1LO++ 1LO++ 1LO++
274.176	Mbps	1LO++

# (C) Optional Features and Functions

Rates and charges for the Optional Features and Functions of High Capacity Service listed in this section apply to all jurisdictions.

Continued

Effective: December 1, 1994

## 7. Special Access Service (Cont'd)

## 7.11 <u>High Capacity Services</u> (Cont'd)

## 7.11.5 Rates and Charges (Cont'd)

# (C) Optional Features and Functions (Cont'd)

		S&E	Monthly	/ Installation
	USOC	Code	Rates	Charges
(1) Multiplexing				
DS4 to DS1				
- Per arrangementMXA	++ YCMA/		N	lone
D00 to D04		XCMA		
DS3 to DS1	· · · VOMO/	IOD	NI	
- Per arrangementMXB	s++ YCM3/	ICB XCM3	None	
DS2 to DS1				
<ul> <li>Per arrangementMXD</li> </ul>	)++ YCM2/	ICB	N	lone
		XCM2		
DS1C to DS1				
- Per arrangementMXH	I++ YCM1/	ICB XCM1	١	lone
DS1 to Voice*				
- Per arrangementMQ1	YCM	V/ \$360.4 XCMV	4 None	
DS1 TO DSO		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
- Per arrangementQML	J YCM:	S/ 624.9 XCMS	1 None	
DSO to Subrates		ACIVIC		
- Per arrangement				
Up to 20 2.4 kpbs				
services	QSU24	YCS2/	511.06	None
331 11333	QCC2 i	XCS2	011.00	110110
Up to 10 4.8 kbps		7,002		
services	QSU48	YCS4	263.41	None
331 11333	QCC 10	XCS4	200.11	110110
Up to 5 9.6 kbps		7,001		
services	QSU96	YCS9/	183.12	None
33333		XCS9	. 55.12	

<sup>\*</sup> A circuit of this DS1 to the hub can be used for Digital Data service. ICB rates and charges are filed in

Continued

Effective: December 1, 1994

Issued: December 1, 1994

7.12 following.

#### Special Access Service (Cont'd) 7.

# 7.11 High Capacity Services (Cont'd)

#### 7.11.5 Rates and Charges (Cont'd)

## (C) Optional Features and Functions (Cont'd)

		USOC	S&E <u>Code</u>	Monthly <u>Rates</u>	Installation <u>Charges</u>
(2)	Automatic Loop Transfer				
	- Per arrangement*	T59	YCAL/ XCAL	\$ 440.13	None
(3)	Transfer Arrangement (key activated** or dial up***) - Per four port arrangement including control channel				
	termination****)	USV	YCTA/ XCTA	187.03	None

An additional Circuit Termination charge will apply whenever a spare circuit is configured as a leg to the customers premises. Additional circuit mileage charges will also apply when the transfer arrangement is not located in the customer premises serving wire

Continued

Robert S. Crum Issued: December 1, 1994 Effective: December 1, 1994 Vice President Western Region Telephone Operations 8920 Emerald Park Drive

An additional Circuit Termination charge will apply whenever the spare line is provided as a leg to the customer premises.

The key activated control circuit is rated as a Metallic Circuit Termination (use USOC 1L5MX in lieu of 1L5XX).

The Dial-up option requires the customer to purchase the Controller Arrangement (USOC XTDDU) from Section 8.7 following.

center.

Continued

Effective: December 1, 1994

#### Special Access Service (Cont'd) 7.

#### 7.11 <u>High Capacity Services</u> (Cont'd)

## 7.11.5 Rates and Charges (Cont'd)

#### (D) Network Channel Terminating Equipment (NCTE)#

	USOC	S&E <u>Code</u>	Monthly <u>Rates</u>	Installation Charges
- Per Point of termina	ation			
where provided	TNICAE	VOOT/	00.00	Nicos
- 1.544 Mbps	TN615	YCCT/ XCCT	96.02	None
<ul> <li>Automatic Loop</li> </ul>				
Transfer	TN6AL	YCCA/ XCCA	1,013.35	None

#### 7.12 Individual Case Filing

Rates and Charges for Special Access Service provided on an individual case basis are filed following:

Issued: December 1, 1994

<sup>#</sup> NCTE will only be provided under tariff if it existed in the Telephone Company's inventory as of November 18, 1983.

## 8. <u>Miscellaneous Services</u>

In this section normally scheduled working hours are an employee's scheduled work period in any given calendar day (e.g., 7:00 a.m. to 4:00 p.m.) for the application of rates based on working hours. Basic Time is that time during normally scheduled working hours. Overtime is that time outside of normally scheduled working hours. Premium Time is that time outside of normally scheduled working days.

A call-out of a Telephone Company employee at a time not consecutive with the employee's scheduled work period is subject to a minimum charge of four hours. Work subject to Premium Time is always subject to a minimum charge of four hours.

## 8.1 <u>Additional Engineering</u>

Additional Engineering will be provided by the Telephone Company at the request of the customer or when the Telephone Company determines that Additional Engineering is necessary to accommodate a customer's request.

Additional Engineering is provided when:

- (A) A customer requests additional technical information beyond that normally included by the Telephone Company on the Design Layout Report (DLR) as set forth in Sections 6.4(F) and 7.1.7.
- (B) Additional Engineering time is incurred by the Telephone Company to engineer a customer's specific written request for a customized service or Additional Engineering activities which are not normally performed in the provision of services under this tariff.

The Telephone Company will notify the customer that Additional Engineering charges, as set forth in 8.1.1 following, will apply before any additional engineering is undertaken. When it is required, the customer will be so notified and will

#### 8. <u>Miscellaneous Services</u> (Cont'd)

# 8.1 Additional Engineering (Cont'd)

## (B) (Cont'd)

be furnished with a written statement setting forth the justification for the Additional Engineering as well as an estimate of the charges. If the customer agrees to the Additional Engineering, a firm order will be established. If the customer does not want the service or facilities after being notified that Additional Engineering of Telephone Company facilities is required, the order will be withdrawn and no charges will apply. Once a firm order has been established, the total charge to the customer for the Additional Engineering may not exceed the estimated amount by more than 10%.

#### 8.1.1 <u>Charges for Additional Engineering</u>

The charges for Additional Engineering are as follows:

## Per Engineer, Per Hour, or Fraction Thereof

Basic Time	Overtime	Premium Time		
USOC: AEH	USOC: AEH	USOC: AEH		
\$45.80	\$68.70	\$91.60		

#### 8.2 <u>Additional Labor</u>

Additional labor is that labor requested and authorized by the customer on a given service and agreed to by the Telephone Company as set forth in 8.2.1 through 8.2.5 following. The Telephone Company will notify the customer that additional labor charges as set forth in 8.2.6 following will apply before any additional labor is undertaken.

USOC: ALH

USOC: ALH

USOC: ALT

USOC: ALK

#### **ACCESS SERVICE**

## 8. <u>Miscellaneous Services</u> (Cont'd)

## 8.2 <u>Additional Labor</u> (Cont'd)

#### 8.2.1 Overtime Installation

Overtime installation is that Telephone Company installation effort performed outside of normally scheduled working hours.

#### 8.2.2 Overtime Repair

Overtime repair is that Telephone Company maintenance effort performed outside of normally scheduled working hours.

# 8.2.3 Stand By

Stand by includes all time in excess of one-half (1/2) hour during which Telephone Company personnel stand by to make installation acceptance tests or cooperative tests with a customer on a given service.

## 8.2.4 <u>Maintenance with Other Telephone Companies</u> USOC: ALK

Additional labor charges apply to additional maintenance or repair of facilities which connect to facilities of other telephone companies. This is in addition to the normal efforts required to maintain or repair facilities provided solely by the Telephone Company, as set forth in Section 2.1.1(C) preceding.

#### 8.2.5 Other Labor

Other labor is that additional labor not included in 8.2.1 through 8.2.4 preceding. This includes labor incurred to accommodate a specified customer request that involves only labor which is not covered by any other section of this tariff.

## 8. <u>Miscellaneous Services</u> (Cont'd)

#### 8.2 Additional Labor (Cont'd)

## 8.2.6 <u>Charges for Additional Labor</u>

The charges for additional labor are as follows:

## Per Technician, Each Hour, or Fraction Thereof

Basic Time	Overtime*	Premium Time*
USOC: AEH	USOC: AEH USOC:	<u>AEH</u>
400.40	<b>450.70</b>	470.04
\$39 12	\$58.68	\$78 24

#### 8.3 Maintenance of Service

(A) The customer will be responsible for reporting troubles sectionalized to Telephone Company facilities and/or equipment. When trouble cannot be clearly sectionalized to the Telephone Company facilities and/or equipment, the Telephone Company will test cooperatively or independently to assist in trouble sectionalization.

When a customer reports a trouble to the Telephone Company for clearance and no trouble is found in the Telephone Company's facilities, the customer shall be responsible for payment of a Maintenance of Service charge for the period of time from when Telephone Company personnel are dispatched to the customer's or customer's end user premises to when the work is completed. Failure of Telephone Company personnel to find trouble in Telephone Company facilities will result in no charge if the trouble is actually in those facilities, but not discovered at the time.

\* A call out of a Telephone Company employee at a time not consecutive with the employee's scheduled work period is subject to a minimum charge of four hours.

Continued

Issued: December 1, 1994 Robert S. Crum Effective: December 1, 1994
Vice President
Western Region Telephone Operations
8920 Emerald Park Drive
Elk Grove, CA 95624

## 8. <u>Miscellaneous Services</u> (Cont'd)

## 8.3 <u>Maintenance of Service</u> (Cont'd)

(B) The customer shall be responsible for payment of a Maintenance of Service charge when the Telephone Company dispatches personnel to the customer's premises, and the trouble is in equipment or communications systems provided by other than the Telephone Company or in detariffed CPE provided by the Telephone Company.

In either (A) or (B) preceding, no credit allowance will be applicable for the interruption involved if the Maintenance of Service Charge applies.

(C) The charge for Maintenance of Service are as follows:

Maintenance
Of Service Periods
Per occurrence MVV

Per Technician
The charges for Maintenance of
Service are the same as
those set for Additional
Labor as set forth in 8.2
preceding.

## 8.4 Additional Testing

Testing Services provides for the use of a Telephone Company technician in performing specific tests authorized by the customer including additional testing of facilities which connect to facilities of other telephone companies. Testing Services offered under this section of the tariff are optional and are in addition to acceptance tests and in-service tests performed by the Telephone Company as described in Sections 6.4 (G) and 7.1.8 preceding. Testing Services are made subject to the availability of the necessary qualified personnel and test equipment at the requested test locations.

## 8. <u>Miscellaneous Services</u> (Cont'd)

# 8.4 Additional Testing (Cont'd)

Testing Services consist of Additional Cooperative Acceptance Testing (ACAT) which is performed during installation of Access Services and Nonscheduled Testing (NST) which is performed after acceptance of Access Services by the customer. Rates and charges for Testing Service are set forth in 8.4(C) following.

The Telephone Company will provide, upon request, documentation that lists the results of the tests performed. Trunk test failures requiring customer participation for trouble resolution will be provided to the customer on an as-occurs basis.

## (A) <u>Additional Cooperative Acceptance Testing</u>

Rates and charges for Additional Cooperative Acceptance Testing of Switched and Special Access Services apply per technician used.

#### (1) Switched Access Service

Additional Cooperative Acceptance Testing (ACAT) of Switched Access Service is performed at the time of installation and involves the Telephone Company provision of a technician at its office(s) and the customer provides a technician at its premises, with suitable test equipment to perform the required tests. The Telephone Company may, at the request of the customer, supply a technician at the customer's premises to perform the required tests.

Additional Cooperative Acceptance Testing may, for example, consist of the following tests:

- C-Notched Noise
- Impulse Noise
- Phase Jitter

## 8. <u>Miscellaneous Services</u> (Cont'd)

## 8.4 <u>Additional Testing</u> (Cont'd)

## (A) <u>Additional Cooperative Acceptance Testing</u> (Cont'd)

## (1) <u>Switched Access Service</u> (Cont'd)

- Signal to C-Notched Noise Ratio
- Intermodulation Distortion (Nonlinear)
- Frequency Shift (Offset)
- Envelope Delay Distortion
- Dial Pulse Percent Break

## (2) Special Access Service

When a customer provides a technician at its premises or at an end user's premises, with suitable test equipment to perform the requested tests, the Telephone Company may provide a technician at its office for the purpose of conducting Additional Cooperative Acceptance Testing on Voice Grade Services at the time of installation. At the customer's request, the Telephone Company may provide a technician at the customer's premises or at the end user premises: These tests may, for example, consist of the following:

- Attenuation Distortion (i.e., frequency response)
- Intermodulation Distortion (i.e., harmonic distortion)
- Phase Jitter
- Impulse Noise
- Envelope Delay Distortion
- Echo Control
- Frequency Shift

## 8. <u>Miscellaneous Services</u> (Cont'd)

## 8.4 <u>Additional Testing</u> (Cont'd)

## (B) <u>Nonscheduled Testing</u>

Nonscheduled tests are performed by the Telephone Company "on demand." When a customer provides a technician at its premises with suitable test equipment to perform the required tests, the Telephone Company may provide a technician at its office for the purpose of conducting Nonscheduled Testing of Switched or Special Access services. At the customer's request, the Telephone Company may provide a technician at the customer's premises. Nonscheduled tests may consist of any tests, for example, on loss, noise, slope, envelope delay, which the customer may require. Rates and charges for Nonscheduled Testing apply per technician used.

## (C) <u>Rates and Charges</u>

The charges for Additional Testing are as follows:

#### Per Technician, Per Hour, or Fraction Thereof

	Basic Time	Overtime	* Premium Time*
_	USOC: AEH	USOC: AEH	USOC: AEH
	\$39.12	\$58.68	\$ \$78.24

## 8.5 <u>Presubscription</u>

Presubscription is an arrangement whereby an end user may select and designate to the Telephone Company an IC to access, with 1+ as an access code, for interLATA calls. This IC is referred to as the end user's predesignated IC.

\* A call-out of a Telephone Company employee at a time not consecutive with the employee's scheduled work period is subject to a minimum charge of four hours.

## 8. <u>Miscellaneous Services</u> (Cont'd)

## 8.5 <u>Presubscription</u> (Cont'd)

The regulations and charges pertaining to Presubscription are set forth in FCC Docket 83-1145, Phase I, Memorandum Opinion and Order, Appendix B, adopted by the Federal Communications Commission on May 31, 1985 and released on June 12, 1985. A copy of the Order with all Appendices is available for inspection in the Public Reference Room of the Tariff Division at the main building of the Federal Communications Commission and can also be obtained from the FCC's commercial contractor. Regulations and charges for Presubscription set forth in this section are in compliance with the Order.

## (A) <u>End User Notification and Balloting Procedure</u>

Approximately 90 days prior to the introduction of equal access (Feature Group D) in a serving end office, the Telephone Company will notify all affected end users of the availability of equal access. The end user will be directed to designate a primary IC by the use of an equal access ballot to be returned to the Telephone Company within approximately 30 days after the mailing date. An end user has the option of independently contacting the IC to make arrangements for presubscription to the IC's service.

The equal access ballot will include all the names of ICs participating in the presubscription process. ICs are required to place an order for Feature Group D in accordance with the regulations set forth in Section 6.2.4 preceding.

The end user may select only one primary IC for each access line or multiline hunt group through the ballot process. Multiline hunt group end users will be given the opportunity to select more than one primary IC by contacting the Telephone Company. Customers may designate that they do not want a primary IC by notifying the Telephone Company. This choice is considered a valid selection and the nonrecurring charge as set forth in (E)(1) following will apply to any subsequent change made after the equal access conversion date.

## 8. <u>Miscellaneous Services</u> (Cont'd)

## 8.5 <u>Presubscription</u> (Cont'd)

## (A) <u>End User Notification and Balloting Procedure</u> (Cont'd)

New end users who are served by end offices equipped with Feature Group D will be required to presubscribe to an IC at the time they place an order with the Telephone Company for Telephone Exchange Service. A confirmation notice will be sent to end users who verbally place an order for service identifying the IC selected. There will be no charge for this initial selection. New end users will have 30 days from the date the initial selection is made to change their choice of an IC without charge.

#### (B) Allocation Process

End users who do not return their initial ballot will receive a second ballot indicating that they have been preassigned to a specific IC. The Telephone Company will assign non-presubscribed end users randomly to the participating ICs in the same proportion as the presubscribed end users based on the results of the initial balloting process as set forth in (A) preceding. Separate allocation processes will be used for residence and business lines.

End users who do not return the second ballot by the specified due date will be presubscribed to the IC indicated on that ballot effective with the equal access conversion. Allocated customers will have 6 months after the equal access conversion date to change to an IC of their choice without charge.

## 8. <u>Miscellaneous Services</u> (Cont'd)

## 8.5 <u>Presubscription</u> (Cont'd)

## (C) <u>IC Customer Lists</u>

The Telephone Company will accept from the IC a list(s) of end users that have made individual arrangements with that IC to become their primary IC. The IC must submit a Telephone Company end user enrollment form listing these end users. The end user enrollment form must be accompanied by a document affirming that the IC does, in fact, have, or has instituted steps designed to obtain, signed letters of agency from the end users designating the IC to act as the end user's agent for the presubscription process. The IC will accept responsibility for any billing disputes arising from implementation of its end user lists.

## (D) <u>End User Choice Discrepancies</u>

In the event of discrepancy between an end user's ballot and an IC's end user enrollment form, the Telephone Company will notify, within 10 days, all affected ICs via a conflict report. If the IC certifies to the Telephone Company that it has a signed letter of agency from the end user with a date subsequent to that on the ballot, that IC becomes the primary IC for that end user. If the IC is unable to obtain a letter of agency signed by the end user, the IC selected on the end user's ballot will be used.

When two or more enrollment forms are received from different ICs, and no ballot is returned, the end user in question will be included in the allocation process and will be notified, via the second ballot, that a conflict exists. In addition, the ICs will be notified in this instance. If the conflict is discovered after allocation has taken place, the subscriber in question will be contacted by the Telephone Company to obtain a valid selection.

## 8. <u>Miscellaneous Services</u> (Cont'd)

#### 8.5 <u>Presubscription</u> (Cont'd)

## (E) <u>Presubscription Charge</u>

The nonrecurring charge for Presubscription will be applied as follows:

- (1) After the end office equal access conversion date, for any change in the end user's selection of a primary IC, a nonrecurring charge as set forth in (5) following will apply to the end user. The nonrecurring charge for Presubscription does not apply to any change in selection of a primary IC made prior to the equal access conversion date.
- (2) An allocated end user may use the second ballot as described in (B) preceding or contact the Telephone Company to make an IC selection after allocation has taken place. There will be no charge for this selection if it is done within 6 months after the equal access conversion date.
- (3) Changes in an end user's primary IC made as a result of the resolution of an end user choice discrepancy, as set forth in (D) preceding, will not incur the nonrecurring charge, provided the change is made within 6 months after the equal access conversion date.
- (4) An IC will be charged the Presubscription Charge if the IC submits a request for a change in an end user's primary IC, the end user disputes that request, and the IC is unable to produce a signed letter of agency from the end user designating that IC as the end user's primary IC. End users will not be charged the Presubscription Charge

- 8. <u>Miscellaneous Services</u> (Cont'd)
  - 8.5 <u>Presubscription</u> (Cont'd)
    - (E) <u>Presubscription Charge</u> (Cont'd)
      - (4) (Cont'd)

for any changes made as a result of an error on the part of the IC or the Telephone Company.

- (5) If an IC elects to discontinue all of its Feature Group D service in the converting end office prior to the conversion date or within two years after the introduction of Feature Group D in the converting end office, the IC must notify in writing all end users who have selected or been allocated to that IC, inform these end users of the cancellation, request the end users to select a new IC and state that the cancelling IC will pay for the change charge. For a period of two years from the discontinuance of FGD service the Telephone Company will bill a cancelling IC the nonrecurring charge as set forth in (6) following for each end user the IC currently has designated to it.
- (6) The nonrecurring charge for Presubscription is as follows:

Presubscription, per Nonrecurring Charge
Telephone Exchange
Service line or trunk \$5.00

#### 8. Miscellaneous Services (Cont'd)

#### **Protective Connecting Arrangements** 8.6

The following Protective Connecting Arrangements (PCAs) are grandfathered and are offered on the basis of on-the-shelf availability:

Description  Automatic PCA with a contact type signaling interface for two or four-wire voice band connections of CPE communications systems to Telephone Company Special Access Services.	USOC Rate	Monthly es <u>Cha</u> \$ -	Nonrecurring arges \$ 5.85
Automatic PCA for connection of a customer, authorized user or joint user provided communications system arranged for CPE dial or automatic channel signaling, to a Telephone Company Special Access Service which terminates at the distant end in a telephone company-provided PBX arranged for dial or automatic signaling (Four-wire).	C234W	10.10	87.15
PCA which provides for connection of CPE automatic telephone answering devices to central office, PBX trunk, key system lines, and centrex station lines by means of a two-wire interface.	PA6++	ICB rates a	and charges apply
PCA for connection of CPE answering or recording equipment to Telephone Company lines, for oneway voice transmission in each direction but not simultaneously. Recording of two-way conversations is prevented, by the PCA.	RDL	5.40	30.75

Continued

Issued: December 1, 1994 Robert S. Crum Effective: December 1, 1994 Vice President
Western Region Telephone Operations
8920 Emerald Park Drive

#### 8. Miscellaneous Services (Cont'd)

#### 8.6 Protective Connecting Arrangements (Cont'd)

Monthly Nonrecurring Description USOC Rates Charges

PCA for use with CPE answer only equipment where two-way

transmission is required. PFZ++ ICB rates and charges apply

Same application as PFZ++ with voice control disconnect and automatic

receive volume limiting. PF9++ ICB rates and charges apply

PCA for use with CPE to provide data on PBX trunks. Also

requires standard PBX trunk PCA. PGA++ ICB rates and charges apply

PCA to permit connection of CPE message registers to exchange facilities of the Telephone Company for indications of message registration for outgoing calls over the associated central office trunks (facilities). Each trunk would also have a PCA (typically CDH or CD8) for connection of the CPE PBX. Association of the trunk with the station

is made by the CPE. PGB++ ICB rates and charges apply

Alarm coupler for use with rotary dial, one-way transmission

CPE alarm signaling device. ICB rates and charges apply PGH++

Continued

Issued: December 1, 1994 Robert S. Crum Effective: December 1, 1994 Vice President Western Region Telephone Operations 8920 Emerald Park Drive Elk Grove, CA 95624

# 8. <u>Miscellaneous Services</u> (Cont'd)

# 8.6 <u>Protective Connecting Arrangements</u> (Cont'd)

via two or four-wire interface. PDJ++

<u>Description</u>	USOC Rate	,	Nonrecurring arges
PCA to permit the connection of CPE to a Telephone Company special recording trunk arranged for two-way service, i.e., outward dialing by hotel/motel guests and re-ring by the operator of the Telephone Company long distance switchboard (the equivalent of a toll terminal).	PDA++	ICB rates a	and charges apply
For termination of CPE tie lines, with CPE channel signaling, in Centrex systems four-wire.	C2H	\$7.20	\$21.60
PCA used for automatic connection of CPE voice transmitting and/or receiving terminal equipment to an exchange line or PBX/CTX station line, or to a WATS Access Line.	C2ACP	9.40	7.80
PCA to provide for connection of CPE terminal equipment to Telephone Company central office key system and PBX station lines and WATS Access Lines			

Continued

Issued: December 1, 1994 Robert S. Crum Effective: December 1, 1994 Vice President
Western Region Telephone Operations
8920 Emerald Park Drive
Elk Grove, CA 95624

ICB rates and charges apply

# 8. <u>Miscellaneous Services</u> (Cont'd)

# 8.6 <u>Protective Connecting Arrangements</u> (Cont'd)

<u>Description</u>	USOC Rat	Monthly Nonrecurring es <u>Charges</u>
PCA for connection of CPE voice communications systems and/or terminal equipment via two-wire interface to Telephone Company lines and trunks (only loop start trunks not equipped for toll diversion), or terminal equipment.	PDK++	ICB rates and charges apply
Manual PCA used to connect a cord switchboard position of CPE system, which provides supervisory signals, to an exchange trunk line.	PDQ++	ICB rates and charges apply
Automatic PCA used to connect an exchange trunk line arranged for two-way combination service to and from the attendant position and from the dial switching equipment of a CPE system.	CDH	\$10.45 \$39.05
Automatic PCA used to connect an exchange trunk line arranged for one-way incoming service to the attendant position of a CPE system.	PDV++	ICB rates and charges apply
Automatic PCA used to connect an exchange trunk line arranged for one-way outgoing service from the attendant position of a CPE system.	PDZ++	ICB rates and charges apply

Continued

Issued: December 1, 1994 Robert S. Crum Effective: December 1, 1994
Vice President
Western Region Telephone Operations
8920 Emerald Park Drive
Elk Grove, CA 95624

#### Miscellaneous Services (Cont'd) 8.

#### Protective Connecting Arrangements (Cont'd) 8.6

<u>Description</u>	USOC Rate	Monthl <u>es</u>	y Nonrecurring <u>Charges</u>
Automatic PCA used to connect an exchange trunk line arranged for one-way outgoing service from the dial switching equipment of a CPE system.	PFA++	ICB rat	tes and charges apply
Automatic PCA used to connect an exchange trunk line arranged for one-way service, to and from the attendant position of a CPE system.	CD9	\$7.80	\$39.05
PCA used for automatic connecting of CPE voice transmitting and/or receiving terminal equipment bridged to an exchange line or PBX/CTX station line, or to a Switched Access Line, e.g., WATS access line, which is terminated in a Telephone Company station.	C2AKS	9.40	7.80
Automatic PCA used to connect an exchange trunk line, arranged for one-way service, i.e., out- ward dialing by hotel/motel guests to the operator position of a Telephone Company long distance switchboard (the equiv- alent of a toll terminal).	PFV++	ICB rat	tes and charges apply
PCA to provide for connection of CPE originate only or originate and answer terminal equipment.	PFW++	ICB rat	tes and charges apply

Continued

Issued: December 1, 1994 Effective: December 1, 1994 Robert S. Crum Vice President
Western Region Telephone Operations
8920 Emerald Park Drive

#### 8. <u>Miscellaneous Services</u> (Cont'd)

#### 8.7 <u>Miscellaneous Equipment</u>

## (A) <u>Controller Arrangement</u>

This arrangement enables the customer to control up to 48 transfer functions at a Telephone Company central office via a remote keyboard terminal capable of either 300 or 1200 bps operation. Included as part of the Controller Arrangement is a dial-up data station located at the Telephone Company Central Office to provide access to the Controller Arrangement. This dial-up data station consists of a 212A DATAPHONE data set and an appropriate Telephone Company provided channel.

The Controller Arrangement must be located in the same Telephone Company central office as the transfer functions, which it controls.

USOC Monthly Charge

- Per arrangement XTDDU \$100.00

# 8.8 <u>Telecommunications Service Priority</u>

(T) n (N)(L)

TSP System shall be provided in accordance with the guidelines set forth in "Telecommunications Service Priority (TSP) System for National Security Emergency Preparedness (NSEP) Service Vendor Handbook" (NCSH 3-1-2) dated July 9, 1990, and "Telecommunications Service Priority System for National Security Emergency Preparedness Service User Manual" (NCSM 3-1-1).

No charge applies when a TSP Service is discontinued or when ordered coincident with an access order to install service.

# (A) Regulations

(1) The TSP System's applicability is limited to telecommunication services, which the Utility can discretely identify for priority provisioning and/or restoration.

(N)(L)

(L) Material formerly located on this page has been relocated to Page No. 339.2.

Continued Effective:

Issued:

Aloa J. Stevens
Director – Government & External Affairs
Citizens Communications Company
P.O. Box 708970
Sandy, UT 84070

## 8. <u>Miscellaneous Services</u> (Cont'd)

## 8.8 <u>Telecommunications Service Priority</u> (Continued)

No charge applies when a TSP Service is discontinued or when ordered coincident with an access order to install service. (Continued)

#### (A) Regulations

- (2) The customer subscribing to TSP System must also be the customer subscribing to the service with which TSP is associated.
- (3) Under certain conditions, it may be necessary to preempt one or more customer services with a lower or no restoration priority in order to install or restore higher priority NSEP telecommunications service(s). If such preemption is necessary, and if circumstances permit, the Utility will make reasonable effort to notify the preempted customer of the action to be taken. Credit allowance for such service preemption shall be made, in accordance with the provisions specified elsewhere in the Utility's Tariff.
- (4) In obtaining TSP System, the customer acknowledges and consents to the Utility providing customer service record information to the Federal Government in order for the Government to maintain and administer its overall TSP System. This customer service record information will include the TSP Authorization Code, Utility's Circuit/Service ID, customer's telephone number and service location.
- (5) Credit allowance for service interruption for Priority
  Restoration Maintenance and Administration shall be the
  same as for the service with which it is associated as
  specified elsewhere in the Utility's Tariff.

(N)

(N)

Continued Fffective:

Issued:

#### 8. Miscellaneous Services (Cont'd)

## 8.8 <u>Telecommunications Service Priority</u> (Continued)

## (A) <u>Regulations</u> (Continued)

(N)

- (6) When performing a service under TSP, the Utility may not be in a position to notify the customer in advance of circumstances which require additional labor and for which additional labor charges apply. The TSP subscriber recognizes that quoting charges and obtaining permission to proceed would cause unnecessary delays that would be contrary to the objectives of the TSP System. In subscribing to the TSP System the customer recognizes this condition and grants the Utility the right to quote charges after work has been completed.
- (7) Other regulations, rates and charges for services such as expedited service, special construction, due date change, Maintenance of Service etc. may apply as specified elsewhere in the Utility's Tariff when provided in conjunction with the TSP System.

(B) Rates

(N) (N)

(T)(L)

(T)

The Utility will arrange a Special Access Service for Telecommunications Service Priority (TSP) on receipt of certification in conformance with Part 64, Subpart D, Appendix A of the Federal Communications Commission's Rules and Regulations. A charge applies when a request to provide or change a TSP is received subsequent to the issuance of an Access Order to install the service. No charge applies when TSP is discontinued.

Nonrecurring Charge

Restoration priority, per service arranged

\$54.63

(L)

The Utility will arrange a TSP Access Service upon receipt of certification as authorized by Part 64, Subset D, Appendix A of the Federal Communications Rules and Regulations.

עני

(N)

(L) Material relocated from Page No. 339.

Continued Effective:

Director – Government & External Affairs Citizens Communications Company P.O. Box 708970 Sandy, UT 84070

Aloa J. Stevens

Issued:

# 8. <u>Miscellaneous Services</u> (Cont'd)

# 8.9 <u>Standard Jacks - Registration Program</u>

Standard jacks are provided by the Telephone Company to connect Registered Equipment to those services that are subject to the Registration Program as set forth in Section 2.5 preceding. The use of jacks is covered in Part 68 of the FCC's Rules and Regulations. Specific jacks are described in the document on file with the FCC entitled "Descriptions of Standard Registration Program Connection Configurations Supplementing Configurations Described in Subpart F of Part 68 of FCC's Rules and Regulations."

These jacks are used to terminate services provided by the Telephone Company. Other services or facilities provided by the Telephone Company or by others may also be terminated in any space capacity of the jacks remaining after installation without additional charge for the use of such capacity.

The nonrecurring charges, which include installation, for standard jacks and their typical uses are set forth following:

Nonrecurring
USOC Charges

#### (A) Standard Voice Jacks

(1) Miniature six-position jacks for connection of terminal equipment as follows:

> (a) Single line telephone set surface or flush mounted. RJ11C \$10.00

> (b) Single line telephone sets wall mounted. RJ11W 10.00

Continued

Issued: December 1, 1994 Robert S. Crum Effective: December 1, 1994
Vice President
Western Region Telephone Operations
8920 Emerald Park Drive
Elk Grove, CA 95624

# 8. <u>Miscellaneous Services</u> (Cont'd)

# 8.9 <u>Standard Jacks - Registration Program</u> (Cont'd)

# (A) <u>Standard Voice Jacks</u> (Cont'd)

(1) Miniature six-position jacks for connection of terminal equipment as follows: (Cont'd

rmina	connection al equip- ollows: (Cont'd)		
(c)	telephone sets	<u>USOC</u>	Nonrecurring <u>Charges</u>
	surface or flush mounted.	RJ14C	\$10.00
(d)	Single-line bridged four-wire exchange 2/RT, T1/R1.	RJ1DC	10.00
(e)	Two-line nonkey telephone sets wall mounted.	RJ14W	10.00
(f)	Special single line equipment for use in hospital critical care areas.	RJ17C	10.00
(g)	9DB single line data equipment with mode indication and mode indication common leads. This jack is normally used in association with a series jack.	RJ16X	10.00
(h)	Three-line non-key telephone sets and ancillary devices.	RJ25C	49.00

Continued

Issued: December 1, 1994 Robert S. Crum Effective: December 1, 1994 Vice President

#### 8. Miscellaneous Services (Cont'd)

#### Standard Jacks - Registration Program (Cont'd) 8.9

#### (A) Standard Voice Jacks (Cont'd)

50 Position Miniature Ribbon for connection

	of multiline terminating equipment and channel derivation devices as follows:	<u>USOC</u>	Nonrecurring <u>Charges</u>
(a)	For connection to two-wire tie trunks E&M type I signaling. (12 line capacity)	RJ2EX	\$160.00
(b)	For connection to four-wire tie trunks E&M type I signaling. (8 line capacity)	RJ2GX	160.00
(c)	For connection to two-wire tie trunks E&M type II signaling. (8 line capacity)	RJ2FX	160.00
(d)	For connection to four-wire tie trunks E&M type II signaling. (6 line capacity)	RJ2HX	160.00
(e)	For connection to off- premises station lines. (25 line capacity)	RJ21X	160.00

Continued

Issued: December 1, 1994 Effective: December 1, 1994 Robert S. Crum Vice President
Western Region Telephone Operations
8920 Emerald Park Drive

# 8. <u>Miscellaneous Services</u> (Cont'd)

# 8.9 <u>Standard Jacks - Registration Program</u> (Cont'd)

## (A) <u>Standard Voice Jacks</u> (Cont'd)

(2) 50 Position Miniature Ribbon for connection of multiline terminating equipment and channel derivation devices as follows: (Cont'd)

(c) Two line telephone sets with exclusion on one

line.

	equipment and channel derivation devices as follows: (Cont'd)		
		<u>USOC</u>	Nonrecurring <u>Charges</u>
(f)	For use with series devices such as toll restrictors. (12 line capacity)	RJ71C	105.00
(g)	For connection of up to 12 line bridged four-wire exchange 2/RT, T1/R1.	RJ2DX	100.00
(3)	Series Jacks for connection of terminal equipment as follows:		
(a)	Single line alarm reporting devices.	RJ31X	\$ 66.00
(b)	Series ancillary devices such as automatic dialers. Single line sets with exclusion.	RJ32X	66.00

RJ37X

66.00

Continued

Issued: December 1, 1994 Robert S. Crum Effective: December 1, 1994
Vice President
Western Region Telephone Operations

- 8. <u>Miscellaneous Services</u> (Cont'd)
  - 8.9 Standard Jacks Registration Program (Cont'd)
    - (A) <u>Standard Voice Jacks</u> (Cont'd)
      - (3) Series Jacks for connection of terminal equipment as follows: (Cont'd)

Nonrecurring

USOC Charges

(4) Weatherproof Jack for use with single line telephone sets used at locations such as boats and marinas.

RJ15C 120.00

(B) <u>Standard Data Jacks</u>

Nonrecurring

<u>USOC</u> <u>Charges</u>

(1) Universal Data Jack for use in connecting fixed loss loop (FLL) and programmed
 (P) types of data equipment.
 (1 line capacity)

RJ41S \$65.00

(2) Programmed Data Jack for use in connecting programmed data equipment.

(1 line capacity) RJ45S 65.00

Continued

Issued: December 1, 1994 Robert S. Crum Effective: December 1, 1994
Vice President
Western Region Telephone Operations
8920 Emerald Park Drive

- 8. <u>Miscellaneous Services</u> (Cont'd)
  - 8.9 <u>Standard Jacks Registration Program</u> (Cont'd)
    - (B) <u>Standard Data Jacks</u> (Cont'd)
      - Multiple Line Universal Nonrecurring Data Jack for use in **USOC** <u>Charges</u> connecting fixed loss loop (FLL) and programmed (P) types of data equipment. This jack will terminate up to eight lines. The selection of this jack requires the use of the equipment listed following. RJ26X \$250.00
        - (a) Multiple Line Universal Data Jack
          Circuit Cards. For
          use with RJ26X. One
          circuit card per
          circuit required. RJ26S 79.00
        - (b) Multiple Line
          Universal Data
          Jacking Mounting
          options. For use
          with RJ26X. One
          required per RJ26X.
          - Wall Mounting
             with cover.
             RJM3X
             45.00
          - Rack Mounting (19 inch or 23 inch) RJM4X 28.00

Continued

Issued: December 1, 1994 Robert S. Crum Effective: December 1, 1994
Vice President
Western Region Telephone Operations
8920 Emerald Park Drive
Elk Grove, CA 95624

# 8.10 <u>Frame Relay Service</u>

Citizens' Frame Relay Service (C-FRS) is a medium to high-speed connection-oriented packet-switched data service that allows for the interconnection of Local Area Networks (LANs), or other compatible customer equipment across a wide area for the purpose of interstate access. C-FRS allows for the transfer of variable length frames (packets). Frames are relayed by virtual connections, i.e., frames travel a fixed path through the network although bandwidth is not dedicated to each virtual connection.

This service uses Permanent Virtual Connections (PVCs). A PVC is a logical channel from one Frame Relay port to another Frame Relay port. PVCs are end-to-end, bi-directional symmetric channels that are installed and disconnected via the service order process.

The Frame Relay standard specifies an address field called the Data Link Connection Identifier (DLCI). The DLCI specifies a connection (e.g., customer premises to LEC switch or LEC switch to inter-exchange carrier network). A PVC is comprised of two or more DLCI's.

This service is comprised of a User Network Interface (UNI) which, allows C-FRS compatible customer premises equipment (CPE) to originate or terminate intraand inter-exchange services. All UNI access facilities must be in conformance with American National Standards Institute (ANSI) standards T1.606-1990, T1.606 Addendum 1-1991, T1.606a-1992, T1.617, Annex D-1992.

(N)


(N)

#### 8.10 Frame Relay Service (Cont'd)

C-FRS provides high-speed throughput over digital facilities at speeds of 56 kbps, 64 kbps, 1.536 Mbps or 44.736 Mbps. Physical access to Citizens Communications Frame Relay network is provided via a UNI Access Connection: 56 kbps DDS, 64 kbps DDS, DS1, or DS-3 rated channel termination from Section 20 of Citizen's Frame Relay tariff. C-FRS is generally available and is ordered through the access service order process. The Access Order Service Date Interval for C-FRS is negotiated.

The following diagram depicts a generic view of components of access service for C-FRS Service and the manner in which components are combined.

# Frame Relay Cloud




Issued: July 16, 2002 Effective: August 16, 2002

(N)

### 8.10 Frame Relay Service (Cont'd)

(N)

The following diagram depicts a generic view of the components of C-FRS Service and the manner in which the components are combined to provide a complete C-FRS connection.



#### 8.10 Frame Relay Service (Cont'd)

(N)

# (A) <u>User Network Interface (UNI) Connections</u>

The User Network Interface (UNI), is a standard interface used to connect the end user to the C-FRS Network. It receives the data frame from the customer's Local Area Network or other CPE devices and verifies that the DLCI is valid before relaying the frame to the destination end point.

(1) The UNI Access Connection consists of a 56 kbps, 64 kbps, 1.536 Mbps or 44.736 Mbps digital facility from the customer premises to the C-FRS network and the appropriate port interface connection. Additional UNI Access Connections may be ordered for disaster recovery of one or multiple UNI Access Connections and are referred to as Back-up UNIs.

#### (B) Optional UNI Features

#### (1) Additional PVCs per UNI

This feature provides the assignment of additional Data Link Connection Identifiers (DLCIs). When any two DLCIs are mapped together, a PVC is created.

Each PVC must be a minimum of 25% of the port speed.

(N)

## 8.10 Frame Relay Service (Cont'd)

(N)

### C) Network to Network Interface (NNI) Port

Network to Network Interface (NNI), specifies how an C-FRS switch sends and receives data from a Frame Relay interexchange carrier's or other customer's network. NNI's are available as 1.536 Mbps/DS1 or 44.736 Mbps/DS-3 digital transmission facility.

### (D) <u>Committed Information Rate</u>

Committed Information Rate (CIR) is a feature that provides the customer with a mechanism for prioritizing data on a per PVC basis across a given UNI. A Committed Information Rate allows a sustained throughput at a chosen rate without having any frames designated "discard eligible" under normal operating conditions. Various CIR rates are available; however, 0 (zero) CIR is not available.

(N)

# 8.10 Frame Relay Service (Cont'd)

(N)

## (E) <u>Maintenance Window</u>

Network maintenance and network upgrades for C-FRS are performed during the hours of 11:00 p.m. and 8:00 a.m. At times, during the hours of maintenance activity, it will be necessary to place a customer's service in an inactive (out of service) condition. The amount of time that this scheduled out of service condition will exist is called a "maintenance window". The Company will provide the customer notice prior to the maintenance window. Maintenance window activity could be scheduled for consecutive days.

## (F) Rate Regulations

# (1) Administrative Charge

An administrative charge will be applied whenever a change is made to a customer's Frame Relay configuration (including changes to existing group addressing), at the customer's request. Such changes are defined as those rearrangements necessary to add, delete, or rearrange the customer's configuration, including changes to a customer's selected carrier. Although multiple changes may be caused by such actions, only one administrative charge will apply.

(N)

# 8.10 Frame Relay Service (Cont'd)

(N)

# (F) Rate Regulations (Cont'd)

# (2) <u>Termination Charges: Month-to-Month</u>

Each NNI provided on a month-to-month basis is subject to a minimum Service period of three months. If service is disconnected prior to the Expiration of the minimum service period, termination liability charges are applicable for the remaining portion of the minimum period, whether service is used or not. The termination liability charge will be reduced by one-third for each month of the minimum service period.

# (3) <u>Nonrecurring Charges</u>

A nonrecurring charge applies for each installation of certain C-FRS rate elements. This charge also applies whenever the facility associated with the rate element is moved, changed or rearranged.

## (4) Expedite Charges

Expedite charges are to be assessed in accordance with the rules described in Section 5.3.1(D) of this tariff.

(N)

# 8.10 Frame Relay Service (Cont'd)

(N)

- (F) Rate Regulations (Cont'd)
  - (5) Term Payment Plan Frame Relay (TPP FR)
    - (a) General
      - (i) The terms and conditions specified herein are applicable to Frame Relay Service and are in addition to other regulations as specified in this tariff.
      - (ii) The Frame Relay UNI Port, NNI Port and PVC monthly recurring charges are the only rate elements subject to discounts under a Term Payment Plan (TPP FR). Frame Relay Access Connection, Channel Mileage Facility, Service charges and any non-recurring charges are not eligible for TPP FR discounts.
      - (iii) One, two and three year TPP FR rates will be equal to or less than the standard month-to-month rates. Decreases to the month-to-month rates will flow through to the one, two and three year TPP rates.

(N)

# 8.10 Frame Relay Service (Cont'd)

(N)

- (F) Rate Regulations (Cont'd)
  - (5) Term Payment Plan Frame Relay (TPP FR) (Cont'd)
    - (a) General (cont)
      - (iv) Payment periods of one year, two years, and three years are available to all customers, at the applicable rates set forth in Section 8.10 (G), regardless of when they subscribe to a TPP – FR arrangement. All Frame Relay rate elements must be ordered under the same payment period; e.g. mixing payment periods for the rate elements under the same Frame Relay service is not permitted.
      - (v) The customer must designate on the ASR Order Form the payment period for the TPP FR.
      - (vi) Inside moves in which the UNI location is changed, but remains within the customer premises, will not incur termination liability charges.
      - (vii) On outside moves, in which the UNI location is changed to a different customer premises location within the same central office exchange area, the Company will allow the customer to retain the same TPP - FR payment period. Any other move will be treated as a disconnect of the service and termination liability charges as specified in Paragraph 8.10(F)(5)(f) will apply.

 $(\mathbf{N})$ 

## 8.10 Frame Relay Service (Cont'd)

(N)

- (F) Rate Regulations (Cont'd)
  - (5) Term Payment Plan Frame Relay (TPP FR) (Cont'd)
    - (b) Changes in Length of TPP FR Period.

Prior to the completion of the selected TPP - FR payment period, the customer may elect to convert to a new TPP - FR period of the same or different length, subject to the following conditions:

- (i) No credit will be given toward the new payment period for payments made under the original TPP FR arrangement.
- (ii) No additional Nonrecurring charges will be applied for changing the existing service period.
- (iii) If the new TPP FR period is shorter in length than the time remaining under the existing TPP FR, the change to the new TPP period constitutes a discontinuance of the existing TPP FR service and termination liability charges apply, as set forth in paragraph 8.10(F)(5)(f).

(N)

## 8.10 Frame Relay Service (Cont'd)

(N)

- (F) Rate Regulations (Cont'd)
  - (5) Term Payment Plan Frame Relay (TPP FR) (Cont'd)
    - (c) Renewal Options
      - (i) At the expiration of a TPP FR period, the Telephone Company will automatically renew the service at the same TPP – FR period unless the customer notifies the Company and chooses to convert to a different TPP – FR period, convert to month-to-month rates or discontinue service.
      - (ii) Conversion to a different TPP FR payment period will require the customer to submit a Change Order/ASR.
         Conversion of existing TPP - FR service to a different TPP – FR period will not incur application of nonrecurring or ordering charges.
      - (iii) Conversion from a TPP –FR plan to month-to-month rates will be treated as a disconnection of service and establishment of new service. However, if no other changes are ordered, no NRC will be applied.

(N)

# 8.10 Frame Relay Service (Cont'd)

(N)

- (F) Rate Regulations (Cont'd)
  - (5) Term Payment Plan Frame Relay (TPP FR) (Cont'd)
    - (d) Notification of Discontinuance of the TPP FR or service.
      - (i) An order/ASR for discontinuance of a TPP FR arrangement must be received by the Citizens Telecommunications Company at least thirty (30) days prior to actual disconnect of service.
      - (ii) Monthly charges will apply for a period of thirty (30) days from the date the Company receives disconnect notification or until the requested disconnect date, whichever period is longer.
        - (e) Upgrade to Higher Speed Service.

Customers may elect to upgrade service(s) to a higher speed during a TPP – FR period, subject to the following conditions:

- (i) Both the existing and the new services are provided solely by the Company.
- (ii) The order to discontinue a service at an existing speed or capacity and the order for the upgraded service are received by the Company at the same time.

(N)

## 8.10 Frame Relay Service (Cont'd)

(N)

- (F) Rate Regulations (Cont'd)
  - (5) Term Payment Plan Frame Relay (TPP FR) (Cont'd)
    - (e) Upgrade to Higher Speed Service (cont'd).
      - (iii) The new service will be provided at the same customer location as the discontinued service.
      - (iv) The TPP for the upgraded service(s) meets or exceeds the remaining length of the existing TPP.
      - (v) The total monthly rate of the new agreement is equal to or greater than the total monthly rate of the existing agreement period.
      - (vi) The monthly rates for the upgraded services and/or service elements will be those in effect at the time of the service upgrade. The upgraded service will be subject to all appropriate nonrecurring charges.
      - (vii) Termination liability charges will not apply as long as the upgraded service remains connected at the same point of termination(s) or meets the requirements for Inside or Outside moves.

(N)

## 8.10 Frame Relay Service (Cont'd)

(N)

- (F) Rate Regulations (Cont'd)
  - (5) Term Payment Plan Frame Relay (TPP FR) (Cont'd)
    - (f) Termination Liability.
      - (i) When a TPP FR arrangement is discontinued prior to the end of the period, termination liability charges, as set forth below, will apply based on the remainder of the TPP FR period in effect at the time of disconnect.
      - (ii) One Year TPP FR: the termination liability will be 50% of any remaining portion of the first year's recurring charges for the in-service quantity.
      - (iii) Two Year TPP FR: the termination liability will be 50% of any remaining portion of the first year's recurring charges. In addition, for any remaining portion of the second year, the customer will be liable for 10% of the total monthly recurring charges in that time period for the in-service quantity.
      - (iv) Three Year TPP FR: the termination liability will be 50% of any remaining portion of the first year's recurring charges. In addition, for any remaining portion of the second and third years, the customer will be liable for 10% of the total monthly recurring charges in that time period for the in-service quantity.

(N)

# 8.10 Frame Relay Service (Cont'd)

(N)

- (F) Rate Regulations (Cont'd)
  - (5) Term Payment Plan Frame Relay (TPP FR) (Cont'd)
    - (g) Termination Without Liability.

During a TPP – FR period, should the currently effective rate for a customer's service increase, the customer may, at his/her option, terminate the TPP – FR arrangement without penalty or liability.

(N)

# 8.10 Frame Relay Service (Cont'd)

(G	i) F	Rates	Monthly	Nonrecurring	
(A)	(1)	Network to Network Interface (NNI)- DS1 Port	<u>Charge</u>	<u>Charge</u>	
		1.536 Mbps DS-3	\$475.00 \$1,000.00	\$400.00 \$1.050.00	
		Network to Network Interface NNI – 1 YR Term Payment Plan (TPP) DS1 Port			
		1.536 Mbps DS-3	404.00 850.00	400.00 1,050.00	
		Network to Network Interface NNI – 2 YR Term Payment Plan (TPP) DS1 Port			
		1.536 Mbps DS-3	390.00 820.00	400.00 1,050.00	
		Network to Network Interface NNI – 3 YR Term Payment Plan (TPP) DS1 Port			
		1.536 Mbps DS-3	356.00 750.00	400.00 1,050.00	
	(2)	Service Order Charge Per Order		130.23	
(B)		Administrative Charge		50.00	
(C)		Expedite Order Charge		250.00	
(D)	(1)	Frame Relay Access Connection 56 Kbps 1.536 Mbps DS-3	135.00 200.00 1,800.00	204.23 916.12 3,410.00	
	(2)	Channel Mileage Facility Per Mile 56 Kbps	1.50		
		1.536 Mbps DS-3	15.00 142.00		
(E)	(1)	UNI Connection Month to Month UNI Port Connection			
	. ,	56 Kbps 64 Kbps 128 Kbps 256 Kbps 384 Kbps 512 Kbps 768 Kbps 1.536 Mbps	25.00 25.00 60.00 65.00 70.00 75.00 80.00 90.00	200.00 200.00 200.00 300.00 300.00 400.00 400.00	
		DS-3	700.00	1,050.00	(N)

# 8.10 Frame Relay Service (Cont'd)

•	NΙ
1	
	ıv

(G)	Rates	s (Cont'd)	Monthly <u>Charge</u>	Nonrecurring <u>Charge</u>	
(E)	(2)	UNI Port Connection 1 YR Term Payment Plan (TPP)			
		56 Kbps	23.00	200.00	
		64 Kbps	23.00	200.00	
		128 Kbps	55.00	200.00	
		256 Kbps	60.00	300.00	
		384 Kbps	64.00	300.00	
		512 Kbps	69.00	400.00	
		768 Kbps	74.00	400.00	
		1.536 MBps	77.00	400.00	
	(=)	DS-3	595.00	1,050.00	
	(3)	UNI Port Connection 2 YR Term Payment Plan (TPP)	22.50	200.00	
		56 Kbps		200.00	
		64 Kbps	22.50 54.00	200.00	
		128 Kbps 256 Kbps	58.50	200.00 300.00	
		384 Kbps	63.00	300.00	
		512 Kbps	67.50	400.00	
		768 Kbps	72.00	400.00	
		1.536 MBps	74.00	400.00	
		DS-3	574.00	1,050.00	
	(4)	UNI Port Connection 3 YR Term Payment Plan (TPP)		.,000.00	
		56 Kbps	21.50	200.00	
		64 Kbps	21.50	200.00	
		128 Kbps	51.60	200.00	
		256 Kbps	55.90	300.00	
		384 Kbps	60.20	300.00	
		512 Kbps	64.50	400.00	
		768 Kbps	68.80	400.00	
		1.536 MBps	68.00	400.00	
(E)		DS-3	525.00	1,050.00	
(F)	(1)	Optional UNI Features Committed Information Rate, per PVC Month to Month			
	(1)	14 Kbps	2.00	12.00	
		16 Kbps	2.00	12.00	
		28 Kbps	3.00	12.00	
		32 Kbps	4.00	12.00	
		56 / 64 Kbps	5.00	12.00	
		128 Kbps	6.00	12.00	
		192 Kbps	7.00	12.00	
		256 Kbps	9.00	12.00	
		320 Kbps	10.00	12.00	
		384 Kbps	12.00	12.00	
		512 Kbps	25.00	12.00	
		768 Kbps	28.00	12.00	
		1.024 MBps	32.00	12.00	
		1.536 MBps	75.00	12.00	
		5 Mbps	125.00	100.00	
		10 Mbps	200.00	100.00	
		15 Mbps	275.00	100.00	
		20 Mbps	350.00	100.00	
		25 Mbps	425.00	100.00	
		30 Mbps 35 Mbps	500.00 575.00	100.00 100.00	/NI\
		פין אוויזיין פט	373.00	100.00	(N)

Issued: July 16, 2002 Effective: August 16, 2002

Aloa J. Stevens
Director - State Regulatory Affairs
Citizens Communications Company
4 Triad Center, Suite 200
Salt Lake City, UT 84180

# 8.10 Frame Relay Service (Cont'd)

		· ,			(N)
	(G)	Rates (Cont'd)	Monthly	Nonrecurring	` ,
	` '	,	<u>Charge</u>	<u>Charge</u>	
(F)	(2)	Committed Information Rate, per PVC 1YR Term Payment Plan (TPP)		_	
		14 Kbps	1.84	12.00	
		16 Kbps	2.76	12.00	
		28 Kbps	3.68	12.00	
		32 Kbps	3.68	12.00	
		56 / 64 Kbps	4.60	12.00	
		128 Kbps	5.52	12.00	
		192 Kbps	6.44	12.00	
		256 Kbps	8.28	12.00	
		320 Kbps	9.20	12.00	
		384 Kbps	11.04	12.00	
		512 Kbps	23.00	12.00	
		768 Kbps	25.76	12.00	
		1.024 MBps	29.44	12.00	
		1.536 MBps	69.00	12.00	
		5 Mbps	106.00	100.00	
		10 Mbps	170.00	100.00	
		15 Mbps	234.00	100.00	
		20 Mbps	298.00	100.00	
		25 Mbps	361.00	100.00	
		30 Mbps	425.00	100.00	
		35 Mbps	489.00	100.00	
	(3)	Committed Information Rate, per PVC 2YR Term Payment Plan (TPP)			
		14 Kbps	1.80	12.00	
		16 Kbps	2.70	12.00	
		28 Kbps	3.60	12.00	
		32 Kbps	3.60	12.00	
		56 / 64 Kbps	4.50	12.00	
		128 Kbps	5.40	12.00	
		192 Kbps	6.30	12.00	
		256 Kbps	8.10 9.00	12.00 12.00	
		320 Kbps 384 Kbps	10.80	12.00	
		512 Kbps	22.50	12.00	
		768 Kbps	25.20	12.00	
		1.024 MBps	28.80	12.00	
		1.536 MBps	62.00	12.00	
		5 Mbps	103.00	100.00	
		10 Mbps	164.00	100.00	
		15 Mbps	226.00	100.00	
		20 Mbps	287.00	100.00	
		25 Mbps	349.00	100.00	
		30 Mbps	410.00	100.00	/N/\
		35 Mbps	472.00	100.00	(N)
		oo mapo	772.00	100.00	

# 8.10 Frame Relay Service (Cont'd)

(	N)	

(G)	Rates (Cont'd)	Monthly	Nonrecurring	
		<u>Charge</u>	<u>Charge</u>	
(F) (4)	Committed Information Rate, per PVC 3YR Term Payment Plan (TPP)			
	14 Kbps	1.72	12.00	
	16 Kbps	2.58	12.00	
	28 Kbps	3.44	12.00	
	32 Kbps	3.44	12.00	
	56 / 64 Kbps	4.30	12.00	
	128 Kbps	5.16	12.00	
	192 Kbps	6.02	12.00	
	256 Kbps	7.74	12.00	
	320 Kbps	8.60	12.00	
	384 Kbps	10.32	12.00	
	512 Kbps	21.50	12.00	
	768 Kbps	24.08	12.00	
	1.024 MBps	27.52	12.00	
	1.536 MBps	56.00	12.00	
	5 Mbps	94.00	100.00	
	10 Mbps	150.00	100.00	
	15 Mbps	206.00	100.00	
	20 Mbps	263.00	100.00	
	25 Mbps	319.00	100.00	
	30 Mbps	375.00	100.00 <b>(</b>	(N)
	35 Mbps	431.00	100.00	/

#### 9. Interface Groups, Transmission Specifications, and Channel Codes

#### 9.1 Local Transport Interface Groups

Ten Interface Groups are provided for terminating the Local Transport at the customer's premises. Each Interface Group provides a specified premises interface code (e.g., two-wire, four-wire, DS1, etc.). At the option of the customer and where transmission facilities permit, the individual transmission path between the customer's premises and the first point of switching may be provided with optional features as set forth in Section 6 preceding.

(T)

As a result of the customer's access order and the type of Telephone Company transport facilities serving the customer's premises, the need for signaling conversions or two-wire to four-wire conversions, or the need to terminate digital or high frequency facilities in channel bank equipment may require that Telephone Company equipment be placed at the customer's premises. For example, if a voice frequency interface is ordered by the customer and the Telephone Company facilities serving the customer's premises are digital, then Telephone Company channel bank equipment must be placed at the customer's premises in order to provide the voice frequency interface ordered by the customer.

Interface Group 1 is provided with Type C Transmission Specifications, and Interface Groups 2 through 10 are provided with Type A or B Transmission Specifications, depending on the Feature Group and whether the Access Service is routed directly or through an access tandem. All Interface Groups are provided with Data Transmission Parameters.

Only certain premises interfaces are available at the customer's premises. The premises interface codes associated with the Interface Groups may vary among Feature Groups. The various premise interface codes which are available with the Interface Groups, and the Feature Groups with which they may be used, are set forth in 9.1.11 following.

Continued

Effective: July 1, 2012

Vice President Government & Regulatory Affairs 180 S. Clinton Ave. Rochester, NY 14646

#### 9. Interface Groups, Transmission Specifications, and Channel Codes (Cont'd)

#### 9.1 Local Transport Interface Groups (Cont'd)

For each of the ten Interface Groups described following, the transmission path between the point of termination at the customer's premises and the first point of switching may be comprised of any form or configuration of plant and equipment capable of and typically used in the telecommunications industry for the transmission of voice and associated telephone signals within the frequency bandwidth of 300 to 3000 Hz.

## 9.1.1 <u>Interface Group 1</u> (USOC TPP1X)

Interface Group 1 provides a two-wire voice frequency transmission path at the point of termination at the customer's premises. Interface Group 1 is not provided in association with FGC and FGD when the first point of switching is an access tandem. In addition, Interface Group 1 is not provided in association with FGB, FGC or FGD when the first point of switching can only provide four-wire terminations.

The interface is provided with loop supervisory signaling. When the interface is associated with FGA, such signaling will be loop start or ground start signaling. When the interface is associated with FGB, FGC or FGD, such signaling will be reverse battery signaling. When FGB, FGC, or FGD access service is associated with a two-way calling interface, E&M signaling shall be used.

#### 9.1.2 <u>Interface Group 2</u> (USOC TTP2X)

Interface Group 2 provides four-wire voice frequency transmission at the point of termination at the customer's premises. The interface is provided with loop supervisory signaling. When the interface is associated with FGA, such signaling will be loop start or ground start signaling. When the

#### 9. Interface Groups, Transmission Specifications, and Channel Codes (Cont'd)

#### 9.1 Local Transport Interface Groups (Cont'd)

#### 9.1.2 Interface Group 2 (USOC TTP2X) (Cont'd)

interface is associated with FGB, FGC or FGD, such signaling, except for two-way calling which is E&M signaling, will be reverse battery signaling.

#### 9.1.3 Interface Group 3 (USOC TPP3X)

Interface group 3 provides group level analog transmission at the point of termination at the customer's premises. The interface is capable of transmitting electrical signals between the frequencies of 60 to 180 kHz, with the capability to channelize up to 12 voice frequency transmission paths. Certain frequencies within the bandwidth of the Interface Group are reserved for Telephone Company use, e.g., pilot and carrier group alarm tones. Before the first point of switching, the Telephone Company will provide multiplex equipment to derive 12 transmission paths with a frequency bandwidth of approximately 300 to 3000 Hz.

The interface is provided with SF supervisory signaling for each individual transmission channel.

# 9.1.4 <u>Interface Group 4</u> (USOC TPP4X)

Interface group 4 provides supergroup level analog transmission at the point of termination at the customer's premises. The interface is capable of transmitting electrical signals between the frequencies of 312 to 552 kHz, with the capability to channelize up to 60 voice frequency transmission paths. Certain frequencies within the bandwidth of the Interface Group are reserved for Telephone Company use,

e.g., pilot and carrier group alarm tones. Before the first point of

#### 9. Interface Groups, Transmission Specifications, and Channel Codes (Cont'd)

#### 9.1 <u>Local Transport Interface Groups</u> (Cont'd)

#### 9.1.4 Interface Group 4 (USOC TPP4X) (Cont'd)

switching, the Telephone Company will provide multiplex and channel bank equipment to derive 60 transmission paths with a frequency bandwidth of approximately 300 to 3000 Hz.

The interface is provided with SF supervisory signaling for each individual transmission channel.

#### 9.1.5 <u>Interface Group 5</u> (USOC TPP5X)

Interface Group 5 provides mastergroup level analog transmission at the point of termination at the customer's premises. The interface is capable of transmitting electrical signals between the frequencies of 564 to 3084 kHz, with the capability to channelize up to 600 voice frequency transmission paths. Certain frequencies within the bandwidth of the Interface Group are reserved for Telephone Company use, e.g., pilot and carrier group alarm tones. Before the first point of switching, the Telephone Company will provide multiplex and channel bank equipment to derive 600 transmission paths with a frequency bandwidth of approximately 300 to 3000 Hz.

The interface is provided with SF supervisory signaling for each individual transmission channel.

#### 9.1.6 <u>Interface Group 6</u> (USOC TPP6X)

Interface Group 6 provides DS1 level digital transmission at the point of termination at the customer's premises. The interface is capable of transmitting electrical signals at a nominal 1.544 Mbps, with the capability to channelize up to

## 9. Interface Groups, Transmission Specifications, and Channel Codes (Cont'd)

### 9.1 <u>Local Transport Interface Groups</u> (Cont'd)

#### 9.1.6 Interface Group 6 (USOC TPP6X) (Cont'd)

24 voice frequency transmission paths. Before the first point of switching, when analog switching utilizing analog terminations is provided, the Telephone Company will provide multiplex and channel bank equipment to derive 24 transmission paths with a frequency bandwidth of approximately 300 to 3000 Hz. When digital switching or analog switching with digital carrier terminations is provided, the Telephone Company will provide, at the first point of switching, a DS1 signal in D3/D4 format.

The interface is provided with bit stream supervisory signaling for each individual transmission channel.

## 9.1.7 <u>Interface Group 7</u> (USOC TPP7X)

Interface Group 7 provides DS1C level digital transmission at the point of termination at the customer's premises. The interface is capable of transmitting electrical signals at a nominal 3.152 Mbps, with the capability to channelize up to 48 voice frequency transmission paths. Before the first point of switching, when analog switching utilizing analog terminations is provided, the Telephone Company will provide multiplex and channel bank equipment to derive up to 48 voice frequency transmission paths with a frequency bandwidth of approximately 300 to 3000 Hz. When digital switching or analog switching with digital carrier terminations is provided, the Telephone Company will provide, at the first point of switching, DS1 signals in D3/D4 format.

The interface is provided with bit stream supervisory signaling for each individual transmission channel.

#### 9. Interface Groups, Transmission Specifications, and Channel Codes (Cont'd)

#### 9.1 Local Transport Interface Groups (Cont'd)

#### 9.1.8 Interface Group 8 (USOC TPP8X)

Interface Group 8 provides DS2 level digital transmission at the point of termination at the customer's premises. The interface is capable of transmitting electrical signals at a nominal 6.312 Mbps, with the capability to channelize up to 96 voice frequency transmission paths. Before the first point of switching, when analog switching utilizing analog terminations is provided, the Telephone Company will provide multiplex and channel bank equipment in its office to derive up to 96 transmission paths with a frequency bandwidth of approximately 300 to 3000 Hz. When digital switching, or analog switching with digital carrier terminations is provided, the Telephone Company will provide, at the first point of switching, DS1 signals in D3/D4 format.

The interface is provided with bit stream supervisory signaling for each individual transmission channel.

#### 9.1.9 Interface Group 9 (USOC TPP9X)

Interface Group 9 provides DS3 level digital transmission at the point of termination at the customer's premises. The interface is capable of transmitting electrical signals at a nominal 44.736 Mbps, with the capability to channelize up to 672 voice frequency transmission paths. Before the first point of switching, when analog switching utilizing analog terminations is provided, the Telephone Company will provide multiplex and channel bank equipment to derive up to 672 transmission paths with a frequency bandwidth of approximately 300 to 3000 Hz. When digital switching, or analog switching with digital carrier terminations is provided, the Telephone Company will provide, at the first point of switching, DS1 signals in D3/D4 format.

## 9. Interface Groups, Transmission Specifications, and Channel Codes (Cont'd)

#### 9.1 <u>Local Transport Interface Groups</u> (Cont'd)

## 9.1.9 <u>Interface Group 9</u> (USOC TPP9X) (Cont'd)

The interface is provided with bit stream supervisory signaling for each individual transmission channel.

# 9.1.10 <u>Interface Group 10</u> (USOC TPPAX)

Interface Group 10 provides DS4 level digital transmission at the point of termination at the customer's premises. The interface is capable of transmitting electrical signals at a nominal 274.176 Mbps, with the capability to channelize up to 4032 voice frequency transmission paths. Before the first point of switching, when analog switching utilizing analog terminations is provided, the Telephone Company will provide multiplex and channel bank equipment to derive up to 4032 transmission paths with a frequency bandwidth of approximately 300 to 3000 Hz. When digital switching or analog switching with digital carrier terminations is provided, the Telephone Company will provide, at the first point of switching, DS1 signals in D3/D4 format.

The interface is provided with bit stream supervisory signaling for each individual transmission channel.

#### 9.1.11 Available Premises Interface Codes

Following is a matrix showing which premises interface codes are available for each Interface Group as a function of the Telephone Company switch supervisory signaling and Feature Group. For explanations of these codes, see the Glossary of Channel Interface Codes in 9.3.1 following.

- 9. Interface Groups, Transmission Specifications, and Channel Codes (Cont'd)
  - 9.1 <u>Local Transport Interface Groups</u> (Cont'd)
    - 9.1.11 <u>Available Premises Interface Codes</u> (Cont'd)

Interface Group 1	Telephone Company Switch Supervisory Signaling LO LO GO GO LO, GO LO, GO LO, GO LO, GO LO, GO RV, EA, EB, EC	Premises Interface Code 2LS2 2LS3 2GS2 2GS3 2DX3 4EA3-E 4EA3-M 6EB3-E 6EB3-M 2DX3 4EA3-E 4EA3-M 6EB3-E 6EB3-M 6EB3-C 4EA3-M	Fe A X X X X X X X X X X	X X X X X X	X X X X X X X	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
2	LO, GO LO, GO LO LO CO	4SF2 4SF3 4LS2 4LS3 6LS2 4GS2 4GS3 6GS2 4DX2 4DX3 6EA2-E 6EA2-M	X X X X X X X X X X			

Continued

Issued: December 1, 1994

- 9. Interface Groups, Transmission Specifications, and Channel Codes (Cont'd)
  - 9.1 <u>Local Transport Interface Groups</u> (Cont'd)
    - 9.1.11 Available Premises Interface Codes (Cont'd)

Interface Group	Telephone Company Switch Supervisory Signaling	Premises Interface Code	<u>Fe</u> A	ature B	Gro C	oup D
2 (Cont'o	LO, GO LO, GO LO, GO RV, EA, EB, EC RV RV RV RV RV	8EB2-E 8EB2-M 6EX2-B 4SF2 4SF3 4DX2 4DX3 6DX2 6EA2-E 6EA2-M 8EB2-E 8EB2-M 8EC2-M 4RV2-O 4RV2-T 4RV3-O 4RV3-T	X X X	X X X X X X X X X	X X X X X X X X X X X X X	X X X X X X X X X
3	LO, GO RV, EA, EB, EC	4AH5-B 4AH5-B	Χ	X	Χ	Χ
4	LO, GO RV, EA, EB, EC	4AH6-C 4AH6-C	X	X	X	X
5	LO, GO RV, EA, EB, EC	4AH6-D 4AH6-D	Χ	X	Χ	X

Continued

Effective: December 1, 1994

- 9. Interface Groups, Transmission Specifications, and Channel Codes (Cont'd)
  - Local Transport Interface Groups (Cont'd) 9.1
    - Available Premises Interface Codes (Cont'd) 9.1.11

Interface Group	Telephone Company Switch Supervisory Signaling	Premises Interface Code	Feature Group A B C D			
6	LO, GO LO, GO RV, EA, EB, EC RV, EA, EB, EC	4DS9-15 4DS9-15L 4DS9-15 4DS9-15L	X	X	X	X
7	LO, GO RV, EA, EB, EC LO, GO RV, EA, EB, EC	4DS9-31 4DS9-32 4DS9-31L 4DS9-31L	X X	X X	X X	X X
8	LO, GO LO, GO RV, EA, EB, EC RV, EA, EB, EC	4DSO-63 4DSO-63L 4DSO-63 4DSO-63L	X X	X	X	X
9	LO, GO LO, GO RV, EA, EB, EC RV, EA, EB, EC	4DS6-44 4DS6-44L 4DS6-44 4DS6-44L	X X	X	X	X
10	LO, GO LO, GO RV, EA, EB, EC RV, EA, EB, EC	4DS6-27 4DS6-27L 4DS6-27 4DS6-27L	X X	X X	X X	X X

Continued

Effective: December 1, 1994

## 9. <u>Interface Groups, Transmission Specifications, and Channel Codes</u> (Cont'd)

## 9.2 <u>Transmission Specifications for Switched Access Service</u>

The Telephone Company will maintain existing transmission specifications on functioning service configurations installed prior to the effective date of this tariff except that service configurations having performance specifications exceeding the standards listed in this provision will be maintained at performance levels specified in this tariff.

The transmission specifications contained in this Section are immediate action limits. Acceptance limits are set forth in Technical Reference TR-NPL-000334. This Technical Reference also provides the basis for determining Switched Access Service maintenance limits.

#### 9.2.1 Standard Transmission Specifications

Following are descriptions of the three Standard Transmission Specifications available with Switched Access Services. The specific applications in terms of the Switched Access Arrangements and Interface Groups with which the Switched Access Arrangement Standard Transmission Specifications are provided are set forth in Section 6 preceding.

#### (A) Type A Transmission Specifications

Type A Transmission Specifications is provided with the following parameters:

#### (1) Loss Deviation

The maximum Loss Deviation of the 1004 Hz loss relative to the Expected Measured Loss (EML) is  $\pm$  2.0 dB

#### (2) Attenuation Distortion

The maximum Attenuation Distortion in the 404 to 2804 Hz frequency band relative to the loss 1004 Hz is -1.0 dB to +3.0 dB.

Continued

Effective: July 1, 2012

Kenneth Mason Vice President Government & Regulatory Affairs 180 S. Clinton Ave. Rochester, NY 14646 (T)

Issued: May 9, 2012

- 9. Interface Groups, Transmission Specifications, and Channel Codes (Cont'd)
  - 9.2 <u>Transmission Specifications for Switched Access Service</u> (Cont'd)
    - 9.2.1 Standard Transmission Specifications (Cont'd)
      - (A) Type A Transmission Specifications (Cont'd)

#### (3) <u>C-Message Noise</u>

The maximum C-Message Noise for the transmission path at the route miles listed is less than or equal to:

Route Miles	C-Message Noise
less than 50	32 dBrnCO
51 to 100	34 dBrnCO
101 to 200	37 dBrnCO
201 to 400	40 dBrnCO
401 to 1000	42 dBrnCO

#### (4) C-Notch Noise

The maximum C-Notch Noise, utilizing a -16 dBmO holding tone, is less than or equal to 45 dBrnCO.

#### (5) Echo Control

Echo Control, identified as Equal Level Echo Path Loss, and expressed as Echo Return Loss and Singing Return Loss, is dependent on the routing, i.e., whether the service is routed directly from the customer's point of termination (POT) to the end office or via an access tandem. It is equal to or greater than the following:

- 9. Interface Groups, Tarnsmission Specifications, and Channel Codes (Cont'd)
  - 9.2 <u>Transmission Specifications for Switched Access Service</u> (Cont'd)
    - 9.2.1 <u>Standard Transmission Specifications</u> (Cont'd)
      - (A) Type A Transmission Specifications (Cont'd)
        - (5) Echo Control (Cont'd)

(	Echo <u>Return Loss</u>	Singing Return Loss
POT to Access Tandem POT to End Office	21 dB	14 dB
- Direct	N/A	N/A
-Via Access Tandem	16 dB	11 dB

## (6) Standard Return Loss

Standard Return Loss expressed as Echo Return Loss and Singing Return Loss on two-wire ports of a four-wire point of termination shall be equal to or greater than:

Echo Return Loss	Singing Return Loss
5 dB	2.5 dB

#### (B) Type B Transmission Specifications

Type B Transmission Specifications is provided with the following parameters:

- 9. Interface Groups, Tarnsmission Specifications, and Channel Codes (Cont'd)
  - 9.2 <u>Transmission Specifications for Switched Access Service</u> (Cont'd)
    - 9.2.1 <u>Standard Transmission Specifications</u> (Cont'd)
      - (B) Type B Transmission Specifications (Cont'd)
        - (1) Loss Deviation

The maximum Loss Deviation of the 1004 Hz loss relative to the Expected Measured Loss (EML) is ± 2.5 dB.

(2) Attenuation Distortion

The maximum Attenuation Distortion is the 404 to 2804 Hz frequency band relative to loss at 1004 Hz is -2.0 dB to +4.0 dB.

(3) <u>C-Message Noise</u>

The maximum C-Message Noise for the transmission path at the route miles listed is less than or equal to:

Route Miles	<u>C-Message</u> Type B1	
less than 50	32 dBrnCO	35 dBrnCO
51 to 100	33 dBrnCO	37 dBrnCO
101 to 200	35 dBrnCO	40 dBrnCO
201 to 400	37 dBrnCO	43 dBrnCO
401 to 1000	39 dBrnCO	45 dBrnCO

<sup>\*</sup> For Feature Groups C and D only Type B2 will be provided. For Feature Groups A and B, Type B1 or B2 will be provided as set forth in Technical Reference TR-NPL-000334.

- 9. <u>Interface Groups, Tarnsmission Specifications, and Channel Codes</u> (Cont'd)
  - 9.2 <u>Transmission Specifications for Switched Access Service</u> (Cont'd)
    - 9.2.1 Standard Transmission Specifications (Cont'd)
      - (B) Type B Transmission Specifications (Cont'd)
        - (4) <u>C-Notch Noise</u>

The maximum C-Notch Noise, utilizing a -16 dBmO holding tone is less than or equal to 47 dBrnCO.

# (5) Echo Control

Echo Control, identified as Impedance Balance for FGA and FGB and Equal Level Echo Path Loss for FGC and FGD, and expressed as Echo Return Loss (ERL) and Singing Return Loss (SRL), is dependent on the routing, i.e., whether the service is routed directly from the customer's point of termination (POT) to the end office or via an access tandem. The ERL and SRL also differ by Switched Access Service, type of termination, and type of transmission path. They are greater than or equal to the following:

	Echo <u>Return Loss</u>	Singing <u>Return Loss</u>
POT to Access Tandem - Terminated in Four-Wire trunk	21 dB	14 dB
POT to End Office - Terminated in Two-Wire trunk	16 dB	11 dB

- 9. <u>Interface Groups, Tarnsmission Specifications, and Channel Codes</u> (Cont'd)
  - 9.2 <u>Transmission Specifications for Switched Access Service</u> (Cont'd)
    - 9.2.1 <u>Standard Transmission Specifications</u> (Cont'd)
      - (B) Type B Transmission Specifications (Cont'd)
        - (5) Echo Control (Cont'd)

<u>Ecrio Control</u> (Contra)	Echo Return Loss	Singing Return Loss
POT to End Office - Direct - Via Access Tandem	16 dB	11 dB
. For FGB access . For FGC access (Effective	8 dB	4 dB
Four-Wire trans mission path at end office) . For FGC access (Effective Two-Wire trans-	16 dB	11 dB
mission path at end office)	13 dB	6 dB

#### (6) Standard Return Loss

Standard Return Loss, expressed as Echo Return Loss and Singing Return Loss, on two-wire ports of a four-wire point of termination shall be equal to or greater than:

Echo Return Loss	Singing Return Loss
5 dB	2.5 dB

- 9. Interface Groups, Tarnsmission Specifications, and Channel Codes (Cont'd)
  - 9.2 <u>Transmission Specifications for Switched Access Service</u> (Cont'd)
    - 9.2.1 Standard Transmission Specifications (Cont'd)
      - (C) Type C Transmission Specifications

Type C Transmission Specifications is provided with the following parameters:

(1) Loss Deviation

The maximum Loss Deviation of the 1004 Hz loss relative to the Expected Measured Loss (EML) is 3.0 dB.

(2) Attenuation Distortion

The maximum Attenuation Distoration in the 404 to 2804 Hz frequency band relative to loss at 1004 Hz is -2.0 dB to +5.5 dB.

(3) C-Message Noise

The maximum C-Message Noise for the transmission path at the route miles listed is less than or equal to:

Route Miles	<u>C-Messa</u> Type B1	ge Noise* Type B2
less than 50 51 to 100 101 to 200 201 to 400	32 dBrnCO 33 dBrnCO 35 dBrnCO 37 dBrnCO	38 dBrnCO 39 dBrnCO 41 dBrnCO 43 dBrnCO
401 to 1000	39 dBrnCO	45 dBrnCO

For Feature Groups C and D only Type C2 will be provided. For Feature Groups A and B, Type C1 or C2 will be provided set forth in Technical Reference TR-NPL-000334.

- 9. <u>Interface Groups, Tarnsmission Specifications, and Channel Codes</u> (Cont'd)
  - 9.2 <u>Transmission Specifications for Switched Access Service</u> (Cont'd)
    - 9.2.1 <u>Standard Transmission Specifications</u> (Cont'd)
      - (C) Type C Transmission Specifications (Cont'd)
        - (4) <u>C-Notch Noise</u>

The maximum C-Notch Noise, utilizing a -16 dBmO holding tone is less than or equal to 47 dBrnCO.

## (5) Echo Control

Echo Control, identified as Return Loss and expressed as Echo Return Loss and Singing Return Loss is dependent on the routing, i.e., whether the service is routed directly from the customer's point of termination (POT) to the end office or via an access tandem. It is equal to or greater than the following:

	Echo <u>Return Loss</u>	Singing Return Loss
POT to Access Tandem	13 dB	6 dB
POT to End Office - Direct - Via Access Tander (for FGB only)	13 dB n 8 dB	6 dB 4 dB

- 9. Interface Groups, Tarnsmission Specifications, and Channel Codes (Cont'd)
  - 9.2 <u>Transmission Specifications for Switched Access Service</u> (Cont'd)
    - 9.2.2 Data Transmission Parameters

Two types of Data Transmission Parameters, i.e., Type DA and Type DB, are provided for the Switched Access Service arrangements. The specific applications in terms of the Feature Groups with which they are provided are set forth in Section 6 preceding. In addition, the Combined Access Service Arrangement is provided with Data Transmission Parameters. Following are descriptions of each parameter.

(T)

- (A) <u>Data Transmission Parameters Type DA</u>
  - (1) Signal to C-Notched Noise Ratio

The Signal to C-Notched Noise Ratio is equal to or greater than 33 dB.

(2) Envelope Delay Distortion

The maximum envelope Delay Distortion for the frequency bands and route miles specified is:

604 to 2804 Hz

Less than 30 route miles: 500 microseconds

Equal to or greater than

30 route miles: 900 microseconds

1004 to 2404 Hz

Less than 50 route miles: 200 microseconds

Equal to or greater than

50 route miles: 400 microseconds

Continued

Effective: July 1, 2012

Issued: May 9, 2012

( - )

- 9. Interface Groups, Tarnsmission Specifications, and Channel Codes (Cont'd)
  - 9.2 Transmission Specifications for Switched Access Service (Cont'd)
    - 9.2.2 <u>Data Transmission Parameters</u> (Cont'd)
      - (A) <u>Data Transmission Parameters Type DA</u> (Cont'd)
        - (3) Impulse Noise Counts

The Impulse Noise Counts exceeding a 65 dBrnCO threshold in 15 minutes is no more than 15 counts.

(4) Intermodulation Distortion

The Second Order (R2) and Third Order (R3) Intermodulation Distortion products are equal to or greater than:

Second Order (R2) 33 dB Third Order (R3) 37 dB

(5) Phase Jitter

The Phase Jitter over the 4-300 Hz frequency band is less than or equal to 5° peak-to-peak.

(6) Frequency Shift

The maximum Frequency Shift does not exceed -2 to +2 Hz.

- (B) Data Transmission Parameters Type DB
  - (1) Signal to C-Notched Noise Ratio

The signal to C-Notched Noise Ratio is equal to or greater than 30 dB.

- 9. Interface Groups, Tarnsmission Specifications, and Channel Codes (Cont'd)
  - 9.2 Transmission Specifications for Switched Access Service (Cont'd)
    - 9.2.2 <u>Data Transmission Parameters</u> (Cont'd)
      - (B) <u>Data Transmission Parameters Type DB</u> (Cont'd)
        - (2) Envelope Delay Distortion

The maximum Envelope Delay Distortion for the frequency bands and route miles specified is:

604 to 2804 Hz

Less than 50 route miles: 800 microseconds

Equal to or greater than

50 route miles: 1000 microseconds

1004 to 2404 Hz

Less than 50 route miles: 320 microseconds

Equal to or greater than

50 route miles: 500 microseconds

(3) Impulse Noise Counts

The Impulse Noise Counts exceeding a 67 dBrnCO threshold in 15 minutes is no more than 15 counts.

(4) Intermodulation Distortion

The Second Order (R2) and Third Order (R3) Intermodulation Distortion products are equal to or greater than:

Second Order (R2) 31 dB Third Order (R3) 34 dB

- 9. Interface Groups, Tarnsmission Specifications, and Channel Codes (Cont'd)
  - 9.2 Transmission Specifications for Switched Access Service (Cont'd)
    - 9.2.2 <u>Data Transmission Parameters</u> (Cont'd)
      - (B) <u>Data Transmission Parameters Type DB</u> (Cont'd)
        - (5) Phase Jitter

The Phase Jitter over the 4-300 Hz frequency band is less than or equal to  $7^{\circ}$  peak-to-peak.

(6) Frequency Shift

The maximum frequency Shift does not exceed -2 to +2 Hz.

9.3 Channel Interface and Network Channel Codes

This section explains the Channel Interface codes and Network Channel codes that the customer must specify when ordering Special Access Service. Included is an example which explains the specific characters of the code, a glossary of Channel Interface codes, impedance levels, Network Channel codes and compatible Channel Interfaces.

<u>Example</u>: If the customer specifies a NT Network Channel Code and a 2DS8-3 Channel Interface at the customer's premises, the following is being requested:

- NT = Metallic Circuit with a Predefined Technical Specification Package (1)
- 2 = Number of physical wires at customer premises
- D.C. = Facility interface for direct current or voltage
- 8 = Variable impedance level
- 3 = Metallic facilities (D.C. continuity) for direct current/low frequency control signals or slow speed data (30 baud)

- Interface Groups, Tarnsmission Specifications, and Channel Codes (Cont'd) 9.
  - Channel Interface and Network Channel Codes (Cont'd) 9.3
    - 9.3.1 Glossary of Channel Interface Codes and Options

Code AB	<u>2</u> -	<u>Option</u>	<u>Definition</u> Accepts 20 Hz ringing signal at customer's point of termination
AC	-		Accepts 20 Hz ringing signal at customer's end user's point of termination
АН	- - -	B C D	Analog high capacity interface 60 kHz to 108 kHz (12 channels) 312 kHz to 552 kHz (60 channels) 564 kHz to 3084 kHz (600 channels)
СТ	-		Centrex Tie Trunk Termination
DA	-		Data stream in VF frequency band at customer's end user's point of termination
DB	-		Data stream in VF frequency band at customer's point of termination
	-	10	VF for TG1 and TG2
	-	43	VF for 43 Telegraph Carrier type signals, TG1 and TG2 D.Cdirect current or voltage
	-	1	Monitoring interface with series RC combination (McCulloh format)
	-	2	Telephone Company energized alarm channel
	-	3	Metallic facilities (D.C. continuity) for direct current/low frequency control signals or slow speed data (30 baud)

Continued Effective: December 1, 1994

- Interface Groups, Tarnsmission Specifications, and Channel Codes (Cont'd) 9.
  - Channel Interface and Network Channel Codes (Cont'd) 9.3
    - 9.3.1 Glossary of Channel Interface Codes and Options (Cont'd)

<u>Code</u>	<u>Option</u>	<u>Definition</u>
DD -		DATAPHONE Select-A-Station (and TABS) interface at customer's point of termination
DE -		DATAPHONE Select-A-Station (and TABS) interface at the customer's end user's point of termination
DS -		Digital hierarchy interface
-	15	1.544 Mbps (DS1) format per PUB 41451 plus D4
-	15E	8-bit PCM encoded in one 64 kbps of the DS1 signal
-	15F	8-bit PCM encoded in two 64 kbps of
-	15G	the DS1 signal 8-bit PCM encoded in three 64 kbps of
-	15H	the DS1 signal 14/11-bit PCM encoded in six 64 kbps
_	15J	of the DS1 signal 1.544 Mbps format per PUB 41451
-	15K	1.544 Mbps format per PUB 41451 plus extended framing format
_	15L	1.544 Mbps (DS1) with SF signaling
-	27	274.176 Mbps (DS4)
-	27L	274.176 Mbps (DS4) with SF signaling
-	31	3.152 Mbps (DS1C)
-	31L	3.152 Mbps (DS1C) with SF signaling
-	44	44.736 Mbps (DS3)
-	44L	44.736 Mbps (DS3) with SF signaling
-	63 63L	6.312 Mbps (DS2) 6.312 Mbps (DS2) with SF signaling

Continued

Elk Grove, CA 95624

- 9. Interface Groups, Tarnsmission Specifications, and Channel Codes (Cont'd)
  - 9.3 Channel Interface and Network Channel Codes (Cont'd)
    - 9.3.1 Glossary of Channel Interface Codes and Options (Cont'd)

<u>Code</u>	<u>Option</u>	<u>Definition</u>
DU	24 48 56 96 A B	Digital access interface 2.4 kbps 4.8 kbps 56.0 kbps 9.6 kbps 1.544 Mbps format per PUB 41451 1.544 Mbps format per PUB 41451 plus D4 1.544 Mbps format per PUB 41451 plus extended framing format
DX -		Duplex signaling interface at customer's point of termination
DY -		Duplex signaling interface at customer's end user's point of termination
EA -	Е	Type I E&M Lead Signaling. Customer at POT or customer's end user at POT originates on E Lead.
EA -	M	Type I E&M Lead Signaling. Customer at POT or customer's end user at POT originates on M Lead.
EB -	Е	Type II E&M Lead Signaling. Customer at POT or customer's end user at POT originates on E Lead.

Continued

- 9. Interface Groups, Tarnsmission Specifications, and Channel Codes (Cont'd)
  - 9.3 Channel Interface and Network Channel Codes (Cont'd)
    - 9.3.1 Glossary of Channel Interface Codes and Options (Cont'd)

<u>Code</u>	<u>Option</u>	<u>Definition</u>
EB -	M	Type II E&M Lead Signaling. Customer at POT or customer's end user at POT originates on M Lead.
EC -		Type III E&M signaling at customer POT
EX -	Α	Tandem channel unit signaling for loop start or ground start and customer supplies open end (dial tone, etc.) functions.
EX -	В	Tandem channel unit signaling for loop start or ground start and customer supplies closed end (dial pulsing, etc.) functions.
GO -		Ground start loop signaling - open end function by customer or customer's end user.
GS -		Ground start loop signaling - closed end function by customer or customer's end user
IA -		E.I.A. (25 pin RS-232)
LA -		End user loop start loop signaling - Type A OPS registered port open end

Continued

- 9. Interface Groups, Tarnsmission Specifications, and Channel Codes (Cont'd)
  - 9.3 Channel Interface and Network Channel Codes (Cont'd)
    - 9.3.1 Glossary of Channel Interface Codes and Options (Cont'd)

<u>Code</u>	<u>Option</u>	<u>Definition</u>
LB -		End user loop start loop signaling - Type B OPS registered port open end
LC -		End user loop start loop signaling - Type C OPS registered port open end
LO -		Loop start loop signaling - open end function by customer or customer's end user
LR -		20 Hz automatic ringdown interface at customer with Telephone Company provided PLAR
LS -		Loop start loop signaling - closed end function by customer or customer's end user
NO -		No signaling interface, transmission only
PG -		Program transmission - no d.c. signaling
-	1	Nominal frequency from 50 to 15000 Hz
-	3 5 8	Nominal frequency from 200 to 3500 Hz Nominal frequency from 100 to 5000 Hz
-	8	Nominal frequency from 50 to 8000 Hz

- 9. Interface Groups, Transmission Specifications, and Channel Codes (Cont'd)
  - 9.3 Channel Interface and Network Channel Codes (Cont'd)
    - 9.3.1 Glossary of Channel Interface Codes and Options (Cont'd)

<u>Code</u>	<u>Option</u>	<u>Definition</u>
PR -		Protective relaying*
RV -O -T		Reverse battery signaling, one way operation, originate by customer Reverse battery signaling, one way operation, terminate function by customer or customer's end user
SF -		Single frequency signaling with VF band at either customer POT or customer's end user POT
TF -		Telephotograph interface
TT2 -3 -6		Telegraph/teletypewriter interface at either customer POT or customer's end user POT 20.0 milliamperes 3.0 milliamperes 62.5 milliamperes
TV1 -2 -5 -5	15	Television interface Combined (diplexed) video and one audio signal Combined (diplexed) video and two audio signals Video plus one (or two) audio 5 kHz signal(s) or one (or two) two wire Video plus one (or two) audio 15 kHz
		signal(s)

<sup>\*</sup> Available only for the transmission of audio tone protective relaying signals used in the protection of electric power systems during fault conditions.

Continued

Issued: December 1, 1994

- 9. Interface Groups, Transmission Specifications, and Channel Codes (Cont'd)
  - 9.3 Channel Interface and Network Channel Codes (Cont'd)
    - 9.3.1 Glossary of Channel Interface Codes and Options (Cont'd)

<u>Option</u>	<u>Definition</u>
	Wideband bandwidth interface at customer's end user
1 2	Limited bandwidth Nominal passband from 29000 to 44000 Hz
18S 19A 19S 23A 23S 40S 50A 50S	Wideband data interface at customer POT 18.75 kbps, synchronous Up to 19.2 kbps asynchronous 19.2 kbps synchronous Up to 230.4 kbps, asynchronous 230.4 kbps, synchronous 40.8 kbps, synchronous Up to 50.0 kbps, asynchronous 50.0 kbps synchronous
18 19 23 23S 40 50	Wideband data interface at customer's end user POT 18.75 kbps, synchronous For 12-wire interface: 19.2 kbps, synchronous for 10-wire interface: up to 19.2 kbps, Asynchronous up to 230.4 kbps, asynchronous 230.4 kbps, synchronous 40.8 kbps, synchronous For 12-wire interface: 50.0 kbps, synchronous for 10-wire interface: up to 50.0 kbps, asynchronous
	1 2 18S 19A 19S 23A 23S 40S 50A 50S

- 9. <u>Interface Groups, Transmission Specifications, and Channel Codes</u> (Cont'd)
  - 9.3 <u>Channel Interface and Network Channel Codes</u> (Cont'd)
    - 9.3.1 Glossary of Channel Interface Codes and Options (Cont'd)

<u>Code</u>	<u>Option</u>	<u>Definition</u>
WD -		Wideband bandwidth interface at customer POT
-	1	Nominal passband from 300 to 18000 Hz
-	2	Nominal passband from 28000 to 44000 Hz
-	3	Nominal passband from 29000 to 44000 Hz

## 9.3.2 <u>Impedance</u>

The nominal reference impedance with which the channel will be terminated for the purpose of evaluating transmission performance:

Value (ohms)	Code(s)
110	0
150	1
600	2
900	3+
135	5
75	6
124	7
Variable	8
100	9

+ For those interface codes with a four-wire transmission path at the customer's POT, rather than a standard 900 ohm impedance the code (3) denotes a customer provided transmission equipment termination. Such terminations were provided to customers in accordance with the F.C.C. Docket No. 20099 Settlement Agreement.

Continued

Effective: December 1, 1994

Issued: December 1, 1994

- 9. Interface Groups, Transmission Specifications, and Channel Codes (Cont'd)
  - 9.3 <u>Channel Interface and Network Channel Codes</u> (Cont'd)
    - 9.3.3 Digital Hierarchy Channel Interface Codes (4DS)

Customers selecting the multiplexed four-wire DSX-1 or higher facility interface option at the customer designated premises will be requested to provide subsequent system and channel assignment data. The various digital bit rates in the digital hierarchy employ the channel interface code 4DS8, 4DS9, 4DS0 or 4DS6 plus the speed options indicated below:

Interface Code and Speed Option	Nominal Bit Rate (Mbps)	Digital <u>Hierarchy Level</u>
4DS8-15 4DS9-31 4DS0-63 4DS6-44	1.544 3.152 6.312 44.736	DS1 DS1C DS2 DS3
4DS6-27	274.176	DS4

#### 9.3.4 Service Designator/Network Channel Code Conversion Table

The purpose of this table is to show the relationship between the service designator codes (e.g. VGC, MT2, etc.) and the network channel codes that are used for various administrative purposes.

Service Designator Code	Network Channel Code	
MTC	MQ	
MT1	NT	
MT2	NU	
MT3	NV	
TGC	NQ	
TG1	NW	

Continued

- Interface Groups, Transmission Specifications, and Channel Codes (Cont'd) 9.
  - Channel Interface and Network Channel Codes (Cont'd) 9.3
    - <u>Service Designator/Network Channel Code Conversion Table</u> (Cont'd) 9.3.4

Service Designator Code	Network Channel Code
TG2 VG1 VG2 VG3 VG4 VG5 VG6 VG7 VG8 VG9 VG1 VG12 APC AP1 AP2 AP3 AP4 TVC TV1 TV2 WA1 WA1T WA2 WA3	NYQBCDEFGHJKNPRQEFJKQVW W W W W W
WA4	WP

Continued

- Interface Groups, Transmission Specifications, and Channel Codes (Cont'd) 9.
  - Channel Interface and Network Channel Codes (Cont'd) 9.3
    - <u>Service Designator/Network Channel Code Conversion Table</u> (Cont'd) 9.3.4

Network Channel Code
WB WE WF XA XB XG XH HS HC HD HE HF

Continued

- 9. Interface Groups, Transmission Specifications, and Channel Codes (Cont'd)
  - 9.3 Channel Interface and Network Channel Codes (Cont'd)
    - 9.3.5 Compatible Channel Interfaces

The following tables show the channel interface codes (CIs) Which are compatible:

#### (A) Metallic

Compatib	le CIs	Compatible	Compatible CIs		
4AH5-B	2DC8-1	4AH6-D	2DC8-2		
4AH5-B	24C8-2	2DC8-1	2DC8-2		
4AH6-C	2DC8-1	2DC8-3	2DC8-3		
4AH6-C	2DC8-2	4DS9-*	2DC8-1		
4AH6-D	2DC8-1	4DS9-*	2DC8-2		

## (B) <u>Telegraph Grade</u>

Compatible	e Cls	Compatible	e Cls	Compatible	Cls
4AH5-B	10IA8	4AH6-D	4TT2-6	4DB2-43+	4TT2-2
4AH5-B	2TT2-2	2DB2-10	10IA8	4DS9-*	10IA8
4AH5-B	4TT2-2	2DB2-10	2TT2-2	4DS9-*	2TT2-2
4AH5-B	2TT2-6	2DB2-10	4TT2-2	4DS9-*	4TT2-2
4AH5-B	4TT2-6	2DB2-43+	10IA8 4DS9	)-*	2TT2-6
4AH6-C	10IA8 2DB2	2-43+ 2TT2	2-2 4DS9	)-*	4TT2-6
4AH6-C	2TT2-2	2DB2-43+	2TT2-6	2TT2-2	2TT2-2
4AH6-C	4TT2-2	2DB2-43+	4TT2-2	2TT2-3	2TT2-2
4AH6-C	2TT2-6	4DB2-10	10IA8	2TT2-3	4TT2-2
4AH6-C	4TT2-6	4DB2-10	2TT2-2	2TT2-6	2TT2-6
4AH6-D	10IA8 4DB2	2-10 4TT2	-2 2TT2	-6	4TT2-2
4AH6-D	2TT2-2	4DB2-43+	10IA8	4TT2-2	4TT2-2
4AH6-D	4TT2-2	4DB2-43+	2TT2-6	4TT2-6	2TT2-6
4AH6-D	2TT2-6				

- See Section 7.5.3 preceding for explanation.
- Supplemental Channel Assignment information required.

- 9. Interface Groups, Transmission Specifications, and Channel Codes (Cont'd)
  - 9.3 Channel Interface and Network Channel Codes (Cont'd)
    - 9.3.5 <u>Compatible Channel Interfaces</u> (Cont'd)
      - (C) Voice Grade

Compatible Cls		e CIs	Compatible CIs		Compatible CIs	
	4AB2	4AB2				
	4AB2	4AC2	4AH5-B	6DA2	4AH6-	D2DY2
	4AB3	4AC2	4AH5-B	4DA2	4AH6-C	9DY2
	4AB2	2AC2	4AH5-B	2DA2	4AHG-C	9DY3
	4AB3	2AC2			4AH6-C	6DY2
	2AB2	2AC2	4AH6-D	4DE2	4AH6-C	6DY3
	2AB3	2AC2	4AH6-C	4DE2	4AH6-C	4DY2
			4AH5-B	4DE2	4AH6-C	2DY2
	4AB2	4SF2	4AH6-D	2DE2	4AH5-B	9DY2
	4AB3	4SF2	4AH6-C	2DE2	4AH5-B	9DY3
			4AH5-B	2DE2	4AH5-B	6DY2
	4AH6-D	4AC2			4AH5-B	6DY3
	4AH6-D	2AC2	4AH6-D	4DX3	4AH5-B	4DY2
	4AH6-C	4AC2	4AH6-C	4DX3	4AH5-B	2DY2
	4AH6-C	2AC2	4AH5-B	4DX3		
	4AH5-B	4AC2	4AH6-D	4DX2	4AH6-D	9EA2
	4AH5-B	2AC2	4AH6-C	4DX2	4AH6-D	9EA3
			4AH5-B	4DX2	4AH6-D	6EA2-E
	4AH6-D	2CT3			4AH6-D	6EA2-M
					4AH6-D	4EA2-E
	4AH6-C	2CT3			4AH6-D	4EA2-M
	4AH5-B	2CT3			4AH6-C	9EA2
	4AH6-D	6DA2			4AJ7-C	9EA3
	4AH6-D	4DA2	4AH6-D	9DY2	4AH6-C	6EA2-E
	4AH6-D	2DA2	4AH6-D	9DY3		
	4AH6-C	6DA2	4AH6-D	6DY2		
	4AH6-C	4DA2	4AH6-D	6DY3		
	4AH6-C	2DA2	4AH6-D	4DY2		

Continued

Effective: December 1, 1994

Issued: December 1, 1994

- 9. Interface Groups, Transmission Specifications, and Channel Codes (Cont'd)
  - 9.3 Channel Interface and Network Channel Codes (Cont'd)
    - 9.3.5 <u>Compatible Channel Interfaces</u> (Cont'd)
      - (C) <u>Voice Grade</u> (Cont'd)

Compatible CIs		Compatible CIs		Compatible CIs	
4AH6-C	6EA2-M	4AH6-D	6GS2	4AH6-D	2LO2
4AH6-C	4EA2-E	4AH6-D	4GS2	4AH6-C	2LO3
4AH6-C	4EA2-M	4AH6-D	2GS3	4AH6-C	2LO2
4AH5-B	9EA2	4AH6-D	2GS2	4AH5-B	2LO3
4AH5-B	9EA3	4AH6-C	6GS2	4AH5-B	2LO2
4AH5-B	6EA2-E	4AH6-C	4GS2		
4AH5-B	6EA2-M	4AH6-C	2GS3	4AH6-B	4LR2
4AH5-B	4EA2-E	4AH6-C	2GS2	4AH6-D	2LR2
4AH5-B	4EA2-M	4AH5-B	6GS2	4AH6-C	4LR2
		4AH5-B	4GS2	4AH6-C	2LR2
4AH6-D	8EB2-E	4AH5-B	2GS3	4AH5-B	4LR2
4AH6-D	8EB2-M	4AH5-B	2GS2	4AH5-B	2LR2
4AH6-D	6EB2-E				
4AH6-D	6EB2-M	4AH6-D	2LA2	4AH6-D	6LS2
4AH6-C	8EB2-E	4AH6-C	2LA2	4AH6-D	4LS2
4AH6-C	8EB2-M	4AH5-B	2LA2	4AH6-D	2LS2
4AH6-C	6EB2-E			4AH6-D	2LS3
4AH6-C	6EB2-M	4AH6-D	2LB2	4AH6-C	6LS2
4AH5-B	8EB2-E	4AHG-C	2LB2	4AH6-C	4LS2
4AH5-B	8EB2-M	4AH5-B	2LB2	4AH6-C	2LS2
4AH5-B	6EB2-E			4AH6-C	2LS3
4AH5-B	6EB2-M	4AH6-D	2LC2	4AH5-B	6LS2
		4AH6-C	2LC2	4AH5-B	4LS2
4AH6-D	2GO24	AH5-B	2LC2	4AH5-B	2LS2
4AH6-D	2GO3				
4AH6-C	2GO2				
4AH6-C	2GO2			4AH5-B	2LS3
4AH5-B	2GO24	AH6-D	2LO3		
4AH5-B	2GO3				

Continued

Effective: December 1, 1994

Issued: December 1, 1994

- Interface Groups, Transmission Specifications, and Channel Codes (Cont'd) 9.
  - Channel Interface and Network Channel Codes (Cont'd) 9.3
    - Compatible Channel Interfaces (Cont'd) 9.3.5
      - (C) Voice Grade (Cont'd)

Compatible CIs		Compatib	Compatible CIs		Compatible CIs	
4AH6-D	4NO2	4AH6-D	4TF2	2CT3	8EB2-E	
4AH6-D	2NO2	4AH7-D	2TF2	2CT3	8EB2-M	
4AH6-C	4NO2	4AH6-C	4TF2			
4AH6-C	2NO2	4AH6-C	2TF2	2CT3	6EB2-E	
4AH5-B	4NO2	4AH5-B	4TF2	2CT3	6EB2-M	
4AH5-B	2NO2	4AH5-B	2TF2			
				2CT3	6EB3-E	
		2CT3	4DS9-*			
				2CT3	8EC2	
		2CT3	6DX2			
		2CT3	4DX2	2CT3	4SF2	
		2CTS	4DX3	2CT3	4SF3	
4AH6-D	4PR2	2CT3	9DY3	6DA2	6DA2	
4AH6-D	2PR2	2CT3	6DY3	6DA2	4DA2	
4AH6-C	4PR2	2CT3	9DT2	4DA2	4DA2	
4AH6-C	2PR2	2CT3	6DY2			
4AH5-B	4PR2	2CT3	4DY3	4DB2	6DA2	
4AH5-B	2PR2	2CT3	2DY2	4DB2	4DA2	
				4DB2	2DA2	
4AH6-D	4RV2-T	2CT3	9EA3	2DB3	2DA2	
4AH6-D	2RV2-T	2CT3	9EA2	2DB2	2DA2	
4AH6-C	4RV2-T	2CT3	6EA2-E	4DB2	4DB2	
4AH6-C	2RV2-T	2CT3	6EA2-M	4DB2	4NO2	
4AH5-B	4TV2-T	2CT3	4EA2-E	4DB2	2NO2	
4AH5-B	2RV2-T	2CT3	4EA2-M	2DB2	2NO2	

Continued

Robert S. Crum Issued: December 1, 1994 Effective: December 1, 1994 Vice President Western Region Telephone Operations

See 9.3.3 preceding for explanation.

- 9. Interface Groups, Transmission Specifications, and Channel Codes (Cont'd)
  - 9.3 <u>Channel Interface and Network Channel Codes</u> (Cont'd)
    - 9.3.5 <u>Compatible Channel Interfaces</u> (Cont'd)
      - (C) Voice Grade (Cont'd)

Compatible CIs		Compatib	Compatible CIs		le Cls
4AH6-D	4SF2			4DB2	4PR2
4AH6-C	4SF2			4DB2	2PR2
4AH5-B	4SF2			2DB2	2PR2
4AH6-D	4SF3				
4AH6-C	4SF3				
4AH5-B	4SF3				
4DD3	4DE2	4DS8-*	9DY3		
4DD3	2DE2	4DS8-*	9DY2		
		4DS8-*	6DY3		
4DS8-*	4AC2	4DS8-*	6DY2		
4DS8-*	2AC2	4DS8-*	4DY2		
		4DS8-*	2DY2		
4DS8-*	6DA2				
4DS8-*	4DA2				
4DS8-*	2DA2	4DS8-*	9EA2		
		4DS8-*	9EA3		
4DS8-*	4DE2	4DS8-*	6EA2-E		
4DS8-*	EDE2	4DS8-*	6EA2-M		
		4DS8-*	4EA2-E		
4DS8-*	4DX3	4DS8-*	4EA2-E		
4DS8-*	4DX2				

Continued

<sup>\*</sup> See 9.3.3 preceding for explanation.

- 9. Interface Groups, Transmission Specifications, and Channel Codes (Cont'd)
  - 9.3 <u>Channel Interface and Network Channel Codes</u> (Cont'd)
    - 9.3.5 <u>Compatible Channel Interfaces</u> (Cont'd)
      - (C) Voice Grade (Cont'd)

Compatible CIs		Compatible CIs		Compatible CIs	
4DS8-*	8EB2-E	4DS8-*	4NO2	4DX3	9DY2
4DS8-*	8EB2-M	4DS8-*	2NO2	4DX2	6DY3
4DS8-*	6EB2-E			4DX3	6DY3
4DS8-*	6EB2-M	4DS8-*	4PR2	4DX2	6DY2
		4DS8-*	2PR2	4DX3	6DY2
4DS8-*	2GO2			4DX2	4DY2
4DS8-*	2GO3	4DS8-*	4RV2-T	4DX3	4DY2
4DS8-*	6GS2	4DS8-*	2RV2-T	4DX2	2DY2
4DS8-*	4GS2			4DX3	2DY2
4DS8-*	2GS2	4DS8-*	4SF2		
4DS8-*	2GS3	4DS8-*	4SF3	6DX2	9EA3
				6DX2	9EA2
4DS8-*	2LA2	4DS8-*	4TF2	6DX2	6EA2-E
		4DS8-*	2TF2	6DX2	6EA2-M
4DS8-*	2LB2			6DX2	4EA2-E
		4DX2	4DX2	6DX2	4EA2-M
8DS8-*	2LC2	4DX3	4DX2	4DX2	9EA2
		4DX3	4DX3	4DX3	9EA2
4DS8-*	2LO2		4DX2	9EA3	
4DS8-*	2LO3	6DX2	9DY3	4DX3	9EA3
		6DX2	9DY2	4DX2	6EA2-E
4DS8-*	4LR2	6DX2	6DY3	4DX3	6EA2-E
4DS8-*	2LR2	6DX2	6DY2	4DX2	6EA2-M
		6DX2	4DY2	4DX3	6EA2-M
4DS8-*	6LS2	6DX2	2DY2	4DX2	4EA2-E
4DS8-*	4LS2	4DX2	9DY3	4DX3	4EA2-E
4DS8-*	2LS2	4DX3	9DY3	4DX2	4EA2-M
4DS8-*	2LS3	4DX2	9DY2	4DX3	4EA2-M

Continued

Effective: December 1, 1994

Issued: December 1, 1994

<sup>\*</sup> See 9.3.3 for explanation.

- 9. Interface Groups, Transmission Specifications, and Channel Codes (Cont'd)
  - 9.3 Channel Interface and Network Channel Codes (Cont'd)
    - 9.3.5 <u>Compatible Channel Interfaces</u> (Cont'd)
      - (C) <u>Voice Grade</u> (Cont'd)

Compatib	ole CIs	Compati	ble Cls_	Compatibl	e CIs
6DX2	8EB2-E	4DX2	6LS2	9DY2	6DY3
6DX2	8EB2-M	4DX3	6LS2	9DY3	4DY2
6DX2	6EB2-E	4DX3	4LS2	9DY2	4DY2
6DX2	6EB2-M	4DX2	4LS2	9DY2	2DY2
4DX2	8EB2-E	4DX3	2LS3	9DY3	2DY2
4DX2	8EB2-M	4DX2	2LS3	6DY3	6DY3
4DX3	8EB2-E	4DX3	2LS2	6DY3	6DY2
4DX3	8EB2-M	4DX2	2LS2	6DY2	6DY2
4DX2	6EB2-E	2DX3	2LS2	6DY3	4DY2
4DX2	6EB2-M	2DX3	2LS3	6DY3	2DY2
4DX3	6E82-E			6DY2	4DY2
4DX3	6EB2-M	4DX3	4RV2-T	6DY2	2DY2
		4DX2	4RV2-T	4DY2	2DY2
4DX2	2LA2	4DX3	2RV2-T	4DY2	4DY2
4DX3	2LA2	4DX2	2RV2-T		
2DX3	2LA2			6EA2-E	4AC2
		6DX2	4SF2	6EA2-M	4AC2
4DX2	2LB2	4DX2	4SF2	6EA2-E	2AC2
4DX3	2LB2	4DX3	4SF2	6EA2-M	2AC2
2DX3	2LB2	4DX2	4SF3		
		4DX3	4SF3	9EA2	9DY3
4DX2	2LC2			9EA2	9DY2
4DX3	2LC2	9DY3	9DY3	9EA2	6DY3
2DX3	2LC2	9DY3	9DY2	9EA2	6DY2
		9DY2	9DY2	9EA2	4DY2
4DX2	2LO3	9DY3	6DY3	9EA2	2DY2
4DX3	2LO3	9DY3	6DY2	9EA3	9DY3
2DX3	2LO3	9DY2	6DY2		

Continued

Effective: December 1, 1994

Issued: December 1, 1994

- 9. <u>Interface Groups, Transmission Specifications, and Channel Codes</u> (Cont'd)
  - 9.3 Channel Interface and Network Channel Codes (Cont'd)
    - 9.3.5 <u>Compatible Channel Interfaces</u> (Cont'd)
      - (C) <u>Voice Grade</u> (Cont'd)

Compatible	e CIs	Compatible CIs		Compatible CIs	
9EA3	9DY2	4EA2-M	9DY2	4EA3-E	9EA2
9EA3	6DY3	4EA2-M	6DY3	4EA3-E	9EA3
9EA3	6DY2	4EA2-M	6DY2	4EA2-M	4EA2-M
9EA3	4DY2	4EA2-M	4DY2		
9EA3	2DY2	4EA2-M	2DY2	9EA2	8EB2-E
6EA2-E	9DY3			9EA2	8EB2-M
6EA2-E	9DY2	9EA2	9EA2	9EA2	6EB2-E
6EA2-E	6DY3	9EA2	9EA3	9EA2	6EB2-M
6EA2-E	6DY2	9EA2	6EA2-E	9EA3	8EB2-E
6EA2-E	4DY2	9EA2	6EA2-M	9EA3	8E82-M
6EA2-E	2DY2	9EA2	4EA2-E	9EA3	6EB2-E
6EA2-M	9DY3	9EA2	4EA2-M	9EA3	6EB2-M
6EA2-M	9DY2	9EA3	9EA3	6EA2-E	8EB2-E
6EA2-M	6DY3	9EA3	6EA2-E	6EA2-E	8EB2-M
6EA2-M	6DY2	9EA3	6EA2-M	6EA2-E	6EB2-E
6EA2-M	4DY2	9EA3	4EA2-E	6EA2-E	6EB2-M
6EA2-M	2DY2	9EA3	4EA2-M	6EA2-M	8EB2-E
4EA2-E	9DY3	6EA2-E	6EA2-E	6EA2-M	8E82-M
4EA2-E	9DY2	6EA2-E	6EA2-M	6EA2-M	6EB2-E
4EA3-E	9DY3	6EA2-M	6EA2-M	6EA2-M	6EB2-M
4EA3-E	9DY2	6EA2-E	4EA2-E	4EA2-E	8EB2-E
4EA3-E	6DY3	6EA2-E	4EA2-M	4EA2-E	8EB2-M
4EA3-E	6DY2	6EA2-M	4EA2-E	4EA3-E	8EB2-E
4EA3-E	4DY2	6EA2-M	4EA2-M	4EA3-E	8E82-M
4EA3-E	2DY2	4EA2-E	4EA2-E	4EA2-E	6EB2-E
4EA2-E	6DY3	4EA3-E	6EA2-E	4EA2-E	6EB2-M
4EA2-E	6DY2	4EA3-E	6EA2-M	4EA3-E	6EB2-E
4EA2-E	4DY2	4EA3-E	4EA2-E	4EA3-E	6EB2-M
4EA2-E	2DY2	4EA3-E	4EA2-M	4EA2-M	8EB2-E
4EA2-M	9DY3	4EA2-E	4EA2-M		

Continued

- 9. Interface Groups, Transmission Specifications, and Channel Codes (Cont'd)
  - 9.3 Channel Interface and Network Channel Codes (Cont'd)
    - 9.3.5 <u>Compatible Channel Interfaces</u> (Cont'd)
      - (C) Voice Grade (Cont'd)

Compatible CIs		Compatible CIs		Compatibl	Compatible CIs	
4EA2-M	8EB2-M	9EA3	43F2	6EB3-E	9DY2	
4EA2-M	6EB2-E	9EA2	4SF2	6EB3-E	9DY3	
4EA2-M	6EB2-M	6EA2-E	4SF3	6EB2-E	6DY2	
		6EA2-M	4SF3	6EB3-E	6DY2	
6EA2-E	2LA2	6EA2-E	4SF2	6EB2-E	6DY3	
6EA2-M	2LA2	6EA2-M	4SF2	6EB3-E	6DY3	
		4EA3-E	4SF2	6EB2-E	4DY2	
6EA2-E	2LB2	4EA2-E	4SF2	6EB3-E	2DY2	
6EA2-M	2LB2	4EA2-M	4SF2	6EB3-E	4DY2	
				6EB2-M	9DY2	
6EA2-E	2LC2	8EB2-E	4AC2	6EB2-M	9DY3	
6EA2-M	2LC2	8EB2-M	4AC2	6EB2-M	6DY2	
		8EB2-E	2AC2	6EB2-M	6DY3	
6EA2-E	2LO3	8EB2-M	2AC2	6EB2-M	4DY2	
6EA2-M	2LO3			6EB2-E	2DY2	
		8EB2-E	9DY3	6EB2-M	2DY2	
6EA2-E	6LS2	8EB2-E	9DY2			
6EA2-M	6LS2	8EB2-E	6DY3	6EB3-E	9EA2	
6EA2-E	4LS2	8EB2-E	6DY2	6EB3-E	9EA3	
6EA2-M	4LS2	8EB2-E	4DY2	6EB3-E	6EA2-E	
6EA2-E	2LS2	8EB2-E	2DY2	6EB3-E	6EA2-M	
6EA2-M	2LS2	8EB2-M	9DY3	6EB3-E	4EA2-E	
6EA2-E	2LS3	8EB2-M	9DY2	6EB3-E	4EA2-M	
6EA2-M	2LS3	8EB2-M	6DY3			
		8EB2-M	6DY2	8EB2-E	8EB2-E	
6EA2-E	4RV2-T	8EB2-M	4DY2	8EB2-E	8EB2-M	
6EA2-M	4RV2-T	8EB2-M	2DY2	8EB2-M	8EB2-M	
6EA2-E	2RV2-T	6EB2-E	9DY2	8EB2-E	6EB2-E	
6EA2-M	2RV2-T	6EB2-E	9DY3	8EB2-E	6EB2-M	

Continued

- 9. Interface Groups, Transmission Specifications, and Channel Codes (Cont'd)
  - 9.3 Channel Interface and Network Channel Codes (Cont'd)
    - 9.3.5 <u>Compatible Channel Interfaces</u> (Cont'd)
      - (C) Voice Grade (Cont'd)

Compatible CIs		Compatible CIs		Compatible CIs	
8EB2-M	6EB2-E	8EB2-E	4RV2-T	8EC2	8EB2-M
8EB2-M	6EB2-M	8EB2-M	4RV2-T	8EC2	6EB2-E
6EB2-E	6EB2-E	8EB2-E	2RV2-T	8EC2	6EB2-M
6EB2-E	6EB2-M	8EB2-M	2RV2-T		
6EB3-E	8EB2-E			8EC2	4SF2
6EB3-E	8EB2-M	8EB2-E	4SF2	6EX2-B	2GO3
6EB2-M	6EB2-M	8EB2-M	4SF2	6EX2-A	6GS2
		8EB2-E	4SF3	6EX2-A	4GS2
8EB2-E	2LA2	8EB2-M	4SF3	6EX2-A	2GS2
8EB2-M	2LA2	6EB3-E	4SF2	6EX2-A	2GS3
		6EB2-E	4SF2		
8EB2-E	2LB2	6EB2-M	4SF2	6EX2-B	2LA2
8EB2-M	2LB2				
		8EC2	9DY2	6EX2-B	2LB2
8EB2-E	2LC2	8EC2	9DY3		
8EB2-M	2LC2	8EC2	6DY2	6EX2-B	2LC2
		84C2	6DY3		
8EB2-E	2LO3	8EC2	4DY2	6EX2-B	2LO2
8EB2-M	2LO3	8EC2	2DY2	6EX2-B	2LO3
8EB2-E	6LS2	8EC2	9EA2	6EX2-B	4LR2
8EB2-M	6LS2	8EC2	9EA3	6EX2-B	2LR2
8EB2-E	4LS2	8EC2	6EA2-E		
8EB2-M	4LS2	8EC2	6EA2-M	6EX2-A	6LS2
8EB2-E	2LS2	8EC2	4EA2-E	6EX2-A	4LS2
8EB2-M	2LS2	8EC2	4EA2-M	6EX2-A	2LS2
8EB2-E	2LS3			6EX2-A	2LS3
8EB2-M	2LS3	8EC2	8EB2-E		

Continued

Effective: December 1, 1994

Issued: December 1, 1994

- 9. Interface Groups, Transmission Specifications, and Channel Codes (Cont'd)
  - 9.3 Channel Interface and Network Channel Codes (Cont'd)
    - 9.3.5 <u>Compatible Channel Interfaces</u> (Cont'd)
      - (C) Voice Grade (Cont'd)

Compatible CIs		Compatible CIs		Compatible CIs	
6EX2-A	4SF2	6LO2	6LS2	4LR2	4SF2
6EX2-B	4SF2	6LO2	4LS2	4LR3	4SF2
		6LO2	2LS2		
6GO2	6GS2	6LO2	2LS3	6LS2	2LA2
6GO2	4GS2	4LO2	6LS2	4LS2	2LA2
6GO2	2GS2	4LO2	4LS2	4LS3	2LA2
6GO2	2GS3	4LO3	6LS2	2LS2	2LA2
4GO2	6GS2	4LO3	4LS2	2LS3	2LA2
4GO3	6GS2	4LO3	2LS3		
4GO2	4GS2	4LO3	2LS2	6LS2	2LB2
4GO3	4GS2	4LO2	2LS2	4LS2	2LB2
4GO2	2GS2	4LO2	2LS3	4LS3	2LB2
4GO2	2GS3	2LO3	2LS3	2LS2	2LB2
4GO3	2GS2	2LO3	2LS2	2LS3	2LB2
4GO3	2GS3	2LO2	2LS2		
2GO2	2GS2	2LO2	2LS3	6LS2	2LC2
2GO3	2GS2		4LS2	2LC2	
2GO2	2GS3	6LO2	4SF2	4LS3	2LC2
2GO3	2GS3	4LO2	4SF2	2LS2	2LC2
		4LO3	4SF2	2LS3	2LC2
6GO2	4SF2				
4GO2	4SF2	4LR2	4LR1	6LS2	2LO3
4GO3	4SF2	4LR3	2LR2	6LS2	2LO2
		4LR2	4LR2	4LS2	2LO2
6GS2	2GO2	4LR2	2LR2	4LS2	2LO3
4GS2	2GO2	2LR2	2LR2	4LS3	2LO2
4GS3	2GO2	2LR3	2LR2	4LS3	2LO3
4GS2	2GO3				

Continued

Effective: December 1, 1994

Issued: December 1, 1994

- 9. Interface Groups, Transmission Specifications, and Channel Codes (Cont'd)
  - 9.3 Channel Interface and Network Channel Codes (Cont'd)
    - 9.3.5 <u>Compatible Channel Interfaces</u> (Cont'd)
      - (C) Voice Grade (Cont'd)

Compatible CIs		Compatible CIs		Compatible CIs	
6LS2	4SF2	4SF3	9DY2	4SF3	2LA2
4LS3	4SF2	4SF2	9DY3		
		4SF3	6DY3	4SF2	2LB2
4NO2	6DA2	4SF2	6DY3	4SF3	2LB2
4NO2	4DA2	4SF2	6DY3		
4NO2	2DA2	4SF3	6DY2	4SF2	2LC2
2NO2	2DA2	4SF2	4DY2	4SF3	2LC2
		4SF3	4DY2		
4NO2	4DE2	4SF3	2DY2	4SF2	2LO3
4NO2	2DE2	4SF2	2DY2	4SF3	2LO3
4NO2	4NO2	4SF3	9EA2	4SF2	2LR2
4NO2	2NO2	4SF3	9EA3	4SF3	4LR2
2NO2	2NO2	4SF3	4EA2-E	4SF3	2LR2
2NO3	2NO2	4SF3	4EA2-M		
				4SF3	6LS2
2NO3	2PR2	4SF3	6EB2-E	4SF2	4LS2
		4SF3	6EB2-M	4SF3	4LS2
4RV2-0	4RV2-T	4SF3	2GO3	4SF2	2LS2
4RV2-0	2RV2-T	4SF3	6GS2	4SF2	2LS3
4RV2-0	2RV2-T	4SF2	6GS2	4SF3	2LS2
		4SF2	6GS2	4SF3	2LS3
4RV2-0	4SF2	4SF3	4GS2		
		4SF2	2GS2	4SF3	4RV2-T
4SF2	4AC2	4SF2	2GS3	4SF2	4RV2-T
4SF2	2AC2	4SF3	2GS2	4SF2	2RV2-T
		4SF3	2GS3	4SF3	2RV2-T
4SF3	9DY3				
4SF2	9DY2	4SF2	2LA2	4SF3	4SF3

Continued

- Interface Groups, Transmission Specifications, and Channel Codes (Cont'd) 9.
  - Channel Interface and Network Channel Codes (Cont'd) 9.3
    - Compatible Channel Interfaces (Cont'd) 9.3.5
      - (C) Voice Grade (Cont'd)

Compati	ble CIs
4SF3	4SF2
4SF2	4SF2
4TF2	4TF2
4TF2	2TF2
2TF3	2TF2

## (D) Program Audio

Compatible CIs		Compatible CIs		<u>Compatible</u>	Compatible CIs	
4AH5-B	2PG1-3	4AH6-D	2PG1-3	4DS8-15F	2PG2-5	
4AH5-B	2PG1-5	4AH6-D	2PG1-5	4DS8-15G	2PG2-8	
4AH5-B	2PG1-8	4AH6-D	2PG1-8	4DS8-15H	2PG2-1	
4AH5-B	2PG2-3	4AH6-D	2PG2-3	2PG2-1	2PG1-1	
4AH5-B	2PG2-5	4AH6-D	2PG2-5	2PG2-1	2PG2-I	
4AH5-B	2PG2-8	4AH6-D	2PG2-8	2PG2-3	2PGI-3	
4AH6-C	2PG1-3	4DS8-15E	2PG1-3	2PG2-3	2PG2-3	
4AH6-C	2PG1-5	4DS8-15F	2PG1-5	2PG2-5	2PG1-5	
4AH6-C	2PG1-8	4DS8-15G	2PG1-8	2PG2-5	2PG2-5	
4AH6-C	2PG2-3	4DS8-15H	2PG1-1	2PG2-8	2PG1-8	
8AH6-C	2PG2-5	4DS8-15E	2PG2-3	2PG2-8	2PG2-8	

- 9. Interface Groups, Transmission Specifications, and Channel Codes (Cont'd)
  - 9.3 Channel Interface and Network Channel Codes (Cont'd)
    - 9.3.5 <u>Compatible Channel Interfaces</u> (Cont'd)
      - (E) Video

Compatible	e CIs	Compatible CIs		
2TV6-1	4TV6-15	4TV7-5	4TV6-5	
	4TV7-15		4TV7-5	
2TV6-2	6TV6-15	4TV7-15	4TV6-15	
	6TV7-15		4TV7-15	
2TV7-1	4TV6-15	6TV6-5	6TV6-5	
	4TV7-15		6TV7-5	
2TV7-2	6TV6-15	6TV6-15	6TV6-15	
	6TV7-15		6TV7-15	
4TV6-5	4TV6-5	6TV7-5	6TV6-5	
		4TV7-5	6TV7-5	
4TV6-15	4TV6-15	6TV7-15	6TV6-15	
	4TV7-15		6TV7-15	

## (F) Wideband Analog

Compatible Cls		Compatible CIs		Compatible CIs	
4AH5-B	4AH5-B			4WD5-I	4WA5-1
4AH6-C	4AH5-B			4WD5-2	4WA5-I
4AH6-C	4AH6-C	4AH6-D	4AH6-D	4WD5-3	4WA5-2
	4AH6-D	4AH5-B	4AH5-B	4DS8-15	
	4AH6-D	4AH6-C	4AH5-B	4DU8-A,B	, or C
	4AH6-C	4DU8-A,B	, or C		
		4AH6-D	4DU8-A.B	. or C	

Continued

- 9. <u>Interface Groups, Transmission Specifications, and Channel Codes</u> (Cont'd)
  - 9.3 Channel Interface and Network Channel Codes (Cont'd)
    - 9.3.5 <u>Compatible Channel Interfaces</u> (Cont'd)
      - (G) Wideband Data

Compatible CIs		Compatible CIs		Compatible CIs	
8WB5-18S	12WC6-18	8WB5-23A	10WC6-23	8WB5-5OA	10WC6-50
8WB5-19A	10WC6-19	8WB5-23S	12W6-23S	8WB5-5OS	12WB6-50
8WB5-19S	12WC6-19	8WB5-4OS	12W6-40		

### (H) Digital Data

Compatibl	e CIs	Compatibl	e Cls	Compatible	e CIs_
			4DS8-15	6DU5-48	
4DS8-15	4DU8-15*	4DS8-15	6DU5-56	4DU5-96	4DU5-96
4DS8-15	4DU8-24	4DS8-15	6DU5-96	6DU5-24	6DU5-24
4DS8-15	4DU8-48	4DU5-24	4DU5-24	6DU5-48	6DU5-48
4DS8-15	4DU8-56	4DU5-48	4DU5-48	6DU5-56	6DU5-56
4DS8-15	6DU5-96	4DU8-56	4DU5-56	6DU5-96	6DU5-96
4DS8-15	6DU5-24				

### (I) High Capacity

Compatible CIs		Compatible CIs			
	<del></del>	4DS8-15	4DU8-8		
4DSO-63	4DSO-63	4DS8-15J	6DU8-A		
4DSO-63	6DU8-A,B or C	4DS8-15J	4DU8-A		
4DSO-63	4DU8-A,B or C	4DS8-15K	6DU8-B		
4DS6-27	4DS6-27	4DS8-15K	4DU8-B		
4DS6-27	6DU8-A,B or C	4DS8-15K	6DU8-C		
4DS6-27	4DU8-A,B or C	4DS8-15K	4D78-C		
4DS6-44	4DS6-44	4DS9-31	4DS9-31		
4DS6-44	6DU8-A,B or C	4DS9-31	6DU8-A,B or C		
4DS6-44	4DU8-A,B or C	4DS9	4DU8-A,B or C		
4DS8-15	4DS8-15+	4DU9-A,B or C	4DU8-A,B or C		
4DS8-15	6DU8-B				

<sup>\*</sup> Available only as a cross connect of two digital circuits at appropriate digital speeds at a Telephone Company hub.

Continued

Effective: December 1, 1994

Issued: December 1, 1994

<sup>+</sup> Available only as a cross connect of two individual circuits of 1.544 Mbps

### 10. Special Federal Government Access Services

### 10.1 General

This section covers Special Access Services that are provided to a customer for use only by agencies or branches of the Federal Government and other users authorized by the Federal Government. Services provided to state emergency operations centers are included. These services provide for command and control communications, including communications for national security, emergency preparedness and presidential requirements. They are required to assure continuity of Government in emergency and crisis situations and to provide for national security.

Services for command and control communications and for national security and emergency preparedness sometimes require short notice and short duration service provisions. These provisions are especially needed to meet presidential requirements or in response to natural, man-made, or declared emergencies. Requirements of this type cannot be forecasted and are usually needed for a relatively short period. The provision of service under these conditions may require the availability of facilities, such as portable microwave equipment, which are provided on a temporary basis by the Telephone Company or customer.

# 10.2 <u>Emergency Conditions</u>

These services will be provided on the date requested or as soon as possible thereafter when the emergency falls into one of the following categories:

- State of crisis declared by the National Command Authorities (includes commitments made to the National Communications in the "National Plan for Emergencies and Major Disasters").

System

# 10. <u>Special Federal Government Access Services</u> (Cont'd)

### 10.2 <u>Emergency Conditions</u> (Cont'd)

- Efforts to protect endangered U.S. personnel or property both in the U.S. and abroad. (Includes space vehicle recovery and protection efforts.)
- Communications requirements resulting from hostile action, a major disaster or a major civil disturbance.
- The director (Cabinet level) of a Federal department, Commander of a Unified/Specified Command, or head of a military department has certified that a communications requirement is so critical to the protection of life and property or to the National Defense that it must be processed immediately.
- Political unrest in foreign countries which affect the national interest.
- Presidential service.

### 10.3 <u>Intervals to Provide Service</u>

Services provided under the provisions of this section of the tariff are provided on an individual case basis. Therefore, orders for such service shall be placed under the Negotiated Interval provisions set forth in Section 5.1.7 preceding.

### 10.4 <u>Safeguarding of Service</u>

### 10.4.1 Facility Availability

In order to insure communications during periods of emergency, the Telephone Company will, within the limits of good management, make available the necessary facilities to restore service in the event of damage or to provide temporary emergency service.

# 10. Special Federal Government Access Services (Cont'd)

# 10.4 <u>Safequarding of Service</u> (Cont'd)

## 10.4.1 Facility Availability (Cont'd)

In order to meet the requirements of agencies or branches of the Federal Government, the Telephone Company may utilize government-owned facilities, when necessary to provide service.

### 10.5 Federal Government Regulations

In accordance with Federal Government Regulations, all service provided to the Federal Government will be billed in arrears. However, this provision does not apply to other customers that obtain services under the provisions of this tariff to provide their services to the Federal Government.

### 10.6 Service Offerings to the Federal Government

The following unique services are provided to a customer for use only by agencies or branches of the Federal Government, other authorized users and state emergency operations centers. The rates and charges for these services shall be developed on an individual case basis and shall be consistent with the rates and charges for services offered in other sections of this tariff.

### 10.6.1 Type and Description

### (A) Voice Grade Special Access Services

### (1) Voice Grade Secure Communications Type I

Approximate bandwidth of 10-50,000 Hz. Furnished for two-point secure communications on two-wire or four-wire metallic facilities between an IC premise and an end user premise. Services are conditioned as follows:

- 10. Special Federal Government Access Services (Cont'd)
  - 10.6 <u>Service Offerings to the Federal Government</u> (Cont'd)
    - 10.6.1 Type and Description (Cont'd)
      - (A) <u>Voice Grade Special Access Services</u> (Cont'd)
        - (1) Voice Grade Secure Communications Type I (Cont'd)

T-3 Conditioning - The absolute loss (referenced to 1 milliwatt) with respect to frequency shall not exceed:

```
15 dB at 10 Hz
13 dB at 100 Hz
9 dB at 1,000 Hz
20 dB at 10,000 Hz
30 dB at 50,000 Hz
```

Additional conditioning (available in one or two directions on four-wire facilities only) to provide the following characteristics:

The absolute loss (referenced to one milliwatt) with respect to frequency shall not exceed:

```
0 db at 1,000 Hz
± 1 dB between 1,000 Hz and 40,000 Hz
± 2 dB between 10 Hz and 50,000 Hz
(+ means more loss)
```

The net loss of the conditioned service (with or without additional conditioning) shall not vary by more than four dB at 1,000 Hz from the levels specified above. Voice frequency signaling or supervisory tones can be transmitted.

- 10. Special Federal Government Access Services (Cont'd)
  - 10.6 <u>Service Offerings to the Federal Government</u> (Cont'd)
    - 10.6.1 <u>Type and Description</u> (Cont'd)
      - (A) <u>Voice Grade Special Access Services</u> (Cont'd)
        - (2) Voice Grade Secure Communications Type II

Approximate bandwidth 10-50,000 Hz. Furnished on four-wire metallic facilities for duplex operation for two-point secure communications between an IC premise and an end user premise or an end user premise and an end user premise. Services are conditioned as follows:

G-1 Conditioning - The absolute loss with respect to frequency and the net loss variation shall be the same as Voice Grade Secure Communications Type I services without additional conditioning. Voice frequency signaling or supervisory tones can be transmitted.

### (3) Voice Grade Secure Communications Type III

Approximate bandwidth 10-50,000 Hz. Furnished on four-wire metallic facilities for duplex operation for two-point secure communications between an IC premises switch and an end user premise. Services are conditioned as follows:

G-2 Conditioning - The absolute loss with respect to frequency and the net loss variation from the switch to an end user premise shall be the same as Voice Grade Secure Communications Type I services without additional conditioning; from an end user premise to the switch shall be the same as Voice Grade Secure Communications Type I services with additional conditioning. Voice frequency signaling or supervisory tones can be transmitted.

# 10. Special Federal Government Access Services (Cont'd)

# 10.6 <u>Service Offerings to the Federal Government</u> (Cont'd)

# 10.6.1 <u>Type and Description</u> (Cont'd)

## (A) Voice Grade Special Access Services (Cont'd)

# (4) Voice Grade Secure Communications Type IV

Approximate bandwidth 10-50,000 Hz. Furnished on four-wire metallic facilities for duplex operation for two-point secure communication between two IC premises switches. Services are conditioned as follows:

G-3 Conditioning - The absolute loss with respect to frequency and the net loss variation shall be the same in both directions of transmission as Voice Grade Secure Communications Type I services with additional conditioning. Voice frequency signaling or supervisory tones can be transmitted.

### (B) Wideband Digital Special Access Service

Service arrangements for secured communications to accommodate the transmission of binary digital baseband signals in a random polar format.

(1) Wideband Secure Communications Type I

For transmission at the rate of 18,750 bits per second.

(2) Wideband Secure Communications Type II

For transmission at the rate of 50,000 bits per second.

# 10. Special Federal Government Access Services (Cont'd)

# 10.6 <u>Service Offerings to the Federal Government</u> (Cont'd)

### 10.6.1 Type and Description

## (B) Wideband Digital Special Access Service (Cont'd)

# (3) Wideband Secure Communications Type III

To accommodate the transmission of restored polar two-level facsimile signals with a minimum signal element width of twenty microseconds at a rate of 50,000 bits per second.

To accommodate the transmission of binary digital baseband signals in a random polar format at the rate of 50,000 bits per second.

# (C) Special Routing Access Service

Special Routing Access Service is furnished only to AT&T Communications (AT&T-C) for an agency or branch of the Federal Government. This service provides the customer's end users the ability to originate and terminate calls to or from the customer's premises utilizing a Special Routing Plan.

This service is an optional service which operates in conjunction with Trunk Side Premium Access Service furnished to AT&T-C under other provisions of this tariff.

### 10.6.2 Mileage Application

Mileage, when used for rate application between two customer premises, shall be determined by the V & H Coordinates information as set forth in Section 15 of this tariff and administered as set forth in Section 7.5.5 preceding.

# 10. Special Federal Government Access Services (Cont'd)

# 10.6 <u>Service Offerings to the Federal Government</u> (Cont'd)

### 10.6.3 Rates and Charges

# (A) Voice Grade Special Access Service

The provision of T-3 and G conditioned services contemplates station and tandem switching operations, using customer provided equipment, as well as Special Access Service. Separate narrowband or voice grade services, where required by the customer provided equipment or switching operation, are furnished in accordance with the applicable sections of this tariff.

Voice Grade Secure <u>Communications</u>	<u>USOC</u>	Monthly <u>Rates</u>	Nonrecurring <u>Charges</u>	Termination Charges
Type I, each T-3 Conditioning,	GCA++	ICB rate	es and charges a	apply
Additional Conditioning, per service termination	GTO++	ICB rates and charges apply		
Type II, each G-I Conditioning,	GCB++	IC	CB rates and cha	arges apply
Type III, each G-2 Conditioning,	GCC++	IC	CB rates and cha	arges apply
Additional Conditioning, per service termination	G20++	IC	CB rates and cha	arges apply
Type VI, each G-3 Conditioning,	GCD++	ICB rate	es and charges a	apply
Additional Conditioning, per service termination	G3O++	IC	CB rates and cha	arges apply

# 10. Special Federal Government Access Services (Cont'd)

# 10.6 <u>Service Offerings to the Federal Government</u> (Cont'd)

# 10.6.3 Rates and Charges (Cont'd)

### (B) Wideband Digital Special Access Service

Voice Grade Secure		Monthly	Nonrecurring	Termination
Communications	<u>USOC</u>	Rates	<u>Charges</u>	Charges
Type I, each	GW1++ ICB	rates and o	charges apply	
Type II, each	GW2++	ICB rates	s and charges ap	ply
Type III, each	GW3++	ICB rates	s and charges ap	ply

### (C) Move Charges

- (1) When service without a termination charge associated with it, as set forth in (A) and (B) preceding, is moved to a different building, the nonrecurring charge applies; when moved to a new location in the same building, a charge of one-half the nonrecurring charge applies.
- (2) When service with a termination charge associated with it, as set forth in (A) and (B) preceding, is moved and is reinstalled at a new location, the customer may elect:
  - to pay the unexpired portion of the termination charge for the service, if any, with the application of nonrecurring charge and the establishment of a new termination charge for such service at the new location, or
  - to continue service subject to the unexpired portion of the termination charge, if any, and pay the estimated costs of moving such service, provided that the customer requests

- 10. Special Federal Government Access Services (Cont'd)
  - 10.6 <u>Service Offerings to the Federal Government</u> (Cont'd)
    - 10.6.3 Rates and Charges (Cont'd)
      - (C) Move Charges (Cont'd)
        - (2) (Cont'd)
          - these charges be quoted prior to ordering the service move. Charges for moving such service will be based on estimated costs attributable to the move.

Move charges include the estimated costs of removal, restoration of services or facilities necessitated by the move, transportation, storage, reinstallation, engineering, labor, supervision, materials, administration, and any other specific items of cost directly attributable to the move.

(D) Special Routing Access Services

The following rates and charges are in addition to all other rates and charges that may be applicable for other services that may be furnished under the provisions of this tariff to operate in conjunction with this service:

# 10. Special Federal Government Access Services (Cont'd)

# 10.6 <u>Service Offerings to the Federal Government</u> (Cont'd)

# 10.6.3 Rates and Charges (Cont'd)

# (D) Special Routing Access Services (Cont'd)

		<u>USOC</u>	Monthly <u>Rates</u>	Nonrecurring <u>Charges</u>
(1)	Special Routing Access Service Special Routing Plan Setup, per Switching System	GCD++	-	\$ 200.00
(2)	Special Routing Access Service Trunk Group Setup, per End Office or Tandem Office, Switching System per occurrence	GID	-	1000.00
(3)	Special Routing Access Service Mode Selection (Active or Deactive), per Switching System per occurrence	GIE	_	200.00
(4)	Special Routing Access Service Maintenance and Administration, per Switching System per month*	GIM	\$150.00	-

<sup>\*</sup> This rate applies only to Switching Systems with this feature.

# 11. Special Facilities Routing of Access Services

# 11.1 Description of Special Facilities Routing of Access Services

The services provided under this tariff are provided over such routes and facilities as the Telephone Company may elect. Special Facilities Routing is involved when, in order to comply with requirements specified by the customer, the Telephone Company provides Switched Access Service, Special Access Service or Special Federal Government Access Service in a manner which includes one or more of the following conditions:

### 11.1.1 Diversity

Two or more services must be provided over not more than two different physical routes.

### 11.1.2 Avoidance

A service must be provided on a route which avoids specified geographical locations.

### 11.1.3 Cable-Only Facilities

Certain Voice Grade services are provided on Cable-Only Facilities to meet the particular needs of a customer.

Service is provided subject to the availability of Cable-Only facilities. In the event of service failure, restoration will be made through the use of any available facilities as selected by the Telephone Company.

Avoidance and Diversity are available on Switched Access Service as set forth in Section 6 preceding; Metallic and Telegraph Grade, Voice Grade and Wideband Analog Special Access Services as set forth in Section 7.3, 7.4, 7.5 and 7.8 preceding and Special Federal Government Access Services as set forth in 10.6 preceding. Cable-Only Facilities are available

### 11. Special Facilities Routing of Access Services (Cont'd)

# 11.1 <u>Description of Special Facilities Routing of Access Services</u> (Cont'd)

# 11.1.3 Cable-Only Facilities (Cont'd)

for Switched Access Service as set forth in Section 6 preceding; Voice Grade Special Access Services as set forth in Section 7.5 preceding and Special Federal Government Access Services as set forth in Section 10.6 preceding.

In order to avoid the compromise of special routing information, the Telephone Company will provide the required routing information for each specially routed service to only the ordering customer. If requested by the customer, this information will be provided when service is installed and prior to any subsequent changes in routing.

The rates and charges for Special Facilities Routing of Access Services as set forth in 11.2 following are in addition to all other rates and charges that may be applicable for services provided under other sections of this tariff.

### 11.2 Rates and Charges for Special Facilities Routing of Access Services

The rates and charges for Special Facilities Routing of Access Services are as follows:

# 11.2.1 Diversity

For each service provided in accordance with 11.1.1 preceding, the rates and charges will be developed on an individual case basis and filed following:

USOC SYD++

### 11. Special Facilities Routing of Access Services (Cont'd)

# 11.2 Rates and Charges for Special Facilities Routing of Access Services (Cont'd)

### 11.2.2 Avoidance

For each service provided in accordance with 11.1.2 preceding, the rates and charges will be developed on an individual case basis and filed following:

USOC SYA++

### 11.2.3 <u>Diversity and Avoidance Combined</u>

For each service provided in accordance with 11.1.1 and 11.1.2 preceding, combined, the rates and charges will be developed on an individual case basis and filed following:

USOC SYB++

### 11.2.4 Cable-Only Facilities

For each service provided in accordance with 11.1.3 preceding, the rates and charges will be developed on an individual case basis and filed following:

<u>USOC</u> SYC++

Effective: December 1, 1994

8920 Emerald Park Drive Elk Grove, CA 95624

### 12. Specialized Service or Arrangements

## 12.1 General

Specialized Service or Arrangements may be provided by the Telephone Company, at the request of a customer, on an individual case basis if such service or arrangements meet the following criteria:

- The requested service or arrangements are not offered under other sections of this tariff.
- The facilities utilized to provide the requested service or arrangements are of a type normally used by the Telephone Company in furnishing its other services.
- The requested service or arrangements are provided within a LATA.
- The requested service or arrangements are compatible with other Telephone Company services, facilities, and its engineering and maintenance practices.
- This offering is subject to the availability of the necessary Telephone Company personnel and capital resources.

### 12.2 Rates and Charges

Rates and charges and additional regulations if applicable, for specialized service or arrangements provided on an individual case basis are filed following:

# 12. Specialized Service or Arrangements

# 12.3 Smith Bagley dba Cellular One

Muxing of T-1s into a DS-3 will be at the Holbrook MTSO. At the Show Low MTSO, the DS-3s will be de-muxed into twenty-eight (28) T-1s. Customer will receive the same three (3) year term volume discount rate of 15% off tariff per circuit on any additional circuits added within one (1) year of execution of this Agreement. Additional circuits will be coterminous with the initial agreement.

### 12.3.1 Description of Service

Citizens will provide T-1 muxing at Customer's Holbrook MTSO and DS-3 transport between the Customer's Holbrook, AZ MTSO and the Customer's Show Low, MTSO for termination de-muxing into 28 T-1s.

# 12.3.2 Termination Charges

Before cutover, Citizens' recurring and nonrecurring cost of labor, engineering, non-reusable materials, interest, transportation, storage, manufacturer's ancellation charges, and any other costs incurred by Citizens prior to completion of installation, including those expenses incurred in preparation for start of installation. After cutover, the total of all monthly charges due for the remainder of the term.

(N)

(N)

### 12. Specialized Service or Arrangements (Cont'd)

(N)

### 12.3.3 Term and Rates

Customer will receive the same three (3) year term volume discount rate of 15% off tariff circuit on any additional circuits added within one (1) year of execution of this agreement.

Additional circuits will be coterminous with the initial agreement.

per

					Monthly
		SECLOC/	Type of		Recurring
Circuit	<u>PRILOC</u>	or Type	Circuit	Circuit ID #	<u>Charge</u>
1	Show Low MTSO	Alpine Cell	T-1	01/HCGS/100074/GTEC	\$1,458.00
		Aka South Mtn.			
2	Show Low MTSO	Heber Cell	T-1	01/HCGS/100007/GTEC	1,152.00
3	Show Low MTSO	Porter Mtn.	T-1	01/HCGS/100075/GTEC	859.00
4	Show Low MTSO	Porter Mtn.	T-1	03/HCFS/950002/CLWT	859.00
5	Show Low MTSO	Porter Mtn.	T-1	18/UHDA/003013/CZUC	859.00
6	Show Low MTSO	Snowflake Cell	T-1	01/HCGS/373900/CZUC	935.00
7	Show Low MTSO	Porter Mtn/7 Mile	T-1		859.00
Α	Holbrook MTSO	Summit Cell	T-1	01/HCGS/100068/GTEC (Hol)	
				11/HCGS/871362/CITZ (STM)	1,284.00
В	Holbrook MTSO	Summit Cell	T-1	01/HCGS/407500	1,284.00
С	Holbrook MTSO	Summit Cell	T-1	01/HCGS/407900/CZUC	1,284.00
D	Summit Cell	Black Mesa Cell	T-1	11/HCGS/101430/CZUC	1,615.00
Ш	Summit Cell	Roof Butte Cell	T-1	11/HCGS/100801/CZUC	1,182.00
F	Summit Cell	St. Michaels	T-1		
			Type 1	601/T1/STMCAZAB1MD/-	501.00
				STMCAZXEDS0	
G	Summit Cell	Yale Point	T-1	16/HCGA/674083/ALWR	945.00
S	Show Low MTSO	Show Low Tandem	T-1		503.00
Т	Show Low MTSO	Show Low Tandem	T-1		503.00
J	Show Low MTSO	Show Low Tandem	T-1		503.00
V	Show Low MTSO	Show Low Tandem	T-1		503.00
W	Show Low MTSO	Show Low Tandem	T-1		503.00
Х	Show Low MTSO	Show Low Tandem	T-1		503.00
Υ	Holbrook MTSO	Show Low MTSO	DS-3		10,625.00

(11)

Continued

Issued: October 20, 1999 Effective: November 20, 1999

### 13. Exceptions to Access Service Offerings

The services offered under the provisions of this tariff are subject to availability as set forth in 2.1.4 preceding. In addition, the following exceptions apply:

(Paragraphs 13.1 through 13.5 following are reserved for future listing. In the meantime, in planning an end-to-end service, the customer should contact the Telephone Company in each customer premise city to assure itself that all of the services or service components required for a given customer service are currently available).

13.1 The following service(s) is (are) not offered in the operating territory of listed Issuing Carriers.

(Reserved for future use).

13.2 The following offering(s) is (are) limited to existing locations. No inside moves, rearrangements or additions will be permitted.

(Reserve for future use).

13.3 The following offering(s) is (are) limited to existing locations. Inside moves or rearrangements may be undertaken. However, no additions will be permitted.

(Reserve for future use).

13.4 The following offering(s) is (are) limited to existing locations where additional units may be added for growth. Inside moves or rearrangements may be undertaken.

(Reserved for future use).

13.5 The following offering(s) is (are) limited to existing locations where additional units may be added for growth. However inside moves or rearrangements will not be permitted.

(Reserved for future use).

### 14. Special Construction

### 14.1 Application of Tariff

This section contains regulations, rates, charges, and liabilities applicable for the special construction of intrastate facilities provided by the Telephone Company.

When special construction of facilities is required, the provisions of this section apply in addition to all regulations, rates, and charges set forth in the appropriate service tariff.

### 14.2 Regulations

### 14.2.1 Filing of Charges

Rates, charges, and liabilities for special construction to provide facilities for use for one month or more are filed in 14.3 following, as appropriate.

Rates, charges, and liabilities for the construction of facilities for use for less than one month are filed in supplements to this tariff.

### 14.2.2 Ownership of Facilities

The Telephone Company providing specially constructed facilities under the provisions of this tariff retains ownership of all such facilities.

### 14.2.3 Interval to Provide Facilities

Based on available information and the type of service ordered, the Telephone Company will establish a completion date for the specially constructed facilities. If the scheduled completion date cannot be met due to circumstances beyond the control of the Telephone Company, a new completion date will be established, and the customer will be notified.

# 14. Special Construction (Cont'd)

# 14.2 Regulations (Cont'd)

### 14.2.4 <u>Special Construction Involving Both Interstate and Intrastate</u> Facilities

When special construction involves facilities to be used to provide both interstate and intrastate services, charges for the portion of the construction used to provide interstate service shall be in accordance with this tariff. Charges for the portion of the construction used to provide intrastate service shall be in accordance with the appropriate intrastate tariff.

# 14.2.5 Payments for Special Construction

### 14.2.5.1 Payment of Charges

All bills associated with special construction charges are due in accordance with the regulations in the appropriate service tariff.

### 14.2.5.2 Start/End of Billing

Billing of recurring charges for specially constructed facilities starts on the day after the facilities are made available for use. Billing accrues through and includes the day that the specially constructed facilities are discontinued.

# 14.2.5.3 <u>Credit Allowance for Service Interruptions</u>

In the event of a service interruption involving a specially constructed facility, the customer shall receive a recurring monthly charge credit in accordance with the credit allowance provisions in the appropriate service tariff associated with the affected services.

# Special Construction (Cont'd)

# 14.2 Regulations (Cont'd)

#### 14.2.5 Payments for Special Construction (Cont'd)

### 14.2.5.3 Credit Allowance for Service Interruptions (Cont'd)

When an interruption continues due to the failure of the customer to authorize the replacement of facilities subject to a Replacement Charge, as specified in 14.2.6.4(A)(4) following, the credit allowance will be terminated on the seventh

calendar day after the Telephone Company has provided the customer with written notification of the need for replacement. The credit allowance will resume on the day after the Telephone Company receives written authorization for the replacement from the customer.

#### 14.2.6 **Liabilities and Charges for Special Construction**

#### 14.2.6.1 General

This section describes the various charges and liabilities that may apply when the Telephone Company provides special construction of facilities in accordance with an order for service. Written approval of all liabilities and charges must be provided to the Telephone Company prior to the start of construction.

#### 14.2.6.2 Conditions Requiring Special Construction

Special construction is required when (1) facilities are not available to meet an order for service, and (2) the Telephone Company constructs facilities, and (3) one or more of the following conditions exists:

# 14. Special Construction (Cont'd)

# 14.2 Regulations (Cont'd)

# 14.2.6 <u>Liabilities and Charges for Special Construction</u> (Cont'd)

### 14.2.6.2 Conditions Requiring Special Construction (Cont'd)

- The Telephone Company has no other requirement for the facilities requested.
- It is requested that service be furnished using a type of facility, or via a route, other than that which the Telephone Company would normally utilize in furnishing the requested service.
- More facilities are requested than would normally be required to satisfy an order.
- It is requested that construction be expedited, resulting in added cost to the Telephone Company.

### 14.2.6.3 Development of Liabilities and Charges

Special construction charges and liabilities will be developed based on estimated costs, except when actual costs are requested in writing prior to the start of special construction.

In order to meet a scheduled service date when actual costs are requested, an initial special construction filing may be made based on estimated costs. Such a filing will be revised when actual costs are available.

# 14. Special Construction (Cont'd)

# 14.2 Regulations (Cont'd)

# 14.2.6 <u>Liabilities and Charges for Special Construction</u> (Cont'd)

### 14.2.6.4 Types of Liabilities and Charges

Depending on the specifics associated with each individual case, one or more of the following special construction charges and/or liabilities may be applicable:

## (A) Nonrecurring Charge

A nonrecurring charge always applies and includes one or more of the following components:

# (1) Case Preparation Charge

A nonrecurring charge always includes a case preparation charge component to cover the administrative expenses associated with preparing a special construction case and the associated tariff filing.

### (2) Expediting Charge

A nonrecurring charge may include an expediting charge when it is requested that special construction be completed on an expedited basis. The charge equals the difference in estimated cost between expedited and nonexpedited construction.

# 14. Special Construction (Cont'd)

# 14.2 Regulations (Cont'd)

## 14.2.6 Liabilities and Charges for Special Construction (Cont'd)

### 14.2.6.4 Types of Liabilities and Charges (Cont'd)

## (A) Nonrecurring Charge (Cont'd)

### (3) Optional Payment

An optional payment charge may be included in the nonrecurring charge in association with a type of facility or route other than that which the Telephone Company would normally use in furnishing the requested service if lower recurring monthly charges are desired for the specially constructed facilities. This charge is equal to the excess installed cost or the total nonrecoverable cost, whichever is less. This election must be made in writing before special construction starts. If this election is coupled with the actual cost option, the optional payment charge will reflect the actual cost of the specially constructed facilities.

### (4) Replacement Charge

If any portion of specially constructed facilities for which an optional payment charge has been paid requires replacement involving capital investment, a replacement charge will apply. This charge will be in the same ratio to the total replacement cost as the initial

# 14. Special Construction (Cont'd)

# 14.2 Regulations (Cont'd)

## 14.2.6 Liabilities and Charges for Special Construction (Cont'd)

### 14.2.6.4 Types of Liabilities and Charges (Cont'd)

## (A) Nonrecurring Charge (Cont'd)

### (4) Replacement Charge (Cont'd)

optional payment charge was to the installed cost of the original specially constructed facilities. If any portion of the facilities subject to the replacement charge fails, service will not be restored until notification is provided in writing that replacement is required and such replacement is ordered.

# (5) Rearrangement Charge

If the Telephone Company is requested to rearrange existing specially constructed facilities, a nonrecurring charge equal to the cost of any additional special construction will apply.

# (6) <u>Special Construction of Facilities for Use for Less Than One Month</u>

When the Telephone Company is requested to construct facilities to provide service for less than one month, a nonrecurring charge only applies. In addition to the case preparation charge component, this nonrecurring charge recovers all elements of cost, including engineering, shipping of equipment,

# Special Construction (Cont'd)

# 14.2 Regulations (Cont'd)

#### 14.2.6 Liabilities and Charges for Special Construction (Cont'd)

# 14.2.6.4 Types of Liabilities and Charges (Cont'd)

- (A) Nonrecurring Charge (Cont'd)
  - Special Construction of Facilities for Use for (6) Less Than One Month (Cont'd)

equipment installation, lineup, equipment leasing, space rental, equipment removal, and any other costs associated with the construction of the facilities.

# (B) Maximum Termination Liability and Termination Charge

A Maximum Termination Liability is equal to the nonrecoverable costs associated with specially constructed facilities and is the maximum amount which could be applied as a Termination Charge if all specially constructed facilities were discontinued before the Maximum Termination Liability expires.

The liability period is equal to the average life of the account associated with the specially constructed facilities. The liability period is generally expressed in terms of an effective and expiration date.

The Maximum Termination Liability is filed with the initial tariff filing in decreasing amounts at ten-year intervals over the average account life

# 14. Special Construction (Cont'd)

# 14.2 Regulations (Cont'd)

## 14.2.6 Liabilities and Charges for Special Construction (Cont'd)

## 14.2.6.4 Types of Liabilities and Charges (Cont'd)

# (B) <u>Maximum Termination Liability and Termination</u> <u>Charge</u> (Cont'd)

of the facilities. In the event that the average account life of the facilities is not an even multiple of ten, the last increment will reflect the appropriate number of years remaining.

### Example Illustrating a 27-Year Average Account Life

Maximum Termination Liability	Effective Date	Expiration Date	
\$10,000	6/1/84	4 6/1/94	
7,000	6/1/94	4 6/1/04	
3.000	6/1/04	4 6/1/11	

Prior to the expiration of each liability period, the customer has the option to (A) terminate the special construction case and pay the appropriate charges, or (B) extend the use of the specially constructed facilities for the new liability period.

The Telephone Company will notify the customer six months in advance of the expiration date of each ten-year liability period. The customer must provide the Telephone Company with written notification at least 30

Continued

Effective: December 1, 1994

# Special Construction (Cont'd)

- 14.2 Regulations (Cont'd)
  - 14.2.6 Liabilities and Charges for Special Construction (Cont'd)
    - 14.2.6.4 Types of Liabilities and Charges (Cont'd)
      - Maximum Termination Liability and Termination Charge (Cont'd)

days prior to the expiration of the liability period if termination is elected. Failure to do so will result in an automatic extension of the special construction case to the next liability period at the filed Maximum Termination Liability amount.

A Termination Charge may apply when all services using specially constructed facilities which have a tariffed Maximum Termination Liability are discontinued prior to the expiration of the liability period. The charge reflects the unamortized portion of the nonrecoverable costs at the time of termination, adjusted for net salvage and possible reuse. Administrative costs associated with the specific case of special construction and any cost for restoring a location to its original condition are also included. A Termination Charge may never exceed the filed Maximum Termination Liability.

A partial termination of specially constructed facilities will be provided, at the election of the customer. The amount of the Termination Charge associated with such partial termination is determined by multiplying the termination

Continued

8920 Emerald Park Drive Elk Grove, CA 95624

# Special Construction (Cont'd)

# 14.2 Regulations (Cont'd)

#### 14.2.6 Liabilities and Charges for Special Construction (Cont'd)

### 14.2.6.4 Types of Liabilities and Charges (Cont'd)

# Maximum Termination Liability and Termination Charge (Cont'd)

charge which would result if all services using the specially constructed facilities were discontinued, at the time partial termination is elected, by the percentage of specially constructed facilities to be partially terminated. A tariff filing will be made following a partial termination to list remaining Maximum Termination Liability amounts and the number of specially constructed facilities the customer will remain liable for.

### Example:

A customer with a filed Maximum Termination Liability of \$100,000 for 3600 specially constructed facilities requests a partial termination of 900 facilities. The Termination Charge for all facilities, at the time of election, is \$60,000. The partial termination charge, in this example, is \$60,000 x 900/3600, or \$15,000.

# (C) Annual Underutilization Liability and Underutilization Charge

Prior to the start of special construction, the Telephone Company and the customer will agree on (1) the quantity of facilities to be

# Special Construction (Cont'd)

# 14.2 Regulations (Cont'd)

#### 14.2.6 Liabilities and Charges for Special Construction (Cont'd)

#### 14.2.6.4 Types of Liabilities and Charges (Cont'd)

# (C) <u>Annual Underutilization Liability and Underutilization</u> <u>Charge</u> (Cont'd)

provided, and (2) the length of the planning period during which the customer expects to place the facilities in service. The planning period is hereinafter referred to as the Initial Liability Period (ILP). The ILP is listed in the tariff with an effective and expiration date.

Underutilization occurs only if, at the expiration date of the ILP and annually thereafter, less than 70 percent of the specially constructed facilities are in service at filed tariff service rates.

An annual underutilization liability amount is filed on a per unit basis (e.g., per cable pair) for each case of special construction. This amount is equal to the annual per unit cost and includes depreciation, maintenance, administration, return, taxes, and any other costs identified in the supporting documentation provided at the time the special construction case is filed.

Upon the expiration of the ILP, the number of underutilized facilities, if any, are multiplied by the annual underutilization liability amount. This product is then multiplied by the number or years (including any fraction thereof) in the ILP to determine the underutilization charge.

# 14. Special Construction (Cont'd)

# 14.2 Regulations (Cont'd)

## 14.2.6 Liabilities and Charges for Special Construction (Cont'd)

# 14.2.6.4 <u>Types of Liabilities and Charges</u> (Cont'd)

# (C) <u>Annual Underutilization Liability and Underutilization</u> <u>Charge</u> (Cont'd)

Annually thereafter, the number of underutilized facilities, if any, existing on the anniversary of the ILP expiration date will be multiplied by the annual underutilization liability amount to determine the underutilization charge for the preceding 12-month period.

### Example:

A customer orders 100 services and the special construction of a 600 pair building riser cable is agreed to, based on the customer's 5-year facility requirements. The ILP, in this example, would be filed at 5 years. The annual underutilization liability is filed at \$2.00 per pair. If 400 pairs were in service at the end of the ILP, there would be an underutilization of 20 pairs; i.e., 420 (70% of 600) - 400 = 20. The total underutilization charge for the first 5 years would be \$200.00, or \$2.00 per pair x 20 pairs x 5 years.

If 420 pairs are in service at the end of the sixth year, there is no underutilization; i.e., 420 - 420= 0.

Continued

Elk Grove, CA 95624

# 14. Special Construction (Cont'd)

- 14.2 Regulations (Cont'd)
  - 14.2.6 <u>Liabilities and Charges for Special Construction</u> (Cont'd)
    - 14.2.6.4 <u>Types of Liabilities and Charges</u> (Cont'd)
      - (D) Recurring Monthly Charges
        - (1) Charge for Route or Type Other Than Normal

When special construction is requested using a route or type of facility other than that which the Telephone Company would normally use, a recurring monthly charge, in addition to the monthly rates for service, is applicable. The charge is equal to the difference between the recurring costs of the specially constructed facilities and the recurring costs of the facilities the Telephone Company would have normally used.

- (a) When an Optional Payment Charge as set forth in 14.2.6.4(A)(3) preceding has been elected, the recurring monthly charge will be reduced to include specially constructed facility operating expenses only.
- (b) If the actual cost option as set forth in 14.2.6.3 preceding has been elected, the recurring charge will be adjusted to reflect the actual cost of the new construction when the costs

# 14. Special Construction (Cont'd)

# 14.2 Regulations (Cont'd)

## 14.2.6 Liabilities and Charges for Special Construction (Cont'd)

## 14.2.6.4 <u>Types of Liabilities and Charges</u> (Cont'd)

## (D) Recurring Monthly Charges

- (1) Charge for Route or Type Other Than Normal (Cont'd)
  - (b) (Cont'd)

have been determined. This adjusted recurring charge is applicable from the start of service.

# (E) Lease Charge

This charge applies when the Telephone Company leases equipment in order to meet service requirements. The amount of the charge is equal to the net added cost to the Telephone Company caused by the lease.

### (F) Cancellation Charge

If a service order with which special construction is associated is cancelled prior to the start of service, a cancellation charge will apply. The charge will include all nonrecoverable costs incurred by the Telephone Company in association with the special construction up to and including the time of cancellation.

# 14. Special Construction (Cont'd)

# 14.2 Regulations (Cont'd)

### 14.2.7 Deferral of Start of Service

The Telephone Company may be requested to defer the start of service which will use specially constructed facilities subject to the provisions set forth in the service tariff under which service is being provided. Requests for special construction deferral must be in writing and are subject to the following regulations:

### 14.2.7.1 Construction Has Not Begun

If the Telephone Company has not incurred any installation costs before receiving a request for deferral, no charge applies.

# 14.2.7.2 Construction Has Begun

If the construction of facilities has begun before the Telephone Company receives a request for deferral, charges will vary as follows:

### (A) All Services Are Deferred

When all services which will use specially constructed facilities are deferred, a charge based on the costs incurred by the Telephone Company during each month of the deferral will apply. Those costs include the recurring costs for that portion of the facilities already completed and any other costs associated with the deferral. The cost of any components of the nonrecurring charge which have been completed at the time of deferral will also apply.

# 14. Special Construction (Cont'd)

# 14.2 Regulations (Cont'd)

## 14.2.7 Deferral of Start of Service (Cont'd)

## 14.2.7.2 Construction Has Begun (Cont'd)

## (B) Some Services Are Deferred

When some services which will use the specially constructed facilities are deferred, the construction case will be completed, and all special construction charges will apply.

### 14.2.7.3 Construction Complete

If the construction of facilities has been completed before the Telephone Company receives a request for deferral, all special construction charges will apply.

### 14.2.8 Definitions

<u>Actual Cost</u> - The term "Actual Cost" denotes all costs charged against a specific case of special construction, including any appropriate taxes.

Annual Underutilization Liability - The term "Annual Underutilization Liability" denotes a per unit amount which may be billed annually if fewer services are in use utilizing specially constructed facilities at filed tariff rates than were originally specially constructed.

<u>Estimated Cost</u> - The term "Estimated Cost" denotes all estimated costs that will be incurred in providing a specific case of special construction, including any appropriate taxes.

#### 14. Special Construction (Cont'd)

#### 14.2 Regulations (Cont'd)

#### 14.2.8 <u>Definitions</u> (Cont'd)

<u>Facilities</u> - The term "Facilities" denotes any cable, poles, conduit, microwave or carrier equipment, wire center distribution frames, central office switching equipment, etc., utilized to provide intrastate services.

<u>Initial Liability Period</u> - The term "Initial Liability Period" denotes the initial planning period during which the customer expects to place specially constructed facilities in service.

<u>Installed Cost</u> - The term "Installed Cost" denotes the total investment (estimated or actual) required by the Telephone Company to provide specially constructed facilities.

<u>Maximum Termination Liability</u> - The term "Maximum Termination Liability" denotes the maximum amount which may be billed if all services using specially constructed facilities are terminated prior to the expiration of the Maximum Termination Liability Period.

Maximum Termination Liability Period - The term "Maximum Termination Liability Period" denotes the length of time for which a termination charge may apply if all services using specially constructed facilities are terminated.

<u>Net Salvage</u> - The term "Net Salvage" denotes the estimated scrap, sale, or trade-in value, less the estimated cost of removal. Cost of removal includes the costs of demolishing, tearing down, or otherwise disposing of the material and any other applicable costs. Since the cost of removal may exceed salvage value, net salvage may be negative.

#### 14. Special Construction (Cont'd)

#### 14.2 Regulations (Cont'd)

#### 14.2.8 <u>Definitions</u> (Cont'd)

Nonrecoverable Cost - The term "Nonrecoverable Cost" denotes the cost of specially constructed facilities for which the Telephone Company has no foreseeable use should the service be terminated.

<u>Normal Construction</u> - The term "Normal Construction" denotes all facilities the Telephone Company would normally use to provide service in the absence of a requirement for special construction.

Normal Cost - The term "Normal Cost" denotes the estimated cost to provide services using normal construction.

<u>Permanent Facilities</u> - The term "Permanent Facilities" denotes facilities providing service for one month or more.

Recoverable Cost - The term "Recoverable Cost" denotes the cost of the specially constructed facilities for which the Telephone Company has a foreseeable reuse, either in place or elsewhere, should the service be terminated.

<u>Termination Charge</u> - The term "Termination Charge" denotes the portion of the Maximum Termination Liability that is applied as a nonrecurring charge when all services are discontinued prior to the expiration of the specified liability period.

#### 14. Special Construction (Cont'd)

#### 14.3 Charges to Provide Permanent Facilities

This section contains special construction charges to provide permanent facilities. Charges are developed on an individual case basis and are filed following:

Case Telephone Co./ Charge/ Effective

Expiration

No. Customer Name Description Liability Date Date

#### 15. Wire Center and Interconnection Information

# 15.1 <u>Serving Wire Center V and H Coordinate Information - Arizona</u>

LOCALITY	CLLI	WCV	WCH	CC	<u>LATA</u>	OT	<u>NPA</u>	NXX
AGUA FRIA	BRDSAZMACG0	9101	6811	MNTN	666	ABDe jo	602	546
AGUA FRIA AGUA FRIA AGUA FRIA	AGFIAZSRDS0 AGFIAZSRDS0 PHNXAZMRCG0	9089 9089 9109	6788 6788 6795	5101 5101 5101	666 666 666	ABDe ABDe ABDE FGHI KLMU Vejo	602 602 602	561 566 583
AGUA FRIA	BRDSAZMACG0	9101	6811	5101	666	ABDe jo	602	584
AGUILA AJO ALPINE	AGULAZMA685 AJO AZMA387 ALPIAZXC339	9071 9392 8924	6967 6838 6249	5101 5101 2177	666 666 666	BC BC ABCG HPfh j	602 602 602	685 387 339
ASH FORK BAGDAD BENSON BISBEE BISBEE BLACK CANYON BLACK MESA BLUE RIDGE BONITA BOUSE BOWIE BUCKEYE BULLHEAD CITY CAMERON CAMP VERDE	ASFKAZMA637 BGDDAZMA633 BNSNAZMADS0 PLMNAZMA366 BISBAZMA43A BLCNAZMA374 BLMSAZXC677 BLRGAZXC477 BONTAZXC828 BOUSAZXC851 BOWIAZXC851 BOWIAZXC847 BCKYAZMADSO BLCYAZXC754 CMRNAZMA679 CMVRAZMADSO	8774 8937 9371 9486 9467 9006 8423 8854 9227 9104 9259 9170 8862 8624 8888	6905 6997 6352 6289 6248 6792 6608 6648 6329 7115 6226 6835 7266 6756 6744	5101 5101 5101 5101 5101 5101 2275 2171 2176 2302 2176 5101 2172 5101 5101	666 668 668 668 666 980 666 668 730 668 666 666 666	BC BCe BCe BCe Cf A AC Ch A BCe ACGH BC BCe	602 602 602 602 602 602 602 602 602 602	637 633 586 366 432 374 677 477 828 851 847 386 754 679 567

Continued

Issued: December 1, 1994

Robert S. Crum

# 15. Wire Center and Interconnection Information (Cont'd)

# 15.1 <u>Serving Wire Center V and H Coordinate Information - Arizona</u> (Cont'd)

LOCALITY	CLLI	WCV	<u>WCH</u>	CC	<u>LATA</u>	<u>OT</u>	<u>NPA</u>	<u>NXX</u>
CASA GRANDE CASA GRANDE	CSGRAZMACGO CSGRAZMACG0	9241 9241	6661 6661	5101 5101	666 666	BDe BDEF GHIK LMUV Yejo	602 602	421 426
CASA GRANDE CASTLE ROCK CAVE CREEK-	CSGRAZMACGO CSRKAZXC764	9241 8983	6662 7203	5101 2172	666 666	BDe ACGH	602 602	836 764
CAREFREE	CVCKAZMACGO	9047	6740	5101	666	ABDj o	602	488
CHANDLER CHANDLER CHANDLER CHANDLER CHANDLER	CHNDAZWEDSO CHNDAZMADS0 CHNDAZWEDS0 CHNDAZPRRS1 CHNDAZMADS0	9158 9154 9158 9154 9154	6721 6699 6721 6699 6699	5101 5101 5101 5101 5101	666 666 666 666	ABD BD ABD BD BDEF GHIK LMUV dejo	602 602 602 602 602	496 732 759 786 821
CHANDLER	CHNDAZSOCG0	9170	6696	5101	666	ABDe jo	602	895
CHANDLER CHANDLER	CHNDAZMADS0 CHNDAZWEDS0	9154 9158	6699 6721	5101 MNTN	666 666	BDe ABDd ejo	602 602	899 940
CHANDLER	CHNDAZWEDSO	9158	6721	5101	666	ABDd ejo	602	961

Continued

Effective: December 1, 1994

Issued: December 1, 1994

Robert S. Crum

Vice President
Western Region Telephone Operations
8920 Emerald Park Drive

Elk Grove, CA 95624

# 15. Wire Center and Interconnection Information (Cont'd)

# 15.1 <u>Serving Wire Center V and H Coordinate Information - Arizona</u> (Cont'd)

LOCALITY	CLLI	WCV	<u>WCH</u>	<u>CC</u>	<u>LATA</u>	<u>OT</u>	<u>NPA</u>	<u>NXX</u>
CHANDLER CHINLE CHINO VALLEY CIBOLA CIRCLE CITY CLIFTON COLORADO CITY COOLIDGE CORONADO COTTONWOOD COTTONWOOD DEER VALLEY	CHNDAZMADS0 CHNLAZXC674 CHVYAZMARS1 CIBLAZXC857 CRCYAZMA388 CFTNAZMA86A CLCYAZXCDSO CLDGAZMA723 CRNDAZMADS0 CTWDAZMADS0 CTWDAZSORS1 DRVYAZNODSO	9154 8459 8871 9243 9075 9099 8416 9210 9286 8856 8866 9085	6699 6446 6879 7221 6855 6238 7074 6625 6494 6803 6791 6765	5101 2275 5101 2302 5101 5101 2286 5101 5101 5101 5101 5101	666 980 666 730 666 668 660 666 666 666	BD Cf BCe C BCe BCe BDe BDe ABDE FGHI KLMU	602 602 602 602 602 602 602 602 602 602	963 674 636 857 388 865 875 723 825 634 646 434
DEER VALLEY DEER VALLEY DENNEHOTSO DILKON DOLAN SPRINGS DOUGLAS	DRVYAZNODSO DRVYAZNODSO DNHSAZXC658 DLKNAZXC657 DLSPAZXC767 DGLSAZMA36A	9085 9085 8326 8655 8757 9467	6765 6765 6534 6538 7234 6182	5101 5101 2275 2275 2172 5101	666 666 980 980 666 668	Vdej o ABD ABD Cf Cf ACGH BCEF GHIK LMUV Y	602 602 602 602 602 602	582 780 658 657 767 364
DUDLEYVILLE	DDVLAZNMMG0	9192	6478	5101	668	BCEF GHIK LMUV e	602	357

Continued

Effective: December 1, 1994

Issued: December 1, 1994

# 15. Wire Center and Interconnection Information (Cont'd)

# 15.1 <u>Serving Wire Center V and H Coordinate Information - Arizona</u> (Cont'd)

LOCALITY	CLLI	WCV	<u>WCH</u>	CC	<u>LATA</u>	<u>OT</u>	<u>NPA</u>	<u>NXX</u>
DUNCAN	DNCNAZNMMG0	9159	6179	5101	668	BCEF GHIK LMUV	602	359
EHRENBERG ELFRIDA ELOYELOYAZMA466 FLAGSTAFF	EHRNAZXC923 ELFRAZMA642 9260 6619 FLGSAZMADS0	9193 9402 5101 8746	7193 6227 666 6759	2302 5101 BCe 5101	730 668 602 666	C BC 466 BCEF GHIK LMUV Ye	602 602 602	923 642 523
FLAGSTAFF FLAGSTAFF	FLGSAZSORS1 FLGSAZEACG0	8771 8740	6761 6751	5101 5101	666 666	BCe ABDe jo	602 602	525 526
FLAGSTAFF	FLGSAZEACG0	8740	6751	5101	666	ABDe jo	602	527
FLAGSTAFF FLAGSTAFF FLAGSTAFF FLAGSTAFF FLAGSTAFF FLORENCE FORT DEFIANCE FORT MC DOWELL FORT MC DOWELL	FLGSAZMADS0 FLGSAZMADS0 FLGSAZMAXXX FLGSAZMAXXX FLRNAZMA868 FTDFAZXC729 FTMDAZNORS1 FTMDAZMACG0	8746 8746 8746 8746 8746 9193 8523 9104 9085	6759 6759 6759 6759 6759 6604 6344 6679 6694	5101 5101 5101 5101 5101 5101 2275 5101 5101	666 666 666 666 666 980 666 666	BC BC P Q BCe Cfjh602 BDe BDej o	602 602 602 602 602 602 2729 602 602	773 774 779 PAH VDH 868 471 837
FREDONIA GANADO GILA BEND GLEN CANYON CITY, UT	FRDNAZMA64A GANDAZXC755 GLBNAZMA683 PAGEAZMA64A	8387 8550 9265 8375	6998 6421 6838	5101 2275 5101	660 980 666	A Cf BC	602 602 602 801	643 755 683 675

Continued

Issued: December 1, 1994

Robert S. Crum

# 15. Wire Center and Interconnection Information (Cont'd)

# 15.1 <u>Serving Wire Center V and H Coordinate Information - Arizona</u> (Cont'd)

LOCALITY	CLLI	WCV	WCH	CC	<u>LATA</u>	<u>OT</u>	<u>NPA</u>	<u>NXX</u>
GLENDALE GLENDALE GLENDALE GLENDALE	GLDLAZMACG0 PHNXAZGRCG0 PHNXAZPRCG0 PHNXAZNWCG0	9118 9098 9108 9118	6772 6767 6782 6760	5101 5101 5101 5101	666 666 666 666	ABD ABD ABDE FGHT KLMU Vdej o	602 602 602 602	435 439 486 589
GLENDALE	GLDLAZMACG0	9118	6772	5101	666	ABDE FGHI KLMU Vdej o	602	842
GLENDALE GLENDALE	PHNXAZGRCG0 PHNXAZMYCG0	9098 9128	6767 6773	5101 5101	666 666	ABD ABDE FGHI KLMU Vdej o	602 602	843 846
GLENDALE GLENDALE	PHNXAZMYCG0 PHNXAZBWCG0	9128 9128	6773 6786	5101 5101	666 666	ABD ABDd ejo	602 602	848 872
GLENDALE GLENDALE	PHNXAZMRCG0 PHNXAZBWCG0	9109 9128	6795 6786	5101 5101	666 666	ABD ABDd ejo	602 602	876 877

Continued

Effective: December 1, 1994

Issued: December 1, 1994

Robert S. Crum

# 15. Wire Center and Interconnection Information (Cont'd)

# 15.1 <u>Serving Wire Center V and H Coordinate Information - Arizona</u> (Cont'd)

LOCALITY	CLLI	WCV	<u>WCH</u>	CC	<u>LATA</u>	<u>OT</u>	<u>NPA</u>	<u>NXX</u>
GLENDALE	PHNXAZPRCG0	9108	6782	5101	666	ABDE FGHI KLMU Vejo	602	878
GLENDALE	GLDLAZMACG0 GLDLAZMACG0 PHNXAZMRCG0 GLDLAZMACG0 GLDLAZMACG0 PHNXAZGRCG0 GLDLAZMACG0 PHNXAZMRCG0 PHNXAZMRCG0 BRDSAZMACG0	9118 9118 9109 9118 9118 9098 9118 9109 9109	6772 6772 6795 6772 6772 6767 6772 6795 6811	5101 5101 5101 5101 5101 5101 5101 5101	666 666 666 666 666 666 666 666	ABD ABD ABD ABD ABD ABD ABD ABD ABD ABDe jo	602 602 602 602 602 602 602 602 602	930 931 933 934 937 938 939 972 974 975
GLENDALE	PHNXAZMRCG0	9109	6795	5101	666	ABDE FGHI KLMU Vejo	602	977
GLENDALE	PHNXAZGRCG0	9098	6767	5101	666	ABDE FGHI KLMU Vdej o	602	978
GLENDALE	PHNXAZPRCG0	9108	6782	5101	666	ABD	602	979

Continued

Effective: December 1, 1994

Issued: December 1, 1994

Robert S. Crum

# 15. Wire Center and Interconnection Information (Cont'd)

# 15.1 <u>Serving Wire Center V and H Coordinate Information - Arizona</u> (Cont'd)

LOCALITY	CLLI	WCV	<u>WCH</u>	CC	<u>LATA</u>	OT	<u>NPA</u>	<u>NXX</u>
GLOBE	GLOBAZMA425	9091	6516	5101	668	BCEF GHIK LMUV e	602	425
GOLDEN VALLEY GRAND CANYON GREASEWOOD GREEN HAVEN GREEN VALLEY GREEN VALLEY GREER	GLVYAZXC565 GRCNAZMA638 GSWDAZXC654 MRCNAZXE353 GNVYAZMADSO GNVYAZMADSO GRERAZXC735	8832 8584 8604 8361 9421 9421 8902	7199 6886 6465 6833 6473 6473	2172 5101 2275 2171 5101 5101 2177	666 666 980 666 668 668 666	ACGH BCe Cf A BDe BDe ABCG Hfj	602 602 602 602 602 602 602	565 638 654 353 625 648 735
HARQUAHALA VALLEY HAWLEY LAKE	HRVYAZXC372 HLLKAZXC335	9176 8924	6940 6364	2171 2177	666 666	A ABCf hj	602 602	372 335
HAYDEN HAYDEN HEBER	HYDNAZMA356 KRNYAZMA363 HEBRAZXCDS0	9174 9157 8867	6495 6520 6537	5101 5101 2177	668 668 666	BCe BCe ABCG HPfh j	602 602 602	356 363 535
HIGLEY HIGLEY HOLBROOK	HGLYAZQCDSO HGLYAZMADSO HLBKAZXC524	9161 9148 8748	6659 6671 6484	5101 5101 2177	666 666 666	BDde BDde ABCG HNPf hjo	602 602 602	987 988 524

Continued

Effective: December 1, 1994

Issued: December 1, 1994

Robert S. Crum

# 15. Wire Center and Interconnection Information (Cont'd)

# 15.1 <u>Serving Wire Center V and H Coordinate Information - Arizona</u> (Cont'd)

LOCALITY	CLLI	WCV	<u>WCH</u>	CC	<u>LATA</u>	<u>OT</u>	<u>NPA</u>	<u>NXX</u>
HUMBOLDT HYDER JOSEPH CITY KAIBITO KAYENTA KEAMS CANYON KINGMAN	HMBLAZMA632 HYDRAZXC454 JSCYAZMA288 KABTAZXC673 KYNTAZXC697 KMCNAZXC738 KGMNAZXC01T	8917 9274 8743 8428 8368 8556 8837	6828 6955 6518 6730 6597 6538 7179	5101 2171 5101 2275 2275 2175 2172	666 666 980 980 666 666	BCe A BC Cf Cfh C ACGH	602 602 602 602 602 602 602	632 454 288 673 697 738 753
KINGMAN	KGMNAZXE757	8822	7173	2172	666	ACGH e	602	757
KYKOTSMOVI VILLAGE LAKE HAVASU CITY	KIVGAZXC734 LHCYAZXCDSO	8562 9004	6615 7202	2175 2172	666 666	CGH ACGH e	602 602	734 453
LAKE HAVASU CITY	LHCYAZXCDSO	9004	7202	2172	666	ACGH e	602	855
LAKESIDE	PNTPAZXBRS1	8896	6413	2177	666	ABCG HPfh j	602	368
LE CHEE LEUPP LITCHFIELD PARK LITCHFIELD PARK	LCHEAZXC698 LEPPAZXC686 LTPKAZMACGO PHNXAZMYCG0	8388 8699 9135 9128	6805 6652 6801 6773	2275 2275 5101 5101	980 980 666 666	Cf Cf BD ABDE FGHI KLMU Vdej o	602 602 602 602	698 686 393 849

Continued

Effective: December 1, 1994

Issued: December 1, 1994

Robert S. Crum

# 15. Wire Center and Interconnection Information (Cont'd)

# 15.1 <u>Serving Wire Center V and H Coordinate Information - Arizona</u> (Cont'd)

LOCALITY	CLLI	WCV	<u>WCH</u>	CC	<u>LATA</u>	<u>OT</u>	<u>NPA</u>	NXX
LITCHFIELD PARK	LTPKAZMACG0	9135	6801	5101	666	BDFG HIKL MUVd ejo	602	856
LITCHFIELD PARK LITCHFIELD PARK LITCHFIELD PARK LITCHFIELD PARK LITCHFIELD PARK	PHNXAZMYCG0 GDYRAZCWMG0 GDYRAZCWMG0 LTPKAZMACG0 TLSNAZMACG0	9128 9147 9147 9135 9140	6773 6798 6798 6801 6780	5101 5101 5101 5101 5101	666 666 666 666	ABD BCde BCde BDde ABDd ejo	602 602 602 602 602	873 925 932 935 936
LITTLEFIELD LUKACHUKAI MANY FARMS MARANA MARBLE CANYON MARICOPA MCNARY	LLFDAZXF347 LKCHAZXC787 MNFRAZXC781 MARNAZMARS1 MRCNAZXC355 MRCPAZMA568 MCNRAZXCRS1	8488 8391 8419 9307 8403 9215 8910	7231 6409 6469 6544 6838 6725 6386	2356 2275 2275 5101 2171 5101 2177	660 980 980 668 666 666 666	Cjo Cf Cf BCde A BC ABCG HPfh j	602 602 602 602 602 602 602	347 787 781 682 355 568 334
MEADVIEW MESA MESA MESA MESA	MDVWAZXC564 MESAAZMACG0 MESAAZMACG0 MESAAZGIDSO MESAAZMACG0	8665 9130 9130 9140 9130	7219 6703 6703 6693 6703	2172 5101 5101 5101 5101	666 666 666 666	ACGH ABD ABD ABD ABDb dejo	602 602 602 602 602	564 461 464 497 827

Continued

Effective: December 1, 1994

Issued: December 1, 1994

# 15. Wire Center and Interconnection Information (Cont'd)

# 15.1 <u>Serving Wire Center V and H Coordinate Information - Arizona</u> (Cont'd)

LOCALITY	CLLI	WCV	WCH	CC	<u>LATA</u>	<u>OT</u>	<u>NPA</u>	NXX
MESA	SPRSAZWECG0	9125	6685	5101	666	ABDE FGHI KLMU Vdej o	602	830
MESA MESA	SPRSAZWECG0 MESAAZMACG0	9125 9130	6685 6703	5101 5101	666 666	ABD ABDd ejo	602 602	832 833
MESA MESA MESA MESA MESA	MESAAZMACG0 MESAAZMACG0 MESAAZMACG0 MESAAZMACG0 MESAAZGIDSO	9130 9130 9130 9130 9140	6703 6703 6703 6703 6693	5101 5101 5101 5101 5101	666 666 666 666	ABD ABD ABD ABD ABDd e	602 602 602 602 602	834 835 844 890 892
MESA MESA MESA MESA MESA MISA MIAMI MOHAVE VALLEY MORMON LAKE MUNDS PARK NEW RIVER NOGALES	MESAAZMACGO MESAAZGIDSO MESAAZMACGO MESAAZMACGO MESAAZMACGO MIAMAZMA473 MHVYAZXC768 MMLKAZXC354 MSPKAZMADSO NWRVAZMA465 NGLSAZMWCG1	9130 9140 9130 9130 9130 9094 8913 8798 8800 9034 9522	6703 6693 6703 6703 6703 6531 7264 6714 6747 6747	5101 5101 5101 5101 5101 5101 2172 2171 5101 5101 5101	666 666 666 666 668 666 666 666 666	ABD ABD ABD ABD BCe ACGH A BD BCde ABDd ejo	602 602 602 602 602 602 602 602 602 602	898 926 962 964 969 473 768 354 286 465 281

Continued

Effective: December 1, 1994

Issued: December 1, 1994

# 15. Wire Center and Interconnection Information (Cont'd)

# 15.1 <u>Serving Wire Center V and H Coordinate Information - Arizona</u> (Cont'd)

LOCALITY	CLLI	WCV	<u>WCH</u>	CC	<u>LATA</u>	<u>OT</u>	<u>NPA</u>	NXX
NOGALES	NGLSAZMA28A	9532	6436	5101	668	BCEF GHIK LMUV Yde	602	287
NORTH PHOENIX NORTH PHOENIX NORTH PHOENIX	PHNXAZGRCG0 PHNXAZSYCG0 PHNXAZCACG0	9098 9108 9099	6767 6754 6744	5101 5101 5101	666 666 666	ABD ABDE ABDE FGHI KLMU Vdej o	602 602 602	375 395 482
NORTH PHOENIX NORTH PHOENIX NORTH PHOENIX NORTH PHOENIX NORTH PHOENIX NORTH PHOENIX NORTH PHOENIX NORTH PHOENIX NORTH PHOENIX NORTH PHOENIX	DRVYAZNODSO PHNXAZCACGO PHNXAZCACGO PHNXAZCACGO DRVYAZNODSO PHNXAZGRCGO PHNXAZSYCGO PHNXAZSYCGO PHNXAZCACGO PHNXAZCACGO PHNXAZCACGO	9085 9099 9099 9085 9098 9108 9099 9098 9108	6765 6744 6744 6765 6767 6754 6767 6754	5101 5101 5101 5101 5101 5101 5101 5101	666 666 666 666 666 666 666 666	ABD ABD ABD ABD ABD ABD ABD ABDE FGHI KLMU Vdej o	602 602 602 602 602 602 602 602 602	492 493 494 569 581 588 678 788 789 861
NORTH PHOENIX NORTH PHOENIX	PHNXAZGRCGO PHNXAZGRCG0	9098 9098	6767 6767	5101 5101	666 666	ABD ABD	602 602	862 863

Continued

Effective: December 1, 1994

Issued: December 1, 1994

Robert S. Crum

# 15. Wire Center and Interconnection Information (Cont'd)

# 15.1 <u>Serving Wire Center V and H Coordinate Information - Arizona</u> (Cont'd)

LOCALITY	CLLI	WCV	<u>WCH</u>	CC	<u>LATA</u>	<u>OT</u>	<u>NPA</u>	NXX
NORTH PHOENIX	PHNXAZNWCG0	9118	6760	5101	666	ABDE FGHI KLMU Vdej o	602	864
NORTH PHOENIX NORTH PHOENIX NORTH PHOENIX NORTH PHOENIX	PHNXAZGRCG0 PHNXAZCACG0 DRVYAZNODSO DRVYAZNODSO	9098 9099 9085 9085	6767 6744 6765 6765	5101 5101 5101 5101	666 666 666	ABD ABD ABDE FGHI KLMU Vdej o	602 602 602 602	866 867 869 879
NORTH PHOENIX	PHNXAZGRCG0	9098	6767	5101	666	ABDE FGHI KLMU Vdej o	602	942
NORTH PHOENIX PAGE	PHNXAZSYCG0 PHNXAZSYCG0 PHNXAZCACG0 PHNXAZCACG0 PHNXAZCACG0 PHNXAZCACG0 PHNXAZGRCG0 PHNXAZNWCG0 PHNXAZCACG0 PHNXAZCACG0 PHNXAZSYCG0 PAGEAZM	9108 9108 9099 9099 9099 9098 9118 9099 9108 A64A	6754 6754 6744 6744 6767 6760 6744 6754 8375	5101 5101 5101 5101 5101 5101 5101 5101	666 666 666 666 666 666 666 5101	ABD ABD ABD ABD ABD ABD ABD ABD ABD 666 BC	602 602 602 602 602 602 602 602 602	943 944 953 971 992 993 995 996 997 2645

Continued

Effective: December 1, 1994

Issued: December 1, 1994

Robert S. Crum

# 15. Wire Center and Interconnection Information (Cont'd)

# 15.1 <u>Serving Wire Center V and H Coordinate Information - Arizona</u> (Cont'd)

LOCALITY	CLLI	WCV	<u>WCH</u>	CC	<u>LATA</u>	<u>OT</u>	<u>NPA</u>	<u>NXX</u>
PARADISE VALLEY	PRVYAZPPDSO	9072	6727	5101	666	BDej o	602	563
PARADISE VALLEY	PRVYAZPPDSO	9072	6727	5101	666	BDej o	602	585
PARKER PARKER DAM PATAGONIA PATAGONIA PAYSON	PRKRAZXC66A PRDMAZXC667 PTGNAZMA394 PTGNAZEL455 PYSNAZMADSO	9068 9032 9480 9494 8938	7175 7153 6412 6377 6655	2302 2302 5101 5101 5101	730 730 668 668 666	ACh Ch BC BC BDEF GHIK LMUV e	602 602 602 602 602	669 667 394 455 474
PAYSON PAYSON PEACH SPRINGS PEARCE PHOENIX PHOENIX PHOENIX PHOENIX PHOENIX PHOENIX PHOENIX	PINEAZMA476 TNCKAZMA478 PCSPAZXC769 PERCAZXC826 PHNXAZEACG0 PHNXAZNOCG1 PHNXAZNOCG1 PHNXAZMACG1 PHNXAZMACG1 PHNXAZNECG0 PHNXAZEACG0	8910 8907 8744 9364 9130 9123 9123 9133 9131 9130	6685 6618 7084 6264 6738 6749 6749 6748 6737 6738	5101 5101 2172 2176 5101 5101 5101 5101 5101 5101	666 666 668 666 666 666 666 666	BCe BC ACGH Ae ABD ABD ABD ABD ABD ABDd ejo	602 602 602 602 602 602 602 602 602	476 478 769 826 220 221 222 223 224 225
PHOENIX	PHNXAZMACG1	9133	6748	5101	666	ABDd ejo	602	226
PHOENIX PHOENIX	PHNXAZMACG0 PHNXAZCRCM1	9133 9130	6748 6738	5101 5101	666 666	ABD ABD	602 602	227 228

Continued

Issued: December 1, 1994

Robert S. Crum

# 15. Wire Center and Interconnection Information (Cont'd)

# 15.1 <u>Serving Wire Center V and H Coordinate Information - Arizona</u> (Cont'd)

LOCALITY	CLLI	WCV	<u>WCH</u>	CC	<u>LATA</u>	<u>OT</u>	<u>NPA</u>	NXX
PHOENIX PHOENIX	PHNXAZMACG0 PHNXAZNOCG0	9133 9123	6748 6749	5101 5101	666 666	ABD ABDj o	602 602	229 230
PHOENIX	PHNXAZEACG0	9130	6738	5101	666	ABDE FGHI KLMU Vdej o	602	231
PHOENIX	PHNXAZSOCG0	9145	6745	5101	666	ABDE FGHI KLMU Vdej o	602	232
PHOENIX PHOENIX PHOENIX	PHNXAZWECG0 PHNXAZNOCG1 PHNXAZNOCG0	9135 9123 9123	6759 6749 6749	5101 5101 5101	666 666 666	ABD ABD ABDj o	602 602 602	233 234 235
PHOENIX PHOENIX PHOENIX	PHNXAZEACG0 PHNXAZLVDSO PHNXAZMACG1	9130 9155 9133	6738 6760 6748	5101 5101 5101	666 666 666	ABD BDe ABDe FGHI KLMU VYde jo	602 602 602	236 237 238
PHOENIX PHOENIX PHOENIX	PHNXAZMACG0 PHNXAZNOCG1 PHNXAZNOCG1	9133 9123 9123	6748 6749 6749	5101 5101 5101	666 666 666	ABD ABD ABD	602 602 602	239 240 241

Continued

Issued: December 1, 1994

Robert S. Crum

# 15. Wire Center and Interconnection Information (Cont'd)

# 15.1 <u>Serving Wire Center V and H Coordinate Information - Arizona</u> (Cont'd)

LOCALITY	CLLI	WCV	<u>WCH</u>	CC	<u>LATA</u>	<u>OT</u>	<u>NPA</u>	NXX
PHOENIX PHOENIX PHOENIX PHOENIX PHOENIX	PHNXAZNWCG0 PHNXAZSOCG0 PHNXAZEACG0 PHNXAZMYCG0 PHNXAZNWCG0 PHNXAZNWCG0	9118 9145 9130 9128 9118 9128	6760 6745 6738 6773 6760 6773	5101 5101 5101 5101 5101 5101	666 666 666 666 666	ABD ABD ABD ABD ABDE FGHI KLMU Vdej o	602 602 602 602 602 602	242 243 244 245 246 247
PHOENIX	PHNXAZNOCG0	9123	6749	5101	666	ABDj o	602	248
PHOENIX	PHNXAZNWCG0	9118	6760	5101	666	ABDE FGHI KLMU Vdej o	602	249
PHOENIX	PHNXAZMACG1	9133	6748	5101	666	ABDd ejo	602	250
PHOENIX PHOENIX PHOENIX PHOENIX PHOENIX PHOENIX PHOENIX PHOENIX PHOENIX	PHNXAZMACG0 PHNXAZMACG0 PHNXAZMACG0 PHNXAZMACG1 PHNXAZMACG1 PHNXAZMACG0 PHNXAZMACG0 PHNXAZMACG1 PHNXAZMACG1 PHNXAZMACG1	9133 9133 9133 9133 9133 9133 9133 9133	6748 6748 6748 6748 6748 6748 6748 6748	5101 5101 5101 5101 5101 5101 5101 5101	666 666 666 666 666 666 666	ABD ABD ABD ABD ABD ABD ABD ABD ABD	602 602 602 602 602 602 602 602	251 252 253 254 255 256 257 258 259

Continued

Effective: December 1, 1994

Issued: December 1, 1994

Robert S. Crum

# 15. Wire Center and Interconnection Information (Cont'd)

# 15.1 <u>Serving Wire Center V and H Coordinate Information - Arizona</u> (Cont'd)

LOCALITY	CLLI	WCV	<u>WCH</u>	CC	<u>LATA</u>	<u>OT</u>	<u>NPA</u>	<u>NXX</u>
PHOENIX	PHNXAZNOCG0	9123	6749	5101	666	ABDj o	602	260
PHOENIX PHOENIX PHOENIX	PHNXAZMACG0 PHNXAZMACG0 PHNXAZNOCG0	9133 9133 9123	6748 6748 6749	5101 5101 5101	666 666 666	ABD ABD ABDj o	602 602 602	261 262 263
PHOENIX PHOENIX	PHNXAZNOCG1 PHNXAZNOCG0	9123 9123	6749 6749	5101 5101	666 666	ABD ABDj o	602 602	264 265
PHOENIX	PHNXAZNOCG0	9123	6749	5101	666	ABDj o	602	266
PHOENIX PHOENIX PHOENIX PHOENIX PHOENIX	PHNXAZEACG0 PHNXAZSOCG0 PHNXAZWECG0 PHNXAZMACG0 PHNXAZMACG1 PHNXAZWECG0	9130 9145 9135 9133 9133 9135	6738 6745 6759 6748 6748 6759	5101 5101 5101 5101 5101 5101	666 666 666 666 666	ABD ABD ABD ABD ABDE FGHI KLMU Vdej o	602 602 602 602 602 602	267 268 269 270 271 272
PHOENIX PHOENIX PHOENIX PHOENIX PHOENIX PHOENIX	PHNXAZEACG0 PHNXAZNOCG1 PHNXAZEACG0 PHNXAZSOCG0 PHNXAZNOCG1 PHNXAZWECG0	9130 9123 9130 9145 9123 9135	6738 6749 6738 6745 6749 6759	5101 5101 5101 5101 5101 5101	666 666 666 666 666	ABD ABD ABD ABD ABD ABD	602 602 602 602 602 602	273 274 275 276 277 278

Continued

Effective: December 1, 1994

Issued: December 1, 1994

Robert S. Crum

# 15. Wire Center and Interconnection Information (Cont'd)

# 15.1 <u>Serving Wire Center V and H Coordinate Information - Arizona</u> (Cont'd)

LOCALITY	<u>CLLI</u>	WCV	<u>WCH</u>	<u>CC</u>	<u>LATA</u>	<u>OT</u>	<u>NPA</u>	<u>NXX</u>
PHOENIX PHOENIX PHOENIX	PHNXAZNOCG1 PHNXAZNOCG0 PHNXAZNOCG1	9123 9123 9123	6749 6749 6749	5101 5101 5101	666 666 666	ABD ABDE ABDE FGHI KLMU Vdej o	602 602 602	279 280 285
PHOENIX PHOENIX PHOENIX PHOENIX PHOENIX PHOENIX	PHNXAZNOCG0 PHNXAZWECG0 PHNXAZCRCM1 PHNXAZSYCGO PHNXAZEACGO PHNXAZEACGO	9123 9135 9130 9108 9130 9130	6749 6759 6738 6754 6738 6738	5101 5101 5101 5101 5101 5101	666 666 666 666 666	ABD ABD ABD ABD ABD ABDd ejo	602 602 602 602 602 602	251 252 370 371 376 377
PHOENIX PHOENIX PHOENIX PHOENIX PHOENIX	PHNXAZMADS1 PHNXAZNECGO PHNXAZEACG0 PHNXAZEACG0 PHNXAZEACGO	9133 9121 9130 9130 9130	6748 6737 6738 6738 6738	5101 5101 5101 5101 5101	666 666 666 666	Df ABD ABD ABD ABDd ejo	602 602 602 602 602	379 381 389 390 392
PHOENIX PHOENIX PHOENIX	PHNXAZEACG0 PHNXAZGWDS0 PHNXAZSECG0	9130 9098 9142	6738 6767 6731	5101 5101 5101	666 666 666	ABD ef ABDE FGHI KLMU Vdej o	602 602 602	397 420 431
PHOENIX	PHNXAZNWCG0	9118	6760	5101	666	ABD	602	433

Continued

Issued: December 1, 1994

Robert S. Crum

# 15. Wire Center and Interconnection Information (Cont'd)

# 15.1 <u>Serving Wire Center V and H Coordinate Information - Arizona</u> (Cont'd)

LOCALITY	CLLI	WCV	WCH	<u>CC</u>	<u>LATA</u>	<u>OT</u>	<u>NPA</u>	<u>NXX</u>
PHOENIX PHOENIX PHOENIX PHOENIX PHOENIX PHOENIX	PHNXAZSECG0 PHNXAZSECG0 PHNXAZ81DS0 PHNXAZNECG0 PHNXAZWECGO PHNXAZWACGO	9142 9142 9121 9121 9135 9133	6731 6731 6737 6737 6759 6748	5101 5101 5101 5101 5101 5101	666 666 666 666 666	ABD ABD ABD ABD ABD ABDd ejo	602 602 602 602 602 602	437 438 460 468 484 495
PHOENIX	PHNXAZMACGO PHNXAZGRCGO PHNXAZMA1XD PHNXAZNECGO PHNXAZMA5CD PHNXAZNOCG1 PHNXAZNWCGO PHNXAZNWCGO PHNXAZMAO4T PHNXAZSYCGO	9133 9098 9133 9121 9133 9123 9118 9133 9108	6748 6767 6748 6737 6748 6749 6760 6748 6754	5101 MNTN 5101 5101 5101 5101 5101 5101 5101	666 666 666 666 666 666 666	ABD ABD f ABD ABD ABD ABDE FGHI KLMU Vdej o	602 602 602 602 602 602 602 602	498 543 549 551 555 631 841 850 870
PHOENIX	PHNXAZNOCG1	9123	6749	5101	666	ABDd ejo	602	950
PHOENIX PHOENIX PHOENIX PHOENIX	PHNXAZNECG0 PHNXAZNECG0 PHNXAZNECG0 PHNXAZNECG0	9121 9121 9121 9121	6737 6737 6737 6737	5101 5101 5101 5101	666 666 666 666	ABD ABD ABDE FGHI KLMU Vdej o	602 602 602 602	954 955 956 957

Continued

Effective: December 1, 1994

Issued: December 1, 1994

Robert S. Crum

# 15. Wire Center and Interconnection Information (Cont'd)

# 15.1 <u>Serving Wire Center V and H Coordinate Information - Arizona</u> (Cont'd)

LOCALITY	CLLI	WCV	<u>WCH</u>	CC	<u>LATA</u>	<u>OT</u>	<u>NPA</u>	NXX
PHOENIX PHOENIX	PHNXAZNWCG0 PHNXAZMACG0	9118 9133	6760 6748	5101 5101	666 666	ABD ABDE FGHI KLMU VYbd ejo	602 602	973 976
PHOENIX	PHNXAZMAO1T	9133	6748	5101	666	BDde i	602	ATO
PHOENIX PHOENIX PHOENIX PHOENIX 1 PHOENIX 2 PIMA PINEDALE	PHNXAZMAXXX PHNXAZMAXXX PHNXAZMAO1W PHNXAZMAO2W PHNXAZMA485 PNDLAZXC739	9133 9133 9133 9133 9133 9154 8876	6748 6748 6748 6748 6748 6319 6469	5101 5101 5101 5101 5101 5101 2177	666 666 666 666 668 666	O P Q n n BCe ABCG HPfh j	602 602 602 602 602 602 602	DDH PAH VDH PSN PSN 485 739
PINETOP	PNTPAZXCDS0	8901	6404	2177	666	ABCG HPfh j	602	367
PINETOP	PNTPAZXADS0	8901	6398	2177	666	ABCG HPfh j	602	369
PINON- COTTONWOOD POLACCA PORTAL POSTON	PINNAZXC725 PLCCAZXC737 PRTLAZXC55A PSTNAZXC66A	8491 8560 9329 9116	6499 6573 6143 7188	2275 2175 2176 2302	980 666 668 730	Cf C AC Ch	602 602 602 602	725 737 558 662

Continued

Issued: December 1, 1994

Robert S. Crum

# 15. Wire Center and Interconnection Information (Cont'd)

# 15.1 <u>Serving Wire Center V and H Coordinate Information - Arizona</u> (Cont'd)

LOCALITY	CLLI	WCV	WCH	CC	<u>LATA</u>	<u>OT</u>	<u>NPA</u>	<u>NXX</u>
PRESCOTT PRESCOTT	PRSCAZSW442 PRSCAZMADS0	8954 8917	6908 6871	5101 5101	666 666	BCe BDEF GHIK LMUV Ydej o	602 602	442 445
PRESCOTT PRESCOTT PRESCOTT PRESCOTT QUARTZSITE RED VALLEY RIVIERA	PRSCAZEARS1 PRSCAZEARS1 PRSCAZMADS0 PRSCAZMADS0 QRTZAZXC927 RDVYAZXC653 RVRAAZXC75A	8902 8902 8917 8917 9168 8344 8876	6847 6847 6872 6871 7140 6385 7276	5101 5101 5101 5101 2174 2275 2172	666 666 666 730 980 666	BDe BD BD A A ACGH	602 602 602 602 602 602 602	772 775 776 778 927 653 758
RIVIERA	RVRAAZXC75A	8876	7276	2172	666	ACGH e	602	763
ROBLES ROCK POINT ROOSEVELT LAKE ROUGH ROCK SACATON SAFFORD SAINT JOHNS	TCSNAZSWMG0 RKPNAZXC659 RSVTAZXC467 RHRKAZXC728 SCTNAZMA562 SFFRAZMAMG0 STJHAZXCDS0	9392 8342 9049 8419 9198 9163 8798	6542 6489 6593 6515 6670 6295 6326	5101 2275 2171 2275 5101 5101 2177	668 980 666 980 666 668 666	BCe Cf A Cf BC BCe ABCG HPfh j	602 602 602 602 602 602 602	822 659 467 728 562 428 337
SALOME SALT LAKE CITY SAN CARLOS	SALMAZXC859 SLKCUTMAO1W SNCRAZMA475	9121 7574 9086	7039 7066 6454	2174 5101 5101	730 660 668	A ABDo BC	602 801 602	859 PSN 475

Continued

Issued: December 1, 1994

Robert S. Crum

# 15. Wire Center and Interconnection Information (Cont'd)

# 15.1 <u>Serving Wire Center V and H Coordinate Information - Arizona</u> (Cont'd)

LOCALITY	CLLI	WCV	<u>WCH</u>	CC	<u>LATA</u>	<u>OT</u>	<u>NPA</u>	<u>NXX</u>
SAN MANUEL SAN MANUEL SAN MANUEL SAN SIMON SANDERS SASABE SCOTTSDALE	SNMNAZMA385 MMTHAZMA487 ORCLAZMAMG0 SNSMAZXC845 SNDRAZMA688 SASBAZXC823 SCDLAZSHDSO SCDLAZMACG0 SCDLAZTHCGO SCDLAZSHDS0 SCDLAZMACG0 SCDLAZMACG0 SCDLAZMACG0 PHNXAZNECG0	9252 9227 9256 9259 8646 9505 9095 9118 9102 9095 9118 9102 9121	6447 6455 6474 6176 6358 6550 6712 6724 6728 6712 6724 6728 6737	5101 5101 5101 2176 5101 2171 5101 5101 5101 5101 5101 5101 5101	668 668 668 666 666 666 666 666 666 666	BC BC AC BC Ae ABD ABD ABD ABD ABD ABD ABDE FGHI KLMU Vdej o	602 602 602 602 602 602 602 602 602 602	385 487 896 845 688 823 391 423 443 451 481 483 840
SCOTTSDALE SCOTTSDALE SCOTTSDALE SCOTTSDALE SCOTTSDALE	SCDLAZSHDSO SCDLAZMACG0 SCDLAZMACG0 SCDLAZMACG0 SCDLAZMACG0	9095 9118 9118 9118 9118	6712 6724 6724 6724 6724	5101 5101 5101 5101 5101	666 666 666 666	ABD ABD ABD ABDE FGHI KLMU Vdej o	602 602 602 602 602	860 941 945 946 947
SCOTTSDALE	SCDLAZTHCG0	9102	6728	5101	666	ABDE FGHI KLMU Vdej o	602	948

Continued

Effective: December 1, 1994

Issued: December 1, 1994

Robert S. Crum

# 15. Wire Center and Interconnection Information (Cont'd)

# 15.1 <u>Serving Wire Center V and H Coordinate Information - Arizona</u> (Cont'd)

LOCALITY	CLLI	WCV	WCH_	CC	<u>LATA</u>	<u>OT</u>	<u>NPA</u>	<u>NXX</u>
SCOTTSDALE	SCDLAZMACGO SCDLAZTHCGO PHNXAZNECGO PHNXAZNECGO SCDLAZMACGO SCDLAZTHCGO SCDLAZMACGO SCDLAZTHCGO SCDLAZTHCGO SCDLAZTHCGO	9118 9102 9121 9121 9118 9102 9118 9102 8820	6724 6728 6737 6737 6724 6728 6724 6728 6763	5101 5101 5101 5101 5101 5101 5101 5101	666 666 666 666 666 666 666 666	ABD ABD ABD ABD ABD ABD ABD ABD ABDY jo	602 602 602 602 602 602 602 602	949 951 952 959 990 991 994 998 282
SEDONA SELIGMAN SELLS SHONTO SHOW LOW	SEDNAZSORS1 SGMNAZMA422 SLLSAZXADS0 SHNTAZXC672 SHLWAZXCDS0	8841 8766 9450 8411 8879	6758 6979 6636 6656 6428	5101 5101 2173 2275 2177	666 668 980 666	ABDe BC BC Cf ABCG HJPf hj	602 602 602 602 602	284 422 383 672 537
SIERRA VISTA SIERRA VISTA SIERRA VISTA SIERRA VISTA SIERRA VISTA SIERRA VISTA	SRVSAZSORS1 SRVSAZNORS1 SRVSAZMADS0 SRVSAZMADS0 SRVSAZMADS0 SRVSAZMADS0	9471 9440 9458 9458 9458 9458	6319 6343 6332 6332 6332 6332	5101 5101 5101 5101 5101 5101	668 668 668 668 668	BDe BD BD BD BDEF GHIK LMUV de	602 602 602 602 602 602	378 456 458 459 533 538
SILVER BELL SNOWFLAKE	SLBLAZMA324 SNWFAZXC536	9334 8827	6591 6449	5101 2177	668 666	BC ABCG HPfh j	602 602	324 536

Continued

Effective: December 1, 1994

Issued: December 1, 1994

Robert S. Crum

# 15. Wire Center and Interconnection Information (Cont'd)

# 15.1 <u>Serving Wire Center V and H Coordinate Information - Arizona</u> (Cont'd)

LOCALITY	CLLI	WCV	<u>WCH</u>	CC	<u>LATA</u>	<u>OT</u>	<u>NPA</u>	NXX
SOMERTON SPRINGERVILLE	SMTNAZMA627 SPVLAZXCDSO	9414 8871	7182 6290	5101 2177	666 666	BCe ABCG HPfh j	602 602	627 333
STANFIELD SUNIZONA SUPAI SUPERIOR SUPERSTITION- APACHE SUPERSTITION-	STFDAZMA424 SNZNAZXC824 SUPAAZXC448 SPRRAZMA689 SPRSAZMACGO	9249 9361 8566 9125 9122	6700 6232 6988 6562 6665	5101 2176 2171 5101 5101	666 668 666 666	BC AZ A BC ABD	602 602 602 602	424 824 448 689 373
APACHE SUPERSTITION- APACHE SUPERSTITION-	SPRSAZMACG0 SPRSAZWECG0	9122 9125	6665 6685	5101	666 666	ABD ABD	602	380 396
APACHE SUPERSTITION- APACHE	SPRSAZWECG0 SPRSAZWECG0	9125 9125	6685 6685	5101 5101	666 666	ABDE FGHI KLMU Vdej o	602	981 981
SUPERSTITION- APACHE	SPRSAZMACG0	9122	6665	5101	666	ABDE FGHI KLMU Vdej o	602	984

Continued

Effective: December 1, 1994

Issued: December 1, 1994

Robert S. Crum

#### Wire Center and Interconnection Information (Cont'd) 5.

# 15.1 <u>Serving Wire Center V and H Coordinate Information - Arizona</u> (Cont'd)

LOCALITY	CLLI	WCV	WCH	CC	<u>LATA</u>	<u>OT</u>	<u>NPA</u>	<u>NXX</u>
SUPERSTITION-								
APACHE SUPERSTITION-	SPRSAZWECG0	9125	6685	5101	666	ABD	602	985
APACHE	SPRSAZMACG0	9122	6665	5101	666	ABD	602	986
SUPERSTITION- APACHE JCT	SPRSAZWECG0	9125	6685	5101	666	ABD	602	924
SUPERSTITION-								
APACHE JCT SUPERSTITION-	SPRSAZEADS0	9120	6649	5101	666	BCe	602	982
APACHE JCT	SPRSAZEADS0	9120	6649	5101	666	ВСе	602	983
TEEC NOS POS TEMPE	TNPSAZXC656 TEMPAZMCCGO	8279 9144	6412 6715	2275 5101	980 666	Cfh ABD	602 602	656 345
TEMPE	TEMPAZMACG0	9133	6723	5101	666	ABD	602	350
TEMPE	TEMPAZMCCG0	9144	6715	5101	666	ABD:	602	730
TEMPE	TEMPAZMACGO	9133	6723	5101	666	ABDj o	602	731
TEMPE	TEMPAZMCCG0	9144	6715	5101	666	ABD	602	752
TEMPE	TEMPAZMCCGO	9144	6715	5101	666	ABD	602	752 756
TEMPE	TEMPAZMACGO	9133	6723	5101	666	ABDj	602	784
						0		
TEMPE	TEMPAZMCCG0	9144	6715	5101	666	ABD	602	820
TEMPE	TEMPAZMACG0	9133	6723	5101	666	ABDE FGHI	602	829
						KLMU		
						Vdej o		
TEMPE	TEMPAZMCCG0	9144	6715	5101	666	ABD	602	831

Continued

Effective: December 1, 1994

Issued: December 1, 1994

# 15. Wire Center and Interconnection Information (Cont'd)

# 15.1 <u>Serving Wire Center V and H Coordinate Information - Arizona</u> (Cont'd)

LOCALITY	CLLI	WCV	<u>WCH</u>	CC	<u>LATA</u>	<u>OT</u>	<u>NPA</u>	NXX
TEMPE	TEMPAZMCCG0	9144	6715	5101	666	ABDE FGHI KLMU Vdej o	602	838
TEMPE TEMPE	TEMPAZMCCG0 CHNDAZWEDSO	9144 9158	6715 6721	5101 5101	666 666	ABD ABDd ejo	602 602	839 893
TEMPE TEMPE TEMPE TEMPE TEMPE TEMPE TEMPE TOMBSTONE TONTO BASIN TOYEI TSAILE TUBA CITY TUBAC TUCSON TUCSON TUCSON TUCSON TUCSON	TEMPAZMACGO TEMPAZMACGO TEMPAZMACGO TEMPAZMACGO TEMPAZMACGO TEMPAZMACGO TEMPAZMACGO TEMPAZMACGO TMBSAZMA457 TNBSAZXC479 TOYIAZXC736 TSILAZXC724 TBCYAZXC283 TUBCAZMA398 TCSNAZRNCGO TCSNAZRNCGO TCSNAZFWDSO TCSNAZFWDSO TCSNAZFWDSO	9133 9144 9133 9133 9133 9133 9133 9413 9017 8566 8414 8533 9478 9340 9320 9334 9334 9364	6723 6715 6723 6723 6723 6723 6723 6723 6297 6630 6485 6392 6737 6470 6458 6498 6495 6495 6483	5101 5101 5101 5101 5101 5101 5101 2171 2275 2275 5101 5101 5101 5101 5101	666 666 666 666 666 668 668 980 980 980 980 668 668 668 668	ABD ABD ABD ABD ABD BC AC Cf Cf Cf BC ABD BCde BCde BCde ABDE FGHI KLMU Vdej o	602 602 602 602 602 602 602 602 602 602	894 897 921 965 966 967 968 457 479 736 724 283 398 290 291 292 293 294

Continued

Issued: December 1, 1994

# 15. Wire Center and Interconnection Information (Cont'd)

# 15.1 <u>Serving Wire Center V and H Coordinate Information - Arizona</u> (Cont'd)

LOCALITY	CLLI	WCV	<u>WCH</u>	CC	<u>LATA</u>	<u>OT</u>	<u>NPA</u>	<u>NXX</u>
TUCSON TUCSON	TCSNAZSOCG0 TCSNAZRNCG0	9364 9340	6483 6458	5101 5101	668 668	ABD ABDE FGHI KLMU Vdej o	602 602	295 296
TUCSON TUCSON TUCSON	TCSNAZNOCG0 TCSNAZRNCG0 TCSNAZCACG0	9320 9340 9324	6498 6458 6478	5101 5101 5101	668 668 668	ABD ABD ABDd ejo	602 602 602	297 298 299
TUCSON TUCSON TUCSON TUCSON TUCSON TUCSON	TCSNAZEACG0 TCSNAZEACG0 TCSNAZEACG0 TCSNAZEACG0 TCSNAZEACG0 TCSNAZEACG0	9342 9342 9342 9342 9342 9342	6480 6480 6480 6480 6480 6480	5101 5101 5101 5101 5101 5101	668 668 668 668 668	BD BD BD BD BDEF GHIK LMUV dejo	602 602 602 602 602 602	321 322 323 325 326 327
TUCSON TUCSON TUCSON TUCSON TUCSON TUCSON TUCSON TUCSON TUCSON	TCSNAZEACG0 TCSNAZNOCG0 TCSNAZNOCG0 TCSNAZNOCG0 TCSNAZNOCG0 TCSNAZEACG0 TCSNAZEACG0 TCSNAZCRCG0	9342 9320 9320 9320 9320 9342 9320 9347	6480 6498 6498 6498 6498 6480 6498 6469	5101 5101 5101 5101 5101 5101 5101 5101	668 668 668 668 668 668 668	BD ABD ABD ABD BD ABD ABDd e	602 602 602 602 602 602 602 602	349 429 444 446 447 449 469 571

Continued

Effective: December 1, 1994

Issued: December 1, 1994

Robert S. Crum

# 15. Wire Center and Interconnection Information (Cont'd)

# 15.1 <u>Serving Wire Center V and H Coordinate Information - Arizona</u> (Cont'd)

LOCALITY	CLLI	WCV	<u>WCH</u>	CC	<u>LATA</u>	<u>OT</u>	<u>NPA</u>	NXX
TUCSON TUCSON TUCSON TUCSON	TCSNAZSOCG0 TCSNAZSERS1 TCSNAZNOCG0 TCSNAZMLRS1	9364 9365 9320 9293	6483 6460 6498 6466	5101 5101 5101 5101	668 668 668 668	ABD ABDe ABD ABDd e	602 602 602 602	573 574 575 576
TUCSON	TCSNAZCACG0	9324	6478	5101	668	ABDd ejo	602	577
TUCSON TUCSON	TCSNAZSWDS0 TCSNAZMACG0	9363 9346	6500 6487	5101 5101	668 668	BCde ABDd ejo	602 602	578 620
TUCSON TUCSON TUCSON	TCSNAZMACG0 TCSNAZMACG0 TCSNAZMACG0	9346 9346 9346	6487 6487 6487	5101 5101 5101	668 668 668	ABD ABDE ABDE FGHI KLMU VYde jo	602 602 602	621 622 623
TUCSON	TCSNAZMACG0 TCSNAZMACG0 TCSNAZMACG0 TCSNAZMACG0 TCSNAZEACG0 TCSNAZMACG0 TCSNAZMACG0 TCSNAZMACG0 TCSNAZCDRS1 TCSNAZRNCG0 TCSNAZRNCGO	9346 9346 9346 9346 9342 9346 9340 9340	6487 6487 6487 6487 6480 6487 6458 6458	5101 5101 5101 5101 5101 MNTN 5101 5101 5101	668 668 668 668 668 668 668 668	ABD ABD ABD BD ABD ABD ABD ABDd ejo	602 602 602 602 602 602 602 602	624 626 628 629 676 694 695 721 722

Continued

Effective: December 1, 1994

Issued: December 1, 1994

Robert S. Crum

# 15. Wire Center and Interconnection Information (Cont'd)

# 15.1 <u>Serving Wire Center V and H Coordinate Information - Arizona</u> (Cont'd)

LOCALITY	CLLI	WCV	<u>WCH</u>	CC	<u>LATA</u>	<u>OT</u>	<u>NPA</u>	NXX
TUCSON TUCSON TUCSON TUCSON	TCSNAZSOCG0 TCSNAZNOCG0 TCSNAZWERS1 TCSNAZCOCG0	9364 9320 9340 9322	6483 6498 6503 6514	5101 5101 5101 5101	668 668 668	ABD ABD BC ABDE FGHI KLMU Vejo	602 602 602 602	741 742 743 744
TUCSON TUCSON TUCSON TUCSON TUCSON	TCSNAZCRCG0 TCSNAZSOCG0 TCSNAZCRCG0 TCSNAZCRCG0 TCSNAZTVCG0	9347 9364 9347 9347 9326	6469 6483 6469 6469 6455	5101 5101 5101 5101 5101	668 668 668 668	ABD ABD ABD ABD ABDd ejo	602 602 602 602 602	745 746 747 748 749
TUCSON TUCSON TUCSON	TCSNAZCRCG0 TCSNAZRNCG0 TCSNAZCRCG0	9347 9340 9347	6469 6458 6469	5101 5101 5101	668 668 668	ABD ABDE ABDE FGHI KLMU Vdej o	602 602 602	750 751 790
TUCSON TUCSON TUCSON	TCSNAZMACG0 TCSNAZMACG0 TCSNAZNOCG0	9346 9346 9320	6487 6487 6498	5101 5101 5101	668 668 668	ABD ABD ABCE FGHI KLMU Vdej o	602 602 602	791 792 793

Continued

Effective: December 1, 1994

Issued: December 1, 1994

Robert S. Crum

Vice President
Western Region Telephone Operations
8920 Emerald Park Drive

Elk Grove, CA 95624

#### Wire Center and Interconnection Information (Cont'd) 5.

# 15.1 <u>Serving Wire Center V and H Coordinate Information - Arizona</u> (Cont'd)

LOCALITY	CLLI	<u>WCV</u>	<u>WCH</u>	<u>CC</u>	<u>LATA</u>	<u>OT</u>	<u>NPA</u>	<u>NXX</u>
TUCSON	TCSNAZSOCG0	9364	6483	5101	668	ABD	602	794
TUCSON	TCSNAZEACG0	9342	6480	5101	668	BD	602	795
TUCSON	TCSNAZNOCG0	9320	6498	5101	668	ABD	602	797
TUCSON	TCSNAZMACGO	9346	6487	5101	668	ABD	602	798
TUCSON	TCSNAZSOCG0	9364	6483	5101	668	ABD	602	799
TUCSON	TCSNAZSWDS0	9363	6500	5101	668	BCde	602	822
TUCSON	TCSNAZMACG0	9346	6487	5101	668	ABD	602	880
TUCSON	TCSNAZEACG0	9342	6480	5101	668	BD	602	881
TUCSON	TCSNAZMACG0	9346	6487	5101	668	ABD	602	882
TUCSON	TCSNAZSWDS0	9363	6500	5101	668	BCde	602	883
TUCSON	TCSNAZMACG0	9346	6487	5101	668	ABD	602	884
TUCSON	TCSNAZRNCG0	9340	6458	5101	668	ABD	602	885
TUCSON	TCSNAZRNCG0	9340	6458	5101	668	ABD	602	886
TUCSON	TCSNAZFWDS0	9334	6495	5101	668	BCEF GHIK LMUV de	602	887
TUCSON	TCSNAZFWDS0	9334	6495	5101	668	ВС	602	888
TUCSON	TCSNAZSOCG0	9364	6483	5101	668	ABD	602	889
TUCSON	TCSNAZMA04T	9346	6487	5101	668	BDi	602	ATO
TUCSON	TCSNAZMAXXX	9346	6487	5101	668	Ο	602	DDH
TUCSON	TCSNAZMAXXX	9346	6487	5101	668	Р	602	PAH
TUCSON	TCSNAZMAXXX	9346	6487	5101	668	Q	602	VDH
VAIL	VAILAZNO647	9360	6430	5101	668	BCe	602	647
VAIL	VAILAZSODSO	9393	6438	5101	668	BDe	602	762
VIRDEN, NM	DNCNAZNMMG0	9159	6179	5101	668	BCEF GHIK LMUV	505	358

Continued

Effective: December 1, 1994

Issued: December 1, 1994

# 15. Wire Center and Interconnection Information (Cont'd)

# 15.1 <u>Serving Wire Center V and H Coordinate Information - Arizona</u> (Cont'd)

LOCALITY	CLLI	WCV	<u>WCH</u>	CC	<u>LATA</u>	<u>OT</u>	<u>NPA</u>	NXX
WELLTON WHITE TANKS	WLTNAZMA785 WHTKAZMARS1	9377 9144	7082 6819	5101 5101	666 666	BCe ABDe	602 602	785 853
WHITERIVER	WHRVAZXARS1	8942	6496	2177	666	ABCG HPfh j	602	332
WHITERIVER	WHRVAZXC338	8964	6394	2177	666	ABCG HPfh j	602	338
WHITLOW	WHTLAZMADS0	9134	6601	5101	666	BDe	602	463
WICKENBURG	WCBGAZMA684	9049	6890	5101	666	BCde	602	684
WIDE RUIN	WDRNAZXC652	8610	6396	2275	980	Cf	602	652
WIKIEUP	WIKPAZXC765	8919	7079	2172	666	ACGH	602	765
WILLCOX	WLCXAZMA384	9290	6284	5101	668	BCe	602	384
WILLIAMS	WLMSAZMA635	8757	6856	5101	666	ВС	602	635
WINDOW ROCK	WNRKAZXC871	8537	6336	2275	980	Cfh	602	871
WINSLOW	WNSLAZMA289	8744	6585	5101	666	BC	602	289
WINTERHAVEN, CA	YUMAAZMADS0	9384	7171	5101	666	ADde	619	572
YARNELL	YRNLAZMA427	8996	6905	5101	666	BCe	602	427
YORK VALLEY	YRVYAZMAMGO	9120	6208	5101	668	BC	602	687
YOUNG	YONGAZMA462	8944	6578	5101	666	ВС	602	462
YUCCA	YUCCAZXC766	8908	7182	2172	666	ACGH	602	766
YUMA	YUMAAZMADS0	9384	7171	5101	666	BDde	602	328
YUMA	YUMAAZMADS0	9384	7171	5101	666	BDde	602	329
YUMA	YUMAAZSEMGO	9392	7162	5101	666	BCde	602	341
YUMA	YUMAAZFTDSO	9388	7132	5101	666	BDde	602	342
YUMA	YUMAAZMADS0	9384	7171	5101	666	BDde	602	343
YUMA	YUMAAZSEMG0	9392	7162	5101	666	BCde	602	344
YUMA	YUMAAZSEMG0	9392	7162	5101	666	BCde	602	726

Continued

Effective: December 1, 1994

Issued: December 1, 1994

# 15. Wire Center and Interconnection Information (Cont'd)

15.1 <u>Serving Wire Center V and H Coordinate Information - Arizona</u> (Cont'd)

LOCALITY	CLLI	WCV	WCH	CC	<u>LATA</u>	<u>OT</u>	<u>NPA</u>	<u>NXX</u>
YUMA	YUMAAZMADS0	9384	7171	5101	666	BDEF GHIK LMUV Yde	602	782
YUMA	YUMAAZMADS0	9384	7171	5101	666	BDde	602	783

# 15. Wire Center and Interconnection Information (Cont'd)

#### 15.2 Single State Interconnection Information - Arizona

LOCALITY	LC	CC	BP OI	SVC
ALPINE	ALPIAZXC	2177 45	END	SPA/SWD
PHOENIX	PHNXAZMA	5101 55	END	
AUBREY PEAK	AYPEAZQZ	2172 0	END	ALL
PHOENIX	PHNXAZMA	5101100	END	
BLUE RIDGE	BLRGAZXC	2171 14	END	ALL
PHOENIX	PHNXAZMA	5101 86	END	
BONITA	BONTAZXC	2176 40	END	ALL
TUCSON	TCSNAZMA	5101 60	END	
BOWIE	BOWIAZXC	2176 31	END	ALL
TUCSON	TCSNAZMA	5101 69	END	
BULLHEAD CITY	BLCYAZXC	2172100	END	SWA
AUBREY PEAK	AYPEAZQZ	5101 0	END	
BULLHEAD CITY	BLCYAZXC	2172 54	END	SPA
PHOENIX	PHNXAZMA	5101 46	END	
CASTLE ROCK	CSRKAZXC	2172100	END	SWA
AUBREY PEAK	AYPEAZQZ	5150 0	END	
CASTLE ROCK	CSRKAZXC	2172 53	END	SPA
PHOENIX	PHNXAZMA	5101 47	END	
DOLAN SPRINGS	DLSPAZXC	2172100	END	SWA
AUBREY PEAK	AYPEAZQZ	5101 0	END	

Continued

# 15. Wire Center and Interconnection Information (Cont'd)

# 15.2 <u>Single State Interconnection Information - Arizona</u> (Cont'd)

LOCALITY	<u>LC</u>	<u>CC</u>	BP C	<u>SVC</u>
DOLAN SPRINGS	DLSPAZXC	2172 49	END	SPA
PHOENIX	PHNXAZMA	5101 51	END	
GOLDEN VALLEY	GLVYAZXC	2172100	END	SWA
AUBREY PEAK	AYPEAZQZ	5101 0	END	
GOLDEN VALLEY	GLVYAZXC	2172 40	END	SPA
PHOENIX	PHNXAZMA	5101 60	END	
GREEN HAVEN	MRCNAZXE	2171 1	END	ALL
PHOENIX	PHNXAZMA	5101 99	END	
GREER	GRERAZXC	2177 43	END	SPA/SWD
PHOENIX	PHNXAZMA	5101 57	END	
HARQUAHALA VALLEY	HRVYAZXC	2171 7	END	ALL
PHOENIX	PHNXAZMA	5101 93	END	
HAWLEY LAKE	HLLKAZXC	2177 27	END	SPA/SWD
PHOENIX	PHNXAZMA	5101 73	END	
HEBER	HEBRAZXC	2177 25	END	SPA
FLAGSTAFF	FLGSAZMA	5101 75	END	
HEBER	HEBRAZXC	2177 34	END	SPA/SWD
PHOENIX	PHNXAZMA	5101 66	END	
HOLBROOK CAVE CREEK	HLBKAZXC CVCKAZMA	2177 5101 99	1 END	ND SPA

Continued

# 15. Wire Center and Interconnection Information (Cont'd)

# 15.2 <u>Single State Interconnection Information - Arizona</u> (Cont'd)

LOCALITY	<u>LC</u>	CC	<u>BP</u> <u>O</u>	<u>SVC</u>
HOLBROOK	HLBKAZXC	2177 1	END	SPA
FLAGSTAFF	FLGSAZMA	5101 99	END	
HOLBROOK JOSEPH CITY	HLBKAZXC JSCYAZMA	2177 1 5101 99	END	SPA
HOLBROOK	HLBKAZXC	2177 1	END	SPA/SWD
PHOENIX	PHNXAZMA	5101 99	END	
HOLBROOK	HLBKAZXC	2177 1	END	SPA
WINSLOW	WNSLAZMA	5101 99	END	
HAWLEY LAKE	HLLKAZXC	2177 27	END	SPA/SWD
PHOENIX	PHNXAZMA	5101 23	END	
HYDER	HYDRAZXC	2171 13	END	ALL
PHOENIX	PHNXAZMA	5101 87	END	
KEAMS CANYON	KMCNAZXC	2175 23	END	ALL
PHOENIX	PHNXAZMA	5101 77	END	
KINGMAN	KGMNAZXC	2172 100	END	SWA
AUBREY PEAK	AYPEAZQZ	5101 0	END	
KINGMAN	KGMNAZXE	2172 100	END	SWA
AUBREY PEAK	AYPEAZQZ	5101 0	END	
KINGMAN	KGMNAZXC	2172 38	END	SPA
PHOENIX	PHNXAZMA	5101 62	END	

Continued

# 15. Wire Center and Interconnection Information (Cont'd)

# 15.2 <u>Single State Interconnection Information - Arizona</u> (Cont'd)

LOCALITY	LC	CC		BP	OI SVC
KINGMAN PHOENIX	KGMNAZXE PHNXAZMA		40 60	END END	SPA
KYKOTSMOVI VILLAGE PHOENIX	KIVGAZXC PHNXAZMA	_	19 81	END END	ALL
LAKE HAVASU CITY LHC AUBREY PEAK	YAZXC 217 AYPEAZQZ	2100 5101	0	END END	SWA
LAKE HAVASU CITY LHC PHOENIX	YAZXC 217 PHNXAZMA		41	END END	SPA
LAKESIDE PHOENIX	PNTPAZXB PHNXAZNA	2177 2 5101	23 77	END END	SPA
MARBLE CANYON PHOENIX	MRCNAZXC PHNXAZMA	2171 5101	5 95	END END	ALL
MCNARY PHOENIX	MCNRAZXC PHNXAZMA	2177 2 5101		END END	SPA/SWD
MEADVIEW AUBREY PEAK	MDVWAZXC AYPEAZQZ	217210 5101	00 0	END END	SWA
MEADVIEW PHOENIX	MDVWAZXC PHNXAZMA		56 44	END END	SPA
MOHAVE VALLEY AUBREY PEAK	MHVYAZXC AYPEAZQZ	217210 5101	00	END END	SWA

Continued

Effective: December 1, 1994

Issued: December 1, 1994

Elk Grove, CA 95624

# 15. Wire Center and Interconnection Information (Cont'd)

# 15.2 <u>Single State Interconnection Information - Arizona</u> (Cont'd)

LOCALITY	LC	CC	BP OI	SVC
MOHAVE VALLEY	MHVYAZXC	2172 50	END	SPA
PHOENIX	PHNXAZMA	5101 50	END	
MOHAVE VALLEY	MHVYAZXC	2172 36	END	SPA
PRESCOTT	PRSCAZMA	5101 64	END	
MORMAN LAKE	MMLKAZXC	2171 4	END	ALL
PHOENIX	PHNXAZMA	5101 96	END	
PEACH SPRINGS	PCSPAZXC	2172100	END	SWA
AUBREY PEAK	AYPEAZQZ	5101 0	END	
PEACH SPRINGS	PCSPAZXC	2172 52	END	SPA
PHOENIX	PHNXAZMA	5101 48	END	
PEARCE	PERCAZXC	2176 9	END	ALL
TUCSON	TCSNAZMA	5101 91	END	
PINEDALE	PNDLAZXC	2177 23	END	SPA/SWD
PHOENIX	PHNXAZMA	5101 77	END	
PINETOP	PNTPAZXC	2177 17	END	SPA
FLAGSTAFF	FLGSAZMA	5101 83	END	
PINETOP	PNTPAZXA	2177 22	END	SPA
MESA	MESAAZMA	5101 78	END	
PINETOP	PNTPAZXA	2177 23	END	SPA/SWD
PHOENIX	PHNXAZMA	5101 77	END	
PINETOP	PNTPAZXC	2177 16	END	SPA
FLAGSTAFF	FLGSAZMA	5101 84	END	

Continued

Issued: December 1, 1994

# 15. Wire Center and Interconnection Information (Cont'd)

# 15.2 <u>Single State Interconnection Information - Arizona</u> (Cont'd)

LOCALITY	<u>LC</u>	<u>CC</u>	BP OI	<u>SVC</u>
PINETOP	PNTPAZXC	2177 21	END	SPA
MESA	MESAAZMA	5101 79	END	
PINETOP	PNTPAZXC	2177 22	END	SPA/SWD
PHOENIX	PHNXAZMA	5101 78	END	
POLACCA	PLCCAZXC	2175 20	END	ALL
PHOENIX	PHNXAZMA	5101 80	END	
PORTAL	PRTLAZXC	2176 45	END	ALL
TUCSON	TCSNAZMA	5101 55	END	
RIVIERA	RVRAZZXC	2172100	END	SWA
AUBREY PEAK	AYPEAZQZ	5101 0	END	
RIVIERA	RVRAAZXC	2172 53	END	SPA
PHOENIX	PHNXAZMA	5101 47	END	
ROOSEVELT LAKE	RSVTAZXC	2171 26	END	ALL
PHOENIX	PHNXAZMA	5101 74	END	
SAN SIMON	SNSMAZXC	2176 35	END	ALL
TUCSON	TCSNAZMA	5101 65	END	
SANTA ROSA	SNRSAZXA	2173 61	END	ALL
TUCSON	TCSNAZMA	5101 39	END	
SASABE	SASBAZXC	2171 20	END	ALL
TUCSON	TCSNAZMA	5101 80	END	

Continued

# 15. Wire Center and Interconnection Information (Cont'd)

# 15.2 <u>Single State Interconnection Information - Arizona</u> (Cont'd)

LOCALITY	LC	CC E	<u> 0</u>	<u>SVC</u>
SELLS	SLLSAZXA	2173 44	END	ALL
TUCSON	TCSNAZMA	5101 56	END	
SHOW LOW	SHLWAZXC	2177 14	END	SPA
FLAGSTAFF	FLGSAZMA	5101 86	END	
SHOW LOW	SHLWAZXC	2177 18	END	SPA
MESA	MESAAZMA	5101 82	END	
SHOW LOW	SHLWAZXC	2177 19	END	SPA/SWD
PHOENIX	PHNXAZMA	5101 81	END	
SHOW LOW	SHLWAZXC	2177 19	END	SPA
TEMPE	TEMPAZMA	5101 81	END	
SNOWFLAKE	SNWFAZXC	2177 26	END	SPA/SWD
PHOENIX	PHNXAZMA	5101 74	END	
SPRINGERVILLE	SPVLAZXC	2177 32	END	SPA
FLAGSTAFF	FLGSAZMA	5101 68	END	
SPRINGERVILLE	SPVLAZXC	2177 41	END	SPA/SWD
PHOENIX	PHNXAZMA	5101 59	END	
SUNIZONA	SNZNAZXC	2176 17	END	ALL
TUCSON	TCSNAZMA	5101 83	END	
SUPAI	SUPAAZXC	2171 22	END	OPH
PHOENIX	PHNXAZMA	5101 78	END	

# 15. Wire Center and Interconnection Information (Cont'd)

# 15.2 <u>Single State Interconnection Information - Arizona</u> (Cont'd)

LOCALITY	<u>LC</u>	CC	<u>BP</u> <u>C</u>	<u>SVC</u>
SUPAI	SUPAAZXC	2171 39	END	SPA
PRESCOTT	PRSCAZMA	5101 61	END	
SAINT JOHNS	STJHAZXC	2177 32	END	SPA
FLAGSTAFF	FLGSAZMA	5101 68	END	
SAINT JOHNS	STJHAZXC	2177 40	END	SPA
MESA	MESAAZMA	5101 60	END	
SAINT JOHNS	STJHAZXC	2177 41	END	SPA/SWD
PHOENIX	PHNXAZMA	5101 59	END	
TONTO BASIN	TNBSAZXC	2171 11	END	ALL
PHOENIX	PHNXAZMA	5101 89	END	
WEST SAN SIMON	SNRSAZXC	2173 62	END	ALL
TUCSON	TCSNAZMA	5101 38	END	
WHITERIVER	WHRVAZXC	2177 28	END	SPA/SWD
PHOENIX	PHNXAZMA	5101 72	END	
WIKIEUP	WIKPAZXC	2172100	END	SWA
AUBREY PEAK	AYPEAZQZ	5101 0	END	
WIKIEUP	WIKPAZXC	2172 50	END	SPA
PHOENIX	PHNXAZMA	5101 50	END	
YUCCA	YUCCAZXC	2172 100	END	SWA
AUBREY PEAK	AYPEAZQZ	5101 0	END	

Continued

SPA

#### **ACCESS SERVICE**

15. Wire Center and Interconnection Information (Cont'd)

15.2 <u>Single State Interconnection Information - Arizona</u> (Cont'd)

LOCALITY LC CC BP OI SVC

YUCCA YUCCAZXC 2172 46 END PHOENIX PHNXAZMA 5101 54 END

(T)

(T)

#### ACCESS SERVICE

#### 16. Arizona Universal Service Fund

#### 16.1 Applicability

The surcharges set forth below relate to funding the Arizona Universal Service Fund (AUSF) and are in addition to the rates and charges for access service, toll service and local service set forth in the applicable tariffs. If the Company determines it has collected its annually assessed amount prior to the end of the calendar year, it will suspend collection of these surcharges for the remainder of that year, subject to any subsequent adjustment necessitated by Arizona Corporation Commission Order.

#### 16.2 Elements and Rates

#### 16.2.1 Access Portion Element

The surcharge amounts are per A.C.C. R-14-2-1201 through R14-2-1217. As the Arizona Corporation Commission issues orders which increase or decrease the requirement for AUSF funding, this surcharge amount(s) will be adjusted accordingly.

DATE ISSUED: March 27, 2007 EFFECTIVE DATE: April 26, 2007 FILED BY: Aloa J. Stevens

Director

SECTION BELOW RESERVED FOR ACC TARIFF APPROVAL APPROVED FOR FILING IN COMPLIANCE WITH DECISION NO. 68326